



# REDSTRIPE HAND TOOLS

**READY  
FOR WORK**



**READY  
FOR WORK**

# Ratchet

**RED STRIPE**

Würth exclusive designed 2-component handle, ergonomically shaped for comfortable handling even under extensive use.

Hanger hole also suitable for retail business.

Fast, simple changeover from clockwise to anti-clockwise rotation.

Matt chrome plated for strong corrosion resistance.

Convenient ejector

72 teeth gear offers a 5° swing arc for precise movement and easy use in confined spaces.

**COMING  
SOON**

## Available Range

ART.No. 5763014901 - RATCHET 1/4IN, REDSTRIPE

ART.No. 5763038901 - RATCHET 3/8IN, REDSTRIPE

ART.No. 5763012901 - RATCHET 1/2IN, REDSTRIPE



**READY  
FOR WORK**



# Socket Wrench Set

**RED STRIPE**

Blow molded case in Wurth design. Perfect fit for Wurth **ORSY** system.

Available in **ORSY** 2.3 / 4.4 / 8.4

## Available Sets (Art. 5763 XXX XXX)

**1/4"**: 17, 24, 32, 40 pieces set

**3/8"**: 24 pieces set

**1/2"**: 22 pieces set

**Mixed:** 72 pieces **1/4" & 1/2"**  
154 pieces **1/4" & 3/8" & 1/2"**



## 17 pcs 1/4" HEX Socket Wrench Set



**Powerful and precise tightening wrench set in handy case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |

11 | 12 | 13 | 14 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

2 pcs - 1/4" Extension Bar: 100 | 150 mm

1 pc - 1/4" Joint

1 pc - 1/4" Universal Joint

**Art. 5763 114 017**

**RED STRIPE**

**R 470.00**

Each Ex.Vat

**Prices are subject to change.**

## 24 pcs 1/4" HEX Socket Wrench Set



**RED STRIPE**

**Extensive socket wrench assortment in compact case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm  
 7 pcs - 1/4" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | 14 mm  
 1 pc - 1/4" Quick release ratchet handle | 72 Teeth  
 2 pcs - 1/4" Extension Bar: 100 | 150 mm  
 1 pc - 1/4" Joint  
 1 pc - 1/4" Universal Joint

**Art. 5763 114 024**

**COMING SOON**

## 32 pcs 1/4" HEX Socket Wrench Set



**RED STRIPE**

**Selected sockets and bits in a convenient assortment case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm  
 1 pc - 1/4" Spanner handle | 200 mm  
 1 pc - 1/4" Quick release ratchet handle | 72 Teeth  
 1 pc - 1/4" Extension bar: 150 mm  
 1 pc - 1/4" Flexible extension: 150 mm  
 1 pc - 1/4" Universal Joint  
 15 pcs - 1/4" Bit Sockets 25 mm

**Art. 5763 114 032**

**COMING SOON**



0.8 x 5.5 mm



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T10 | T15 | T20 | T25 | T30 | T40

## 40 pcs 1/4" HEX Socket Wrench Set



### RED STRIPE



0.8 x 5.5 mm



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T8 | T10 | T15 | T20 |  
T25 | T27 | T30 | T40

**Extensive socket and bit assortment in handy case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |  
11 | 12 | 13 | 14 mm

7 pcs - 1/4" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 |  
14 mm

1 pc - 1/4" Spanner handle | 150 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" Extension Bar: 100 mm

1 pc - 1/4" Universal Joint

1 pc - 1/4" Hex Bit Adaptor | 25 mm

16 pcs - 1/4" Bit Sockets | 25 mm

**Art. 5763 114 040**

**COMING  
SOON**

## 22 pcs 1/2" HEX Socket Wrench Set



### RED STRIPE

**Compact socket wrench set containing the most popular sizes**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |  
19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

1 pc - 1/2" Quick release ratchet handle | 72 Teeth

2 pcs - 1/2" Extension Bar: 125 | 250 mm

1 pc - 1/2" x 3/8" T-Head

1 pc - 1/2" Universal Joint

**Art. 5763 112 022**

**R 999.00**

Each Ex.Vat

Prices are subject to change.



## 24 pcs 3/8" HEX Socket Wrench Set



**Extensive socket wrench assortment in compact case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

- 16 pcs - 3/8" Sockets: 6 | 7 | 8 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 21 | 22 | 24 mm
- 1 pc - 3/8" Quick release ratchet handle | 72 Teeth
- 1 pc - 3/8" Universal Joint
- 2 pcs - 3/8" Extension bar : 75 | 250 mm
- 1 pcs - 3/8" T-Adapter
- 3 pcs - 3/8" Spark plug sockets: 16 | 18 | 21 mm

**RED STRIPE**

**Art. 5763 138 024**

**R 799.00**

Each Ex.Vat

## 72 pcs 1/4" + 1/2" HEX Socket Wrench Set



**RED STRIPE**



0.8 x 5.5 mm



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

**Art. 5763 100 072**

**Vast selection of sockets and bits in convenient assortment case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

**1/2" - 22 Pieces**

- 17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

- 1 pc - 1/2" Quick release ratchet handle | 72 Teeth

- 2 pcs - 1/2" Extension bar: 125 | 250 mm

- 1 pc - 1/2" x 3/8" T-Head

- 1 pc - 1/2" Universal Joint

**1/4" - 50 Pieces**

- 12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

- 14 pcs - 1/4" Bit sockets: H3 | H4 | H5 | H6 | T10 | T15 | T20 | T25 | T30 | T40 | PH1 | PH2 | PZ1 | PZ2

- 1 pc - 1/4" Quick release ratchet handle | 72 Teeth

- 1 pc - 1/4" Spanner handle 150 mm

- 2 pcs - 1/4" Extension bar: 100 | 150 mm

- 1 pc - 1/4" x 3/8" T-Head

- 1 pc - 1/4" Universal Joint

- 1 pc - 1/4" Flexible extension 145 mm

- 1 pc - 1/4" Bit Coupler

- 16 pcs - 1/4" Bits 25mm


**COMING SOON**

## 154 pcs 1/4" HEX Socket Wrench Set




### RED STRIPE

#### 1/4" Bits:

 SL3 | SL4 | SL5 | SL6


 PH1 | PH2 | PH3


 PZ1 | PZ2 | PZ3


 H3 | H4 | H5


 T10 | T15 | T20 | T25 | T30

#### 5/16" Bits:

 SL6 | SL7 | SL8

 PH3 | PH4

 PZ2 | PZ3

 H5 | H6 | H7 | H8

 T25 | T27 | T30 | T40 | T45

**State of the art bits and socket assortment in high quality BMC case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

#### Contents:

##### 1/4" - 79 Pieces

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

8 pcs - 1/4" Deep sockets: 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" E-Profile sockets: E4 | E5 | E6 | E7 | E8

2 pcs - 1/4" Extension bar: 50 | 150 mm

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8 | T9 | T10 | T15 | T20 | T25 | T27 | T30

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8H | T9H | T10H | T15H | T20H | T25H | T27H | T30H

6 pcs - 1/4" Bit Sockets : PZ1 | PZ2 | PZ3 | PH1 | PH2 | PH3

8 pcs - 1/4" Bit Sockets : H3 | H4 | H5 | H6 | SL4 | SL5.5 | SL6.5 | SL7

1 pc - 1/4" Universal Joint

1 pc - 1/4" Spinner Handle: 200 mm

1 pc - 1/4" Bit Coupler

18 pc - 1/4" Bits 25mm

##### 3/8" - 29 Pieces

10 pcs - 3/8" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 mm

9 pcs - 3/8" Deep Sockets: 8 | 10 | 11 | 13 | 16 | 17 | 18 | 19 | 21 mm

1 pc - 3/8" Quick release ratchet handle | 72 Teeth

6 pcs - 3/8" E-Profile sockets: E10 | E11 | E12 | E14 | E16 | E18

1 pc - 3/8" Extension Bar: 125mm

1 pc - 3/8" Hexagon bit coupler: 5/16"

1 pc - 3/8" Universal Joint

##### 1/2" - 46 Pieces

15 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 17 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

4 pcs - 1/2" Deep Sockets: 17 | 18 | 19 | 22 mm

1 pc - 1/2" Quick release ratchet handle | 72 Teeth

3 pcs - 1/2" E-Profile sockets: E20 | E22 | E24

2 pcs - 1/2" Extension Bars: 125 | 250 mm

1 pc - 1/2" x 3/8" T-Head

1 pc - 1/2" Universal Joint

1 pc - 1/2" Hexagon bit coupler: 5/16"

2 pcs - 1/2" Bit Sockets [Bit: S2]: T55 | T60

16 pc - 5/16" Bits 30mm

**COMING  
SOON**

**Art. 5763 100 154**



Prices are subject to change.



**READY  
FOR WORK**



# Allen Keys

**RED STRIPE**


Tool holder can be opened up to 180° for easy access to each Allen Key.



Carefully designed tool holder for extra comfort while working.

Matt chrome plated for strong corrosion resistance.

## SHORT VERSION



**HEX**  
9 Piece Set (1,5 - 10 mm)  
**Art. 5752042 030**

**R 90.00**

Each Ex.Vat

## LONG VERSION



**TX**  
8 Piece Set (TX9 - TX 40)  
**Art. 575239 101**

**COMING SOON**

## EXTRA LONG VERSION



**HEX**  
9 Piece Set (1,5 - 10 mm)  
**Art. No. 575243 100**

**R 140.00**

Each Ex.Vat

Prices are subject to change.



**READY  
FOR WORK**

# Straight Handle Screwdriver

**RED STRIPE**

Hanger hole, perfectly prepared for retail business.

Würth exclusive design, 2-component handle ergonomically shaped for maximum comfort even under heavy use.

S2 Blade with chrome plated, black tip for extended durability and lifetime.

## Available Range (Art. 5751 XXX XXX)

|          |                             |
|----------|-----------------------------|
| Slotted  | 3.5   4.0   5.5   6.5   8.0 |
| PH       | 1   2   3                   |
| PZ       | 1   2   3                   |
| Torx     | 10 - 40                     |
| 6 PC Set | SL & PH                     |
| 7 PC Set | TX                          |



## SL SLOTTED SCREWDRIVER



Art. No. 5751241055 - SL 1,0 x 5,5 x 125 **R 40,00**  
 Art. No. 5751241065 - SL 1,2 x 6,5 x 150 **R 48,00**  
 Art. No. 575124108 - SL 1,2 x 8,0 x 175 **R 75,00**  
 Art. No. 5751241035 - SL 100 x 3.5x0.6 **R 29,00**

## PH SLOTTED SCREWDRIVER



Art. No. 57512422 - PH 2 x 100mm **R 45,00**  
 Art. No. 57512421 - PH 1 x 80mm **R 38,00**


## SCREWDRIVER PZ 1



Art. No. 57512431 - PH 2 x 100mm **R 45,00**  
 Art. No. 57512432 - PH x 100mm **R 45,00**

## SCREWDRIVER PHILLIPS (PH)/SLOTTED SET 6 PIECES

Art. No. 575194227



**R 310,00**

Each Ex.Vat

## SCREWDRIVER TX SET 7 PIECES TX 10-40

Art. No. 57519349



**R 350,00**

Each Ex.Vat





**READY  
FOR WORK**

# T-Handle Screwdriver

**RED STRIPE**



Würth exclusive design,  
2-component handle  
ergonomically shaped for  
maximum comfort, even under  
heavy use.

Hanger hole, perfectly prepared  
for retail business.

Available Range (Art. 5751 XXX XXX)

|          |  |
|----------|--|
| Hex      | 2.5   3   4   5   6   8   10             |
| Torx     | TX10   TX15   TX20   TX25   TX30   TX 40 |
| 6 PC Set | HEX                                      |
| 7 PC Set | TX                                       |



## T-HANDLE SCREWDRIVER HEXAGON 7 PIECES

Art. No. 5751914062



Art. No. 5751914062

**R 499,00**

Each Ex.Vat

## T-HANDLE SCREWDRIVER (TX) SET 6 PIECES


Art. No. 5751913063



**COMING  
SOON**







**READY  
FOR WORK**

# Adjustable Wrench

**RED STRIPE**

Hanger hole, perfectly prepared for retail business.

Jaw position 22.5°, with metric / inch measuring scale for quick and accurate recognition of jaw opening.

|     |          |
|-----|----------|
| 8"  | (200 mm) |
| 10" | (250 mm) |
| 12" | (300 mm) |

**Art. 5754221108**  
**Art. 5754221110**  
**Art. 5754221112**

**COMING**  
**SOON**





**READY  
FOR WORK**



# COMBINATION SPANNER

**RED** STRIPE

## COMBINATION WRENCH SET 17 PIECES

Art. 5754101917

Available Sets: W6-W32

Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.



## COMBINATION WRENCH - FLAT



**Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.**

### Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

### Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

### 15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

### Flat Design

Allows work in confined spaces and are also suitable for union nuts and fasteners that are difficult to access.

### Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

**RED STRIPE**

**Material:** Chrome-vanadium steel

**Surface:** Chrome plated

| Width across flats | Length | Ring thickness | Thickness of jaw | Width of jaws (outside) | Art. no.    |
|--------------------|--------|----------------|------------------|-------------------------|-------------|
| 6 mm               | 100 mm | 4.9 mm         | 3.5 mm           | 15.1 mm                 | 5754 101 06 |
| 7 mm               | 110 mm | 5.6 mm         | 3.6 mm           | 17 mm                   | 5754 101 07 |
| 8 mm               | 120 mm | 6.4 mm         | 4 mm             | 18.5 mm                 | 5754 101 08 |
| 9 mm               | 130 mm | 6.7 mm         | 4 mm             | 20.7 mm                 | 5754 101 09 |
| 10 mm              | 155 mm | 7.3 mm         | 4.6 mm           | 22.7 mm                 | 5754 101 10 |
| 11 mm              | 162 mm | 8.3 mm         | 5 mm             | 24.6 mm                 | 5754 101 11 |
| 12 mm              | 170 mm | 8.4 mm         | 5 mm             | 27 mm                   | 5754 101 12 |
| 13 mm              | 178 mm | 8.4 mm         | 5.5 mm           | 29.5 mm                 | 5754 101 13 |
| 14 mm              | 192 mm | 9.7 mm         | 5.6 mm           | 30.4 mm                 | 5754 101 14 |
| 15 mm              | 210 mm | 10.2 mm        | 6 mm             | 32 mm                   | 5754 101 15 |
| 16 mm              | 220 mm | 10.8 mm        | 6.6 mm           | 33.7 mm                 | 5754 101 16 |
| 17 mm              | 226 mm | 10.8 mm        | 7 mm             | 36.5 mm                 | 5754 101 17 |
| 18 mm              | 240 mm | 11.2 mm        | 7.7 mm           | 38.5 mm                 | 5754 101 18 |
| 19 mm              | 246 mm | 12.6 mm        | 8.2 mm           | 40.6 mm                 | 5754 101 19 |
| 20 mm              | 260 mm | 12.7 mm        | 8.4 mm           | 42.2 mm                 | 5754 101 20 |
| 21 mm              | 270 mm | 13 mm          | 8.5 mm           | 44 mm                   | 5754 101 21 |
| 22 mm              | 275 mm | 13.6 mm        | 8.6 mm           | 44.8 mm                 | 5754 101 22 |
| 23 mm              | 320 mm | 13.6 mm        | 8.7 mm           | 49.4 mm                 | 5754 101 23 |
| 24 mm              | 320 mm | 13.6 mm        | 8.9 mm           | 49.4 mm                 | 5754 101 24 |
| 25 mm              | 343 mm | 13.6 mm        | 9.3 mm           | 53.8 mm                 | 5754 101 25 |
| 26 mm              | 343 mm | 15.2 mm        | 9.7 mm           | 53.8 mm                 | 5754 101 26 |
| 27 mm              | 370 mm | 15.3 mm        | 10.6 mm          | 58.5 mm                 | 5754 101 27 |
| 28 mm              | 370 mm | 15.3 mm        | 10.6 mm          | 58.5 mm                 | 5754 101 28 |
| 29 mm              | 395 mm | 17.3 mm        | 11.2 mm          | 62.1 mm                 | 5754 101 29 |
| 30 mm              | 395 mm | 17.3 mm        | 11.3 mm          | 62.5 mm                 | 5754 101 30 |
| 32 mm              | 418 mm | 17.9 mm        | 11.5 mm          | 66.2 mm                 | 5754 101 32 |

**FROM:**

**R 16.00**

Each Ex.Vat



## COMBINATION WRENCH - OFFSET



**Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.**

### Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

### Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

### 15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

### Deep Offset Head (Ring End)

It allows for an increase in reach when space is a restriction.

### Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

**Material:** Chrome-vanadium steel

**Surface:** Chrome/nickel plated

**RED STRIPE**

| Width across flats | Length | Ring thickness | Thickness of jaw | Width of jaws (outside) | Art. no.    |
|--------------------|--------|----------------|------------------|-------------------------|-------------|
| 6 mm               | 100 mm | 4.9 mm         | 3.5 mm           | 15.1 mm                 | 5754 111 06 |
| 7 mm               | 110 mm | 5.6 mm         | 3.6 mm           | 17 mm                   | 5754 111 07 |
| 8 mm               | 120 mm | 6.4 mm         | 4 mm             | 18.5 mm                 | 5754 111 08 |
| 9 mm               | 130 mm | 6.7 mm         | 4 mm             | 20.7 mm                 | 5754 111 09 |
| 10 mm              | 155 mm | 7.3 mm         | 4.6 mm           | 22.7 mm                 | 5754 111 10 |
| 11 mm              | 162 mm | 8.3 mm         | 5 mm             | 24.6 mm                 | 5754 111 11 |
| 12 mm              | 170 mm | 8.4 mm         | 5 mm             | 27 mm                   | 5754 111 12 |
| 13 mm              | 178 mm | 8.4 mm         | 5.5 mm           | 29.5 mm                 | 5754 111 13 |
| 14 mm              | 192 mm | 9.7 mm         | 5.6 mm           | 30.4 mm                 | 5754 111 14 |
| 15 mm              | 210 mm | 10.2 mm        | 6 mm             | 32 mm                   | 5754 111 15 |
| 16 mm              | 220 mm | 10.8 mm        | 6.6 mm           | 33.7 mm                 | 5754 111 16 |
| 17 mm              | 226 mm | 10.8 mm        | 7 mm             | 36.5 mm                 | 5754 111 17 |
| 18 mm              | 240 mm | 11.2 mm        | 7.7 mm           | 38.5 mm                 | 5754 111 18 |
| 19 mm              | 246 mm | 12.6 mm        | 8.2 mm           | 40.6 mm                 | 5754 111 19 |
| 20 mm              | 260 mm | 12.7 mm        | 8.4 mm           | 42.2 mm                 | 5754 111 20 |
| 21 mm              | 270 mm | 13 mm          | 8.5 mm           | 44 mm                   | 5754 111 21 |
| 22 mm              | 275 mm | 13.6 mm        | 8.6 mm           | 44.8 mm                 | 5754 111 22 |
| 23 mm              | 320 mm | 13.6 mm        | 8.7 mm           | 49.4 mm                 | 5754 111 23 |
| 24 mm              | 320 mm | 13.6 mm        | 8.9 mm           | 49.4 mm                 | 5754 111 24 |
| 25 mm              | 343 mm | 13.6 mm        | 9.3 mm           | 53.8 mm                 | 5754 111 25 |
| 26 mm              | 343 mm | 15.2 mm        | 9.7 mm           | 53.8 mm                 | 5754 111 26 |
| 27 mm              | 370 mm | 15.3 mm        | 10.6 mm          | 58.5 mm                 | 5754 111 27 |
| 28 mm              | 370 mm | 15.3 mm        | 10.6 mm          | 58.5 mm                 | 5754 111 28 |
| 30 mm              | 395 mm | 17.3 mm        | 11.3 mm          | 62.5 mm                 | 5754 111 30 |
| 32 mm              | 418 mm | 17.9 mm        | 11.5 mm          | 66.2 mm                 | 5754 111 32 |

**FROM:**

**R 15.00**

Each Ex.Vat



## REDSTRIPE HAND TOOLS PHASE I EXECUTIVE SUMMARY

### Würth SA Ltd.

Head Office  
Plumbago Business Park, Spier Rd,  
Glen Erasmia X17, Kempton Park,  
1619

T: 011 281 1000  
E: wurthsa@wurth.co.za  
W: eshop.wurth.co.za

### Terms and conditions

Warranty Terms and Conditions for Würth Zebra and Red Stripe Hand Tools.

In accordance with the following terms and conditions, Würth Red Stripe hand tools are covered by a lifetime factory fault warranty. This warranty is only applicable to the person/business that originally purchased the product directly from Würth South Africa and is valid from the date of purchase granted that an invoice for the product in question is provided. Würth commit, with certain exceptions, to exchange or repair any product which, upon examination by Würth, is deemed to have flaws or defects in either the manufacturing process and/or input components/materials.

Red Stripe ratchets will not be covered by the warranty. If a ratchet has a factory fault upon receiving the ratchet, the purchaser must contact Würth South Africa within 7 days of receiving the ratchet. If the purchaser contacts Würth South Africa after a period of 7 days of receiving the ratchet, the warranty will be rendered null and void.

**" Our vision, mission and values are to provide a product for our growing market within South Africa. RedStripe a good quality hand tool at an affordable price for professional use. With huge excitement – now the day is here!! The launch of our 1st phase on RedStripe hand tools. Our goal with RedStripe will be to continuously expand our RedStripe product assortment." - Chavonne Teunissen**