



# REDSTRIPE HAND TOOLS

RED STRIPE

**READY  
FOR WORK**



**READY  
FOR WORK**

# Ratchet

**RED STRIPE**

Würth exclusive designed 2-component handle, ergonomically shaped for comfortable handling even under extensive use.

Hanger hole also suitable for retail business.

Fast, simple changeover from clockwise to anti-clockwise rotation.

Matt chrome plated for strong corrosion resistance.

Convenient ejector

72 teeth gear offers a 5° swing arc for precise movement and easy use in confined spaces.

**COMING  
SOON**

## Available Range

ART.No. 5763014901 - RATCHET 1/4IN, REDSTRIPE

ART.No. 5763038901 - RATCHET 3/8IN, REDSTRIPE

ART.No. 5763012901 - RATCHET 1/2IN, REDSTRIPE

**READY  
FOR WORK**

# Socket Wrench Set

**RED STRIPE**

Blow molded case in Wurth design. Perfect fit for Wurth **ORSY** system.

Available in **ORSY** 2.3 / 4.4 / 8.4

## Available Sets (Art. 5763 XXX XXX)

**1/4"**: 17, 24, 32, 40 pieces set

**3/8"**: 24 pieces set

**1/2"**: 22 pieces set

**Mixed:** 72 pieces **1/4" & 1/2"**  
154 pieces **1/4" & 3/8" & 1/2"**



## 17 pcs 1/4" HEX Socket Wrench Set



**Powerful and precise tightening wrench set in handy case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |

11 | 12 | 13 | 14 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

2 pcs - 1/4" Extension Bar: 100 | 150 mm

1 pc - 1/4" Joint

1 pc - 1/4" Universal Joint

**Art. 5763 114 017**

**RED STRIPE**

**R 470.00**

Each Ex.Vat

**Prices are subject to change.**

## 24 pcs 1/4" HEX Socket Wrench Set



**RED STRIPE**

**Extensive socket wrench assortment in compact case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

7 pcs - 1/4" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

2 pcs - 1/4" Extension Bar: 100 | 150 mm

1 pc - 1/4" Joint

1 pc - 1/4" Universal Joint

**Art. 5763 114 024**

**COMING SOON**

## 32 pcs 1/4" HEX Socket Wrench Set



**RED STRIPE**

**Selected sockets and bits in a convenient assortment case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

1 pc - 1/4" Spanner handle | 200 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" Extension bar: 150 mm

1 pc - 1/4" Flexible extension: 150 mm

1 pc - 1/4" Universal Joint

15 pcs - 1/4" Bit Sockets 25 mm

**Art. 5763 114 032**

**COMING SOON**

0.8 x 5.5 mm

PH1 | PH2 | PH3





H3 | H4 | H5 | H6

T10 | T15 | T20 | T25 | T30 | T40

## 40 pcs 1/4" HEX Socket Wrench Set



### RED STRIPE

-  0.8 x 5.5 mm
-  PH1 | PH2 | PH3
-  H3 | H4 | H5 | H6
-  T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

**Extensive socket and bit assortment in handy case**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

7 pcs - 1/4" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

1 pc - 1/4" Spanner handle | 150 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" Extension Bar: 100 mm

1 pc - 1/4" Universal Joint

1 pc - 1/4" Hex Bit Adaptor | 25 mm

16 pcs - 1/4" Bit Sockets | 25 mm

**Art. 5763 114 040**

**COMING SOON**

## 22 pcs 1/2" HEX Socket Wrench Set



### RED STRIPE

**Compact socket wrench set containing the most popular sizes**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

1 pc - 1/2" Quick release ratchet handle | 72 Teeth

2 pcs - 1/2" Extension Bar: 125 | 250 mm

1 pc - 1/2" x 3/8" T-Head

1 pc - 1/2" Universal Joint

**Art. 5763 112 022**

**R 999.00**

Each Ex.Vat

## 24 pcs 3/8" HEX Socket Wrench Set



**Extensive socket wrench assortment in compact case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

- 16 pcs - 3/8" Sockets: 6 | 7 | 8 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 21 | 22 | 24 mm
- 1 pc - 3/8" Quick release ratchet handle | 72 Teeth
- 1 pc - 3/8" Universal Joint
- 2 pcs - 3/8" Extension bar : 75 | 250 mm
- 1 pcs - 3/8" T-Adapter
- 3 pcs - 3/8" Spark plug sockets: 16 | 18 | 21 mm

**RED STRIPE**

**Art. 5763 138 024**

**R 799.00**

Each Ex.Vat

## 72 pcs 1/4" + 1/2" HEX Socket Wrench Set



**RED STRIPE**



0.8 x 5.5 mm



PH1 | PH2 | PH3



H3 | H4 | H5 | H6



T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

**Art. 5763 100 072**

**Vast selection of sockets and bits in convenient assortment case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

Contents:

**1/2" - 22 Pieces**

- 17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

- 1 pc - 1/2" Quick release ratchet handle | 72 Teeth
- 2 pcs - 1/2" Extension bar: 125 | 250 mm
- 1 pc - 1/2" x 3/8" T-Head
- 1 pc - 1/2" Universal Joint

**1/4" - 50 Pieces**

- 12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm
- 14 pcs - 1/4" Bit sockets: H3 | H4 | H5 | H6 | T10 | T15 | T20 | T25 | T30 | T40 | PH1 | PH2 | PZ1 | PZ2
- 1 pc - 1/4" Quick release ratchet handle | 72 Teeth
- 1 pc - 1/4" Spanner handle 150 mm
- 2 pcs - 1/4" Extension bar: 100 | 150 mm
- 1 pc - 1/4" x 3/8" T-Head
- 1 pc - 1/4" Universal Joint
- 1 pc - 1/4" Flexible extension 145 mm
- 1 pc - 1/4" Bit Coupler
- 16 pcs - 1/4" Bits 25mm

**COMING SOON**



# 154 pcs 1/4" HEX Socket Wrench Set



## RED STRIPE

### 1/4" Bits:

SL3 | SL4 | SL5 | SL6

PH1 | PH2 | PH3

PZ1 | PZ2 | PZ3

H3 | H4 | H5

T10 | T15 | T20 | T25 | T30

### 5/16" Bits:

SL6 | SL7 | SL8

PH3 | PH4

PZ2 | PZ3

H5 | H6 | H7 | H8

T25 | T27 | T30 | T40 | T45

**State of the art bits and socket assortment in high quality BMC case.**

**ORSY ready - ORSY 2.3 case perfect fit for ORSY System**

### Contents:

#### 1/4" - 79 Pieces

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm

8 pcs - 1/4" Deep sockets: 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 mm

1 pc - 1/4" Quick release ratchet handle | 72 Teeth

1 pc - 1/4" E-Profile sockets: E4 | E5 | E6 | E7 | E8

2 pcs - 1/4" Extension bar: 50 | 150 mm

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8 | T9 | T10 | T15 | T20 | T25 | T27 | T30

8 pcs - 1/4" Bit Sockets [Bit: S2]: T8H | T9H | T10H | T15H | T20H | T25H | T27H | T30H

6 pcs - 1/4" Bit Sockets : PZ1 | PZ2 | PZ3 | PH1 | PH2 | PH3

8 pcs - 1/4" Bit Sockets : H3 | H4 | H5 | H6 | SL4 | SL5.5 | SL6.5 | SL7

1 pc - 1/4" Universal Joint

1 pc - 1/4" Spinner Handle: 200 mm

1 pc - 1/4" Bit Coupler

18 pc - 1/4" Bits 25mm

#### 3/8" - 29 Pieces

10 pcs - 3/8" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 mm

9 pcs - 3/8" Deep Sockets: 8 | 10 | 11 | 13 | 16 | 17 | 18 | 19 | 21 mm

1 pc - 3/8" Quick release ratchet handle | 72 Teeth

6 pcs - 3/8" E-Profile sockets: E10 | E11 | E12 | E14 | E16 | E18

1 pc - 3/8" Extension Bar: 125mm

1 pc - 3/8" Hexagon bit coupler: 5/16"

1 pc - 3/8" Universal Joint

#### 1/2" - 46 Pieces

15 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 17 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm

4 pcs - 1/2" Deep Sockets: 17 | 18 | 19 | 22 mm

1 pc - 1/2" Quick release ratchet handle | 72 Teeth

3 pcs - 1/2" E-Profile sockets: E20 | E22 | E24

2 pcs - 1/2" Extension Bars: 125 | 250 mm

1 pc - 1/2" x 3/8" T-Head

1 pc - 1/2" Universal Joint

1 pc - 1/2" Hexagon bit coupler: 5/16"

2 pcs - 1/2" Bit Sockets [Bit: S2]: T55 | T60

16 pc - 5/16" Bits 30mm

**COMING SOON**

**Art. 5763 100 154**





WÜRTH  
RED STRIKE  
Art. 5752 43 100

**READY  
FOR WORK**

# Allen Keys

**RED STRIPE**



Tool holder can be opened up to 180° for easy access to each Allen Key.



Carefully designed tool holder for extra comfort while working.

Matt chrome plated for strong corrosion resistance.

## SHORT VERSION



**HEX**  
9 Piece Set (1,5 - 10 mm)  
**Art. 5752042 030**

**R 90.00**

Each Ex.Vat

## LONG VERSION



**TX**  
8 Piece Set (TX9 - TX 40)  
**Art. 575239 101**

**COMING SOON**

## EXTRA LONG VERSION



**HEX**  
9 Piece Set (1,5 - 10 mm)  
**Art. No. 575243 100**

**R 140.00**

Each Ex.Vat



**READY  
FOR WORK**

# Straight Handle Screwdriver

**RED STRIPE**

Hanger hole, perfectly prepared for retail business.

Würth exclusive design, 2-component handle ergonomically shaped for maximum comfort even under heavy use.

S2 Blade with chrome plated, black tip for extended durability and lifetime.

## Available Range (Art. 5751 XXX XXX)

Slotted	3.5   4.0   5.5   6.5   8.0
PH	1   2   3
PZ	1   2   3
Torx	10 - 40
6 PC Set	SL & PH
7 PC Set	TX

## SL SLOTTED SCREWDRIVER



Art. No. 5751241055 - SL 1,0 x 5,5 x 125 **R 40,00**  
 Art. No. 5751241065 - SL 1,2 x 6,5 x 150 **R 48,00**  
 Art. No. 575124108 - SL 1,2 x 8,0 x 175 **R 75,00**  
 Art. No. 5751241035 - SL 100 x 3.5x0.6 **R 29,00**

## PH SLOTTED SCREWDRIVER



Art. No. 57512422 - PH 2 x 100mm **R 45,00**  
 Art. No. 57512421 - PH 1 x 80mm **R 38,00**

## SCREWDRIVER PZ 1



Art. No. 57512431 - PH 2 x 100mm **R 45,00**  
 Art. No. 57512432 - PH 1 x 100mm **R 45,00**

## SCREWDRIVER PHILLIPS (PH)/SLOTTED SET 6 PIECES

Art. No. 575194227



**R 310,00**

Each Ex.Vat


## SCREWDRIVER TX SET 7 PIECES TX 10-40

Art. No. 57519349



**R 350,00**

Each Ex.Vat





**READY  
FOR WORK**

# T-Handle Screwdriver

**RED STRIPE**



Würth exclusive design,  
2-component handle  
ergonomically shaped for  
maximum comfort, even under  
heavy use.

Hanger hole, perfectly prepared  
for retail business.

Available Range (Art. 5751 XXX XXX)

Hex 2.5 | 3 | 4 | 5 | 6 | 8 | 10  
Torx TX10 | TX15 | TX20 | TX25 | TX30 | TX 40  
6 PC Set HEX  
7 PC Set TX



## T-HANDLE SCREWDRIVER HEXAGON 7 PIECES

Art. No. 5751914062



Art. No. 5751914062

**R 499,00**


Each Ex.Vat


## T-HANDLE SCREWDRIVER (TX) SET 6 PIECES

Art. No. 5751913063



**COMING  
SOON**





**READY  
FOR WORK**

# Adjustable Wrench

**RED STRIPE**

Hanger hole, perfectly prepared for retail business.

Jaw position 22.5°, with metric / inch measuring scale for quick and accurate recognition of jaw opening.

8" (200 mm)  
10" (250 mm)  
12" (300 mm)

**Art. 5754221108**  
**Art. 5754221110**  
**Art. 5754221112**

**COMING**  
**SOON**



Ergonomics

RED STRIPE

**READY  
FOR WORK**

# COMBINATION SPANNER

**RED** STRIPE

## COMBINATION WRENCH SET 17 PIECES

Art. 5754101917

Available Sets: W6-W32

Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.



## COMBINATION WRENCH - FLAT



**Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.**

### Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

### Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

### 15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

### Flat Design

Allows work in confined spaces and are also suitable for union nuts and fasteners that are difficult to access.

### Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

**RED STRIPE**

**Material:** Chrome-vanadium steel

**Surface:** Chrome plated

Width across flats	Length	Ring thickness	Thickness of jaw	Width of jaws (outside)	Art. no.
6 mm	100 mm	4.9 mm	3.5 mm	15.1 mm	5754 101 06
7 mm	110 mm	5.6 mm	3.6 mm	17 mm	5754 101 07
8 mm	120 mm	6.4 mm	4 mm	18.5 mm	5754 101 08
9 mm	130 mm	6.7 mm	4 mm	20.7 mm	5754 101 09
10 mm	155 mm	7.3 mm	4.6 mm	22.7 mm	5754 101 10
11 mm	162 mm	8.3 mm	5 mm	24.6 mm	5754 101 11
12 mm	170 mm	8.4 mm	5 mm	27 mm	5754 101 12
13 mm	178 mm	8.4 mm	5.5 mm	29.5 mm	5754 101 13
14 mm	192 mm	9.7 mm	5.6 mm	30.4 mm	5754 101 14
15 mm	210 mm	10.2 mm	6 mm	32 mm	5754 101 15
16 mm	220 mm	10.8 mm	6.6 mm	33.7 mm	5754 101 16
17 mm	226 mm	10.8 mm	7 mm	36.5 mm	5754 101 17
18 mm	240 mm	11.2 mm	7.7 mm	38.5 mm	5754 101 18
19 mm	246 mm	12.6 mm	8.2 mm	40.6 mm	5754 101 19
20 mm	260 mm	12.7 mm	8.4 mm	42.2 mm	5754 101 20
21 mm	270 mm	13 mm	8.5 mm	44 mm	5754 101 21
22 mm	275 mm	13.6 mm	8.6 mm	44.8 mm	5754 101 22
23 mm	320 mm	13.6 mm	8.7 mm	49.4 mm	5754 101 23
24 mm	320 mm	13.6 mm	8.9 mm	49.4 mm	5754 101 24
25 mm	343 mm	13.6 mm	9.3 mm	53.8 mm	5754 101 25
26 mm	343 mm	15.2 mm	9.7 mm	53.8 mm	5754 101 26
27 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 101 27
28 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 101 28
29 mm	395 mm	17.3 mm	11.2 mm	62.1 mm	5754 101 29
30 mm	395 mm	17.3 mm	11.3 mm	62.5 mm	5754 101 30
32 mm	418 mm	17.9 mm	11.5 mm	66.2 mm	5754 101 32

**FROM:**

**R 16.00**

Each Ex.Vat

## COMBINATION WRENCH - OFFSET



**Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.**

### Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

### Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

### 15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

### Deep Offset Head (Ring End)

It allows for an increase in reach when space is a restriction.

### Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

**Material:** Chrome-vanadium steel

**Surface:** Chrome/nickel plated

**RED STRIPE**

Width across flats	Length	Ring thickness	Thickness of jaw	Width of jaws (outside)	Art. no.
6 mm	100 mm	4.9 mm	3.5 mm	15.1 mm	5754 111 06
7 mm	110 mm	5.6 mm	3.6 mm	17 mm	5754 111 07
8 mm	120 mm	6.4 mm	4 mm	18.5 mm	5754 111 08
9 mm	130 mm	6.7 mm	4 mm	20.7 mm	5754 111 09
10 mm	155 mm	7.3 mm	4.6 mm	22.7 mm	5754 111 10
11 mm	162 mm	8.3 mm	5 mm	24.6 mm	5754 111 11
12 mm	170 mm	8.4 mm	5 mm	27 mm	5754 111 12
13 mm	178 mm	8.4 mm	5.5 mm	29.5 mm	5754 111 13
14 mm	192 mm	9.7 mm	5.6 mm	30.4 mm	5754 111 14
15 mm	210 mm	10.2 mm	6 mm	32 mm	5754 111 15
16 mm	220 mm	10.8 mm	6.6 mm	33.7 mm	5754 111 16
17 mm	226 mm	10.8 mm	7 mm	36.5 mm	5754 111 17
18 mm	240 mm	11.2 mm	7.7 mm	38.5 mm	5754 111 18
19 mm	246 mm	12.6 mm	8.2 mm	40.6 mm	5754 111 19
20 mm	260 mm	12.7 mm	8.4 mm	42.2 mm	5754 111 20
21 mm	270 mm	13 mm	8.5 mm	44 mm	5754 111 21
22 mm	275 mm	13.6 mm	8.6 mm	44.8 mm	5754 111 22
23 mm	320 mm	13.6 mm	8.7 mm	49.4 mm	5754 111 23
24 mm	320 mm	13.6 mm	8.9 mm	49.4 mm	5754 111 24
25 mm	343 mm	13.6 mm	9.3 mm	53.8 mm	5754 111 25
26 mm	343 mm	15.2 mm	9.7 mm	53.8 mm	5754 111 26
27 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 111 27
28 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 111 28
30 mm	395 mm	17.3 mm	11.3 mm	62.5 mm	5754 111 30
32 mm	418 mm	17.9 mm	11.5 mm	66.2 mm	5754 111 32

**FROM:**

**R 15.00**

Each Ex.Vat



## REDSTRIPE HAND TOOLS PHASE I EXECUTIVE SUMMARY

### Würth SA Ltd.

Head Office  
Plumbago Business Park, Spier Rd,  
Glen Erasmia X17, Kempton Park,  
1619

T: 011 281 1000  
E: wurthsa@wurth.co.za  
W: eshop.wurth.co.za

### Terms and conditions

Warranty Terms and Conditions for Würth Zebra and Red Stripe Hand Tools.

In accordance with the following terms and conditions, Würth Red Stripe hand tools are covered by a lifetime factory fault warranty. This warranty is only applicable to the person/business that originally purchased the product directly from Würth South Africa and is valid from the date of purchase granted that an invoice for the product in question is provided. Würth commit, with certain exceptions, to exchange or repair any product which, upon examination by Würth, is deemed to have flaws or defects in either the manufacturing process and/or input components/materials.

Red Stripe ratchets will not be covered by the warranty. If a ratchet has a factory fault upon receiving the ratchet, the purchaser must contact Würth South Africa within 7 days of receiving the ratchet. If the purchaser contacts Würth South Africa after a period of 7 days of receiving the ratchet, the warranty will be rendered null and void.

**“ Our vision, mission and values are to provide a product for our growing market within South Africa. RedStripe a good quality hand tool at an affordable price for professional use. With huge excitement – now the day is here!! The launch of our 1st phase on RedStripe hand tools. Our goal with RedStripe will be to continuously expand our RedStripe product assortment.” - Chavonne Teunissen**