



















# **PNEUMATIC TOOLS, ACCESSORIES & CONNECTIONS**



















A mechanic in a red shirt and grey pants is using a red and black Würth pneumatic tool to work on the wheel of a car. The car is elevated on a blue hydraulic lift. The background shows a well-lit garage with various tools and equipment.

**#READY  
FOR WORK**



# PNEUMATIC COUPLERS

NEW ARTICLE	NEW RANGE	NEW COUPLERS DETAILS	DESCRIPTION
06991012	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2IT-G1/2IN</p>		<p>Connection thread Inner Diameter (ID) IG G 1/2"</p> <p>Wrench size (SW) 19 mm</p>
06991014	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2IT-G1/4IN</p>		<p>Connection thread Inner Diameter (ID) IG G 1/4"</p> <p>Wrench size (SW) 11.5 mm</p>
06991038	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2IT-G3/8IN</p>		<p>Connection thread Inner Diameter (ID) IG G 3/8"</p> <p>Wrench size (SW) 15 mm</p>
06991112	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2ET-G1/2IN</p>		<p>Connection thread Outer Diameter (OD) AG G 1/2"</p> <p>Wrench size (SW) 21 mm</p>
6991114	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2ET-G1/4IN</p>		<p>Connection thread Outer Diameter (OD) AG G 1/4"</p> <p>Wrench size (SW) 13 mm</p>
06991138	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2ET-G3/8IN</p>		<p>Connection thread Outer Diameter (OD) AG G 3/8"</p> <p>Wrench size (SW) 16,5 mm</p>
06991213	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2X13MM</p>		<p>Pipe Size Outer Diameter (OD) 13mm</p> <p>Wrench size (SW) 21 mm</p>
0699126	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2X6MM</p>		<p>Pipe Size Outer Diameter (OD) 6mm</p> <p>Wrench size (SW) 21 mm</p>

NEW ARTICLE	NEW RANGE	NEW COUPLERS DETAILS	DESCRIPTION
0699129	 <p>Quick-action coupling, pneumatic CUPL-QCKACTION-PN-BRS-7.2X9MM</p>		<div> <div>Pipe Size Outer diameter (O/D)</div> <div>9mm</div> </div> <div> <div>Wrench size (SW)</div> <div>21 mm</div> </div>
06992112	 <p>Nipple, pneumatic NPL-PN-BRS-ET-G1/2IN</p>		<div> <div>Connection thread Outer diameter (O/D)</div> <div>AG G 1/2"</div> </div> <div> <div>Wrench size (SW)</div> <div>21 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>24 mm</div> </div>
06992114	 <p>Nipple, pneumatic NPL-PN-BRS-ET-G1/4IN</p>		<div> <div>Connection thread Outer diameter (O/D)</div> <div>AG G 1/4"</div> </div> <div> <div>Wrench size (SW)</div> <div>13 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>17 mm</div> </div>
06992138	 <p>Nipple, pneumatic NPL-PN-BRS-ET-G3/8IN</p>		<div> <div>Connection thread Outer diameter (O/D)</div> <div>AG G 3/8"</div> </div> <div> <div>Wrench size (SW)</div> <div>16.5 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>19 mm</div> </div>
06992012	 <p>Nipple, pneumatic NPL-PN-BRS-IT-G1/2IN</p>		<div> <div>Connection thread Inner diameter (I/D)</div> <div>IG G 1/2"</div> </div> <div> <div>Wrench size (SW)</div> <div>19 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>24 mm</div> </div>
06992014	 <p>Nipple, pneumatic NPL-PN-BRS-IT-G1/4IN</p>		<div> <div>Connection thread Inner diameter (I/D)</div> <div>IG G 1/4 "</div> </div> <div> <div>Wrench size (SW)</div> <div>11.5 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>17 mm</div> </div>
06992038	 <p>Nipple, pneumatic NPL-PN-BRS-IT-G3/8IN</p>		<div> <div>Connection thread Inner diameter (I/D)</div> <div>IG G 3/8"</div> </div> <div> <div>Wrench size (SW)</div> <div>15 mm</div> </div> <div> <div>Wrench size (SW)</div> <div>19 mm</div> </div>
0699313	 <p>Plug-in sleeve, pneumatic SLEV-PLGIN-PN-ST-BRS-13MM</p>		<div> <div>Pipe Size Outer Diameter (O/D)</div> <div>13 mm</div> </div>
069939	 <p>Plug-in sleeve, pneumatic SLEV-PLGIN-PN-ST-BRS-9MM</p>		<div> <div>Pipe Size Outer Diameter</div> <div>9 mm</div> </div>



# CUTTING & GRINDING



## PNEUMATIC ANGLE GRINDER DWS 115 PLUS

Art.-no. 07038550

Powerful, handy machine for sanding, cutting & roughing work.

Technical Information	
Washer diameter	115 mm
Rotation speed	10000 rpm
Power output	600 W
Operating pressure	6.3 bar
Weight of machine	1.6 kg
Air consumption	13 l/min
Min. hose inner diameter	8 mm
Length	255 mm
Thread type x spindle-thread diameter	M14



## PNEUMATIC ANGLE GRINDER DWS 125 STANDARD

Art.-no. 07038570

Powerful, handy machine for sanding, cutting & roughing work.

Technical Information	
Washer diameter	125 mm
Rotation speed	10000 rpm
Power output	600 W
Operating pressure	90 psi
Weight of machine	2 kg
Air consumption	5 Cubicfeet/minute
Min. hose inner diameter	10 mm
Length	235 mm


# ACCESSORIES



**CUTTING DISC  
FOR STEEL - 115MM**  
Art.-no. 0669201150




**GRINDING WHEEL  
DISC FOR STEEL - 115MM**  
Art.-no. 0669260116



**SYNTHETIC CORUNDUM  
VULCANISED FIBRE DISC**

Variants :

0580115120 - 115 mm  
058011536 - 115 mm  
058011536 - 115 mm  
058011516 - 115 mm  
058011540 - 115 mm  
058011560 - 115 mm  
058011524 - 115 mm  
058011580 - 115 mm  
058012560 - 125 mm  
0580125120 - 125 mm



**1/4 INCH MALE THREAD  
PLUG-IN NIPPLE**  
Art.-no. 06992114



# CUTTING & GRINDING

## PNEUMATIC DIE GRINDER DSW 22

Art.-no. 0703231014



Long-life, handy rod grinder, angled design, with tool-free speed control & rubberised handle to protect against vibrations & cold hands.

## PNEUMATIC HAND-HELD SANDER DSW 15

Art.-no. 07032320



Powerful, small pneumatic hand-held sander for repairing minor paintwork damage



## PNEUMATIC DIE GRINDER DSG 25

Art.-no. 07032300


Long-life, handy rod grinder, angled design, with tool-free speed control & rubberised handle to protect against vibrations & cold hands.

# ACCESSORIES




## CARBIDE MILLING BIT ASSORTMENT, TOOTHING MX 10 PIECES

Art.-no. 0616000010



## SPECIALLY FUSED ALUMINA SANDING TIP, PINK

Variants :  
Art. no. 068041 - 068051




## SMALL ABRASIVES MINI FIBRE DISC

Art.-no. 0580005060



## ROLOC BACKING PAD

Art.-no. 058657801



## 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114

# CUTTING & GRINDING

## PNEUMATIC GRINDING MACHINE DMS 450

Art.-no. 0703000880



**Powerful sanding machine designed for rouging body filler, removing rust, smoothing welds & other sanding jobs.**

- Ball bearing construction, hardened & ground spiral bevel gears
- User-friendly
- Easy to handle

### Details/Application :

Ideal for rouging body filler, removing rust, smoothing welds and other sanding jobs.

## ACCESSORIES



### 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



### HOOK-AND-LOOP BACKING PAD FOR EPM 160-E

Art.-no. 1971100180



### SYNTHETIC CORUNDUM VULCANISED FIBRE DISC

Art.-no. 0580180100

Variants :

058018016 - G16  
058018024 - G24  
058018036 - G36  
058018040 - G40  
058018060 - G60  
058018080 - G80  
0580180100 - G100  
0580180120 - G120



### ALU OXIDE DISC BACKING PAD

Art.-no.0586580115



# SANDING & POLISHING




## PNEUMATIC BELT SANDER DBS 10 STANDARD

Art.-no. 07032710

**Handy and compact pneumatic belt sander for 10x 330-mm grinding belts. For grinding, deburring and satin finishing in hard-to-reach places.**


- Particularly suitable for polishing, removing rust and burrs in tight spaces.
- Easy to handle, 160 ° adjustable arm allows optimal working position.
- Arm Holder with integrated spring that keeps tension on the sanding belt.
- Quick and easy replacement of sanding belt.
- Swivel Air Inlet.
- Silencer for low noise.
- Three additional P 60 sanding belt.

# ACCESSORIES




## MALE THREAD PLUG-IN NIPPLE - G40

Art.-no. 0672416004




## CERAMIC ABRASIVE GRAIN SANDING BELT - G60

Art.-no. 0672416006



## 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114





# SANDING & POLISHING



## PNEUMATIC BRUSH GRINDER DBS 3600

Art.-no. 07033601

**Very lightweight and handy drive machine to save you time when removing underbody seal, sealing compounds, paint, rust and films**

- No heating up of treated areas
- No smearing or loading of the tools
- Cost-Saving
- Very light and handy
- Significantly faster work progress



**#READY  
FOR WORK**

# ACCESSORIES



## NYLON SANDING FLEECE DISC FOR INTERCHANGEABLE CLAMPING MANDREL

Art.-no. 05851100




## BRUSH BELT, COARSE

Art.-no. 07033501



## RUBBER ERASER WATERBASED

Art.-no. 0585910



## 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



## ADAPTOR NYLON RUBBER WHEEL

Art.-no. 070336022



**#READY  
FOR WORK**





## PNEUMATIC POLISHING MACHINE DPM 250


Art.-no. 0703000870

**Very powerful and durable polishing machine for polishing painted surface.**

- Longer service life
- User-friendly
- The variable speed allows for better control and better output
- Easy to handle

Technical Data							
Disc-Ø/ mm & inch	No-load Speed/min <sup>-1</sup>	Weight/ kg	Length/ mm	Operating Pressure/bar	Air Consumption l/min	Air Connection	Hose Diameter(min.)/ mm
175 & 7"	2,500	1,9	307	6,3	91	1/4"	9

## ACCESSORIES



### POLISHING PADS

Art.-no. 0585025145  
X Hard - 150mm


#### Variant

Art.-no. 0585025170 (X Hard - 170mm)



### HOOK AND LOOP SUPPORT PLATE

Art.-no. 058601 150  
150mm



### POLISHING PADS

Art.-no. 0585027145  
Hard - 150mm

#### Variant

Art.-no. 0585027170 (Hard - 170mm)



### FAST GRINDING POLISH P10 PLUS

Art.-no. 0893150010  
P10 Polish 1Kg - Rough Cut

#### Variant

Art.-no. 0893150012  
Pro Polish 250g - Rough Cut



### HIGH-GLOSS POLISH P20 PLUS

Art.-no. 0893150020  
P20 Polish 1Kg - Medium Cut

#### Variant

Art.-no. 0893150022  
Pro Polish 250g - Medium Cut



### POLISHING PADS

Art.-no. 0585026145  
Soft - 150mm

#### Variant

Art.-no. 0585026170 (Soft - 170mm)



### 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



### HIGH-GLOSS POLISH P20 PLUS

Art.-no. 0893150030  
P30 Polish 1Kg - Anti swirl

#### Variant

Art.-no. 0893150032  
Pro Polish 250g - Anti swirl

# SANDING & POLISHING



## PNEUMATIC MINI POLISHER DMP 25

Art.-no. 07032330

**Small compressed air polisher for repairing minor paintwork damage**

- Comfortable and non-slip
- Effortless work and ideally suited for confined spaces
- Adjusts to the task at hand
- No exhaust air in the working area
- Soundproofed air outlet at the end of the handle
- Optimised user comfort

## ACCESSORIES




### HOOK AND LOOP FASTENER SUPPORT PLATE M6

Art.-no. 0586585075  
75mm




### HOOK AND LOOP SUPPORT PLATE

Art.-no. 058601 150  
150mm



### POLISHING PADS

Art.-no. 0585025090  
X Hard - 90mm



### POLISHING PADS

Art.-no. 0585027090  
Hard - 90mm



### FAST GRINDING POLISH P10 PLUS

Art.-no. 0893150010  
P10 Polish 1Kg - Rough cut

#### Variant

Art.-no. 0893150012  
Pro Polish 250g - Rough Cut



### POLISHING PADS

Art.-no. 0585026090  
Soft - 90mm



### 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



### HIGH-GLOSS POLISH P20 PLUS

Art.-no. 0893150020  
P20 Polish 1Kg - Medium cut

#### Variant

Art.-no. 0893150022  
Pro Polish 250g - Medium Cut



### HIGH-GLOSS POLISH P20 PLUS

Art.-no. 0893150030  
P30 Polish 1Kg - Anti swirl

#### Variant

Art.-no. 0893150032  
Pro Polish 250g - Anti swirl

**#READY  
FOR WORK**

# SANDING & POLISHING



## PNEUMATIC ECCENTRIC ROTARY SANDER DTS 150D

Art.-no. 5714001180

**Heavy-duty eccentric sander for fine or rough sanding**


- Composite Body Design
- Pneumatic Power
- Lowest possible noise emissions and exhaust air routing for maximum user comfort
- Soft Touch Control Trigger
- 2 in 1 vacuum system
- Built-in air regulator
- Smooth and quick for a more controlled and comfortable operation
- Ergonomic design, with perfect handling

## ACCESSORIES



**HOOK AND LOOP FASTENER SUPPORT PLATE  
FOR DUST-FREE WORKING AND OPTIMUM RESULTS**

Art.-no. 05866600010



**VEHICLE DRY SANDPAPER DISC ARIZONA® PERFECT**

Art.-no. 5506353004 - 5506353060  
150 Diameter



### Variants

5506353004 - G40  
5506353006 - G60  
5506353008 - G80  
5506353010 - G100  
5506353012 - G120  
5506353015 - G150  
5506353018 - G180  
5506353020 - G220  
5506353024 - G240  
5506353032 - G320  
5506353040 - G400  
5506353050 - G500  
5506353060 - G600



# DRILLING & CHISELING



## PNEUMATIC CHIPPING HAMMER, DMH 10

Art.-no. 07037121

**Ideal for all bodywork, including extraction of body panels, rough removal of coatings or removal of rust from metal parts**

- Extremely durable and insulated against cold
- Very handy and user-friendly
- Impact power can be controlled continuously and precisely
- Practical plastic case and wide range of accessories included
- 2-in-1 : combination with the optional screw-on attachment, it can also be used as a nail deruster.

## ACCESSORIES



### FLAT CHISEL FOR PNEUMATIC CHIPPING HAMMERS

Art.-no. 0703712001



### RETAINING SPRING FOR PNEUMATIC CHIPPING HAMMERS

Art.-no. 0703712006



### FLAT CHISEL FOR PNEUMATIC CHIPPING HAMMERS

Art.-no. 0703712002



### 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



### SPOT SEPARATING CHISEL FOR PNEUMATIC CHIPPING HAMMERS

Art.-no. 0703712003



### POINT CHISEL FOR PNEUMATIC CHIPPING HAMMERS

Art.-no. 0703712004



# DRILLING & CHISELING



## PNEUMATIC DRILL DBM 13-RL PLUS

Art.-no. 07037970

**Especially lightweight, handy drills with quick-action drill chuck. Right/left changeover with 13 mm drill chuck.**

- Effortless and easy to work with
- Low noise
- Robust
- High level of power transmission and long service life
- Good speed control



## PNEUMATIC DRILL DBM 10-RL STANDARD

Art.-no. 07037980

**Very compact and handy reversible drill with 10mm high quality keyless drill chuck**

- Work precisely and efficiently
- Maximum power transmission and long service life
- Increases the service lifetime and convenience (quick drill bit changing)
- Conveniently located forward/reverse selector




## PNEUMATIC ANGLE DRILL DBM 10 RA

Art.-no. 07037940

**High Comfort & Handling. Especially designed to get into hard to reach areas where pistol types are not accessible**

- Suitable for the segments of blacksmiths, carpenters, car repairing & industrial maintenance in a wide variety of materials such as steel, wood & plastic.
- Low-fatigue, pleasant work
- Quick and easy maintenance

# ACCESSORIES



## TWIST DRILL ASSORTMENT HSS DIN 338, TYPE RN 130°, 19 PIECES

Art.-no. 0624000001



## TWIST DRILL BIT ASSORTMENT HSS DIN 338 SMART STEP, 19 PIECES

Art.-no. 0624930001



## SPOT WELD CUTTER

Art.-no. 06981



## HSS MULTI PERFORMANCE TiAIN STEPPED TWIST DRILL BIT

Art.-no. 0694423



## 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



## HSCO SPOT WELD DRILL BIT

Art.-no. 0710008



## DRILLING AND CUTTING FOAM CUT+COOL

Art.-no. 0893050007

# SCREWDRIVERS



## PNEUMATIC RATCHET SCREWDRIVER DRS 1/4" PLUS

Art.-no. 07038150

**Durable ratchet driver with speed regulation and rubberised handle for the prevention of vibrations and cold hands.**

- Greater transmission of force and longer service life
- No air outlet in the working area
- Right/left directional switch is in a recess

Technical Information	
Tool holding device	1/4" external square
Max. torque	41 Nm
Length	196 mm
Operating pressure	90 psi
Air consumption	113 l/min
Min. hose inner diameter	10 mm



## PNEUMATIC RATCHET SCREWDRIVER DRS 3/8" PLUS

Art.-no. 07038390

**Durable ratchet driver with speed regulation and plastic handle for the prevention of vibrations and cold hands**

- Speed can be set via integrated controller
- Eliminates twisting of connection hose.
- Rubber coating of ratchet head.

Technical Information	
Tool holding device	3/8" external square
Max. torque	41 Nm
Length	196 mm
Operating pressure	90 psi
Air consumption	113 l/min
Min. hose inner diameter	10 mm



## PNEUMATIC RATCHET SCREWDRIVER DRS 1/2" STANDARD

Art.-no. 0703812001

**Compact, lightweight and durable ratchet driver with speed regulation**

- Suitable for use in hard-to-reach places.
- Optimum adjustment to application.
- Precision planetary gear.

Technical Information	
Tool holding device	1/2" external square
Max. torque	68 Nm
Length	254 mm
Operating pressure	90 psi
Air consumption	113 l/min
Min. hose inner diameter	10 mm

# ACCESSORIES



## 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 12 PIECES

Art.-no. 0714900100



## 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 12 PIECES

Art.-no. 0714900200



## 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



# IMPACT WRENCHES



## PNEUMATIC IMPACT SCREWDRIVER DSS 1/2 " H

Art.-no. 07037360

### Reliable, powerful impact screwdriver with fast build-up of torque

- Reliable, powerful impact screwdriver with fast build-up of torque
- Perfect weight distribution Rugged, well-balanced unit in aluminium housing
- Very handy and user-friendly
- Rubberised and ergonomically designed handle, user-friendly right/left changeover and adjustable trigger
- Long service life and virtually vibration-free
- High-quality pin impact mechanism in oil bath with 6-disc motor

#### Technical Information

Max. releasing torque	569 Nm
Weight of machine	2.3 kg
Tool holding device	1/2-inch external square
Length x width x height	195 x 64 x 202 mm

# ACCESSORIES



## 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 8 PIECES

Art.-no. 0715900100



### SMALL MIST LUBRICATOR FOR PNEUMATIC TOOLS

Art.-no. 0699070314



### 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 4 PIECES

Art.-no. 071413 25



### 1/2 INCH IMPACT SOCKET WRENCH SET

Art.-no. 071413030



### SPECIAL OIL FOR PNEUMATIC TOOLS

Art.-no. 08930505

# IMPACT WRENCHES



## PNEUMATIC IMPACT SCREWDRIVER DSS 1/2" PLUS

Art.-no. 07033030

**Reliable, compact impact screwdriver in a rugged, fibreglass reinforced plastic housing, with strong performance and enhanced equipment features**

- Excellent power-to-weight ratio
- Reliable, strong performance values and a long service life
- Optimal, user-friendly adjustment to any application at any time
- Durable swivel air inlet helps to prevent the air hose from twisting
- Good handling, optimum control and low sound level

Technical Information	
Max. releasing torque	813 Nm
Weight of machine	1.85 kg
Tool holding device	1/2-inch external square
Length x width x height	160 x 74 x 180 mm

# ACCESSORIES



## 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 12 PIECES

Art.-no. 0714900200




## 1/2 INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, SHORT

Art.-no. 071413 15



## 1/2 INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, SHORT

Art.-no. 071413 03



## 1/4 MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



## 1/2 INCH IMPACT SOCKET WRENCH SET

Art.-no. 071413030

# IMPACT WRENCHES



## PNEUMATIC IMPACT SCREWDRIVER DSS 3/4 \" H


Art.-no. 07037730

**Reliable, powerful impact screwdriver with fast build-up of torque**

- Perfect weight distribution
- Very handy and user-friendly
- Long service life and virtually vibration-free



Back



Front



Handle

### Technical Information

Max. releasing torque	1500 Nm
Weight of machine	4.73 kg
Tool holding device	3/4-inch external square
Length x width x height	261 x 87 x 227 mm

# ACCESSORIES




## 3/4-INCH IMPACT SOCKET WRENCH ASSORTMENT 8 PIECES

Art.-no. 0714900500



## 3/4 INCH POWER CARDAN JOINT WITH 3/4 INCH SQUARE DRIVE AND BALL LOCK

Art.-no. 0714148351



## 3/8 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992138



## 3/4 INCH POWER EXTENSION WITH 3/4 INCH SQUARE DRIVE AND BALL LOCK

Art.-no. 071414 17

**#READY  
FOR WORK**



# IMPACT WRENCHES



## PNEUMATIC IMPACT SCREWDRIVER DSS 3/4" PLUS

Art.-no. 07033040

**High-quality impact screwdriver in robust, fibreglass-reinforced plastic housing, with above-average performance and enhanced equipment features.**

- Excellent power-to-weight ratio
- Reliable, strong performance values and a long service life
- Optimal, user-friendly adjustment to any application at any time
- Durable swivel air inlet helps to prevent the air hose from twisting
- Good handling, optimum control and low sound level

### Technical Information

Max. releasing torque	1400 Nm
Weight of machine	3.6 kg
Tool holding device	3/4-inch external square
Length x width x height	215 x 67 x 205 mm

# ACCESSORIES



## 1/2-INCH IMPACT SOCKET WRENCH ASSORTMENT 12 PIECES

Art.-no. 0714900200



## 3/4-INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, LONG

Art.-no. 071414 16



## 1-INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, SHORT

Art.-no. 07141501



## 3/4 INCH POWER EXTENSION WITH 3/4 INCH SQUARE DRIVE AND BALL LOCK

Art.-no. 071414 18



## 3/4 INCH POWER CARDAN JOINT WITH 3/4 INCH SQUARE DRIVE AND BALL LOCK

Art.-no. 0714148351

# IMPACT WRENCHES



## PNEUMATIC IMPACT SCREWDRIVER DSS 1" P

Art.-no. 07037750

**Extremely rugged, powerful impact screwdriver with fast build-up of torque**

- Perfect weight distribution
- Very handy and user-friendly
- Long service life and virtually vibration-free

Technical Information	
Max. releasing torque	2440 Nm
Weight of machine	9.97 kg
Tool holding device	1-inch external square
Length x width x height	305 x 104 x 276 mm

# ACCESSORIES



**1-INCH IMPACT SOCKET WRENCH  
INSERT HEXAGON, METRIC, SHORT**  
Art.-no. 07141502




**1-INCH IMPACT SOCKET WRENCH  
INSERT HEXAGON, METRIC, SHORT**  
Art.-no. 071415 65

**#READY  
FOR WORK**



**1/2 INCH MALE THREAD PLUG-IN NIPPLE**  
Art.-no. 06992112

# IMPACT WRENCHES



Front

## PNEUMATIC IMPACT SCREWDRIVER DSS 1" L

Art.-no. 07037700

**Highly robust, powerful impact screwdriver with long square drive.**

- Very durable
- Very handy and user-friendly
- Low air consumption, despite maximum performance values and long service life

Technical Information	
Max. releasing torque	2846 Nm
Weight of machine	12.98 kg
Tool holding device	1-inch external square
Length x width x height	529 x 175.9 x 213.6 mm

# ACCESSORIES



## 1-INCH IMPACT SOCKET WRENCH ASSORTMENT 8 PIECES

Art.-no. 0714900600




### 1-INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, SHORT

Art.-no. 07141501



### 1-INCH IMPACT SOCKET WRENCH INSERT HEXAGON, METRIC, SHORT

Art.-no. 07141502



### 1/2 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992112



### SPECIAL OIL FOR PNEUMATIC TOOLS

Art.-no. 08930505

**#READY  
FOR WORK**



# IMPACT WRENCHES

## PNEUMATIC IMPACT SCREWDRIVER DSS 1" PLUS

Art.-no. 07033260




**Very durable and powerful impact wrench with outstanding power-to-weight ratio in its class.**

- Excellent power-to-weight ratio
- High-quality pinless striking mechanism and cylinder with six-blade motor
- Highly ergonomic handle with sensitive trigger and integrated silencer
- Exhaust air conducted away from the work area

Technical Information	
Max. releasing torque	2712 Nm
Weight of machine	8.43 kg
Tool holding device	1-inch external square
Length x width x height	548 x 290 x 160 mm



## ACCESSORIES



### 1/2 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992112



### SPECIAL OIL FOR PNEUMATIC TOOLS

Art.-no. 08930505



# CUTTING



## PNEUMATIC MINI CUTTER DMC 75

Art.-no. 07038530

**Very durable mini cutter, excellent for cutting through composite, fiberglass, steel metal, bolts, clamps.**

- 3 inch (76.2 mm) wheel size
- Easy, quiet operation
- 360° rotatable chrome-plated steel guard protects user from sparks
- Safety Throttle Lever
- Rear Exhaust

### Technical Information

Type description	3" Pneumatic cut-off tool
Operating pressure	90 psi
Air consumption	4 Cubicfeet/minute
Min. hose inner diameter	10 mm

# ACCESSORIES



## SPEED CUTTING DISC FOR STAINLESS STEEL

Art.-no. 0664130761



## SPU COMPRESSED-AIR HOSE

Art.-no. 0699900650



## 1/4 MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114

**#READY  
FOR WORK**

# MULTI-CUTTER

## PNEUMATIC MULTI-CUTTER DMC 2

Art.-no. 07038631



**Powerful unit used for removing adhered car windows, for vehicle body cutting tasks and for grinding corners and edges. Supplied in a case with three cutting blades.**

- Versatile hexagonal mount
- Oscillating movement
- Safety switch for continuous speed control

## ACCESSORIES



### U-SHAPED CUTTING KNIFE

Art.-no. 06965212 - 38MM (Length)

Variants

Art.-no. 06965157 - 60MM (length)

Art.-no. 06965111 - 95MM (length)



### KNIFE BLADE, L-SHAPED, TOOTHED

Art.-no. 06965208


Variants

Art.-no. 06965207



### STARLOCK TRIANGULAR GRINDING DISC

Art.-no. 0696121150




### WOOD DRY SANDPAPER TRIANGLE

Art.-no. 0581498..



### HSS saw blade HSS SAW BLADE FOR PLASTICS, GFRP, WOOD, PUTTY, NON-FERROUS METALS AND SHEET METAL UP TO APPROX. 1 MM

Art.-no. 0696680



### 1/4 MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114

# RIVETERS

## PNEUMATIC RIVETER PNG 014

Art.-no. 0703937014



## PNEUMATIC BLIND RIVETER PNG 316


Art.-no. 0703937316



**High powered and durable pneumatic riveters for unrivalled performance in ferrous and non-ferrous materials**

- Simple construction For easy maintenance
- Quick release air valve permits cylinder to return quickly for high speed assembly operations .
- Quick release of rivet ends Transparent container with holes Long lifetime Durable chromed steel nose and trigger, Strong aluminum casted parts.

# ACCESSORIES



### BLIND RIVET, LARGE FLAT HEAD

Art.-no.091504810

Variants

Art.-no. 091504817

Art.-no. 091504825



### BLIND RIVET, FLAT HEAD

Art.-no. 09155...

Variants

Art.-no 09155328 - 091554825



### BLIND RIVET, FLAT HEAD

Art.-no. 09364 12

Variants


Art.-no. 091504817

Art.-no. 091504825



### BLIND RIVET, ROUND PAN HEAD OPEN END

Art.-no.9500500375



### 1/4 INCH MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114



# STAPLE GUN

## PNEUMATIC STAPLE GUN DKG 416

Art.-no. 07035480


**Very lightweight, powerful device for processing staples with a width of 12.8 mm and a length of 4–16 mm**



- Lower noise emissions
- Minimised risk of injury
- Long service life
- Effortless work
- Lightweight magnesium housing with rubberised handle ensures easy handling
- loading or failure to observe the operating instructions.
- The current WÜRTH MASTERPLUS warranty conditions must be observed.

Magazine capacity	157 PCS
Air consumption per impact	0.3 l
Weight of machine	0.7 kg
Pneumatic connection	R 1/4 inch
Min./max. operating-pressure	4-7 bar
Length	238 mm
Width	42 mm
Height	152 mm
Min. hose inner diameter	6 mm

## ACCESSORIES




### TYPE 80 STAPLES

Art.-no. 048012906




### SMALL MIST LUBRICATOR FOR PNEUMATIC TOOLS

Art.-no. 0699070314



### PNEUMATIC AIR QUICK-ACTION COUPLING BLOCKS IN ONE DIRECTION - 7,6 X 6MM

Art.-no. 0699126



### 1/4 MALE THREAD PLUG-IN NIPPLE

Art.-no. 06992114

# ACCESSORIES



**2-WAY BLOW-OUT GUN WITH A CONTROL BUTTON FOR THE INFINITELY VARIABLE ADJUSTMENT OF AIR FLOW**

Art.-no. 071493 02



**PNEUMATIC BLOW-OFF PEN 1500 SERIES**

Art.-no. 071493 01



**HGV COMPRESSED AIR CLEANING SET BASIC 3-PIECE**

Art.-no. 0885848100



**SMALL MIST LUBRICATOR FOR PNEUMATIC TOOLS**

Art.-no. 0699070314



**CA PREPARATION UNIT SIZE 1, LOCKABLE**

Art.-no. 069900414 - 10 BAR 1/4 INCH

Variants

Art.-no. 069900412 16 BAR 1/2 INCH



**SPU COMPRESSED-AIR HOSE**

Art.-no. 0699900160 - OD 16MM Length - 25M

Variants

Art.-no. 0699900180 - OD 18MM Length - 25M

Art.-no. 0699900650 - OD 10MM Length - 10M



**QUICK-ACTION COUPLING ARO 210 FEMALE THREAD**

Art.-no. 0699150140



**1/4 PNEUMATIC THREADED NOZZLE ARO 2608 MALE THREAD**

Art.-no. 0699150361



**PNEUMATIC HOSE REEL DSA-S**

Art.-no. 069909517



**SCREW-IN FITTING FOR PNEUMATIC AIR**

Art.-no. 06994614 - 1/4 inch 6MM

Variant

Art.-no. 0699414 - 1/4 inch 9MM