

REDSTRIPE HAND TOOLS

REDSIM







Hanger hole also suitable for retail business.

Würth exclusive designed 2-component handle, ergonomically shaped for comfortable handling even under extensive use.

Matt chrome plated for strong corrosion resistance.

Fast, simple changeover from clockwise to anti-clockwise rotation.

Ratchet

RED STRIPE

72 teeth gear offers a 5°swing arc for precise movement and easy use in confined spaces.

Convenient ejector

Available Range

ART.No. 5763014901 - RATCHET 1/4IN, REDSTRIPE ART.No. 5763038901 - RATCHET 3/8IN, REDSTRIPE ART.No. 5763012901 - RATCHET 1/2IN, REDSTRIPE





Socket Wrench Set

Blow molded case in Wurth design. Perfect fit for Wurth **ORSY** system.

Available in **ORSY** 2.3 / 4.4 / 8.4

Available Sets (Art. 5763 XXX XXX)

1/4": 17, 24, 32, 40 pieces set
3/8": 24 pieces set
1/2": 22 pieces set

Mixed: 72 pieces 1/4" & 1/2" 154 pieces 1/4" & 3%" & 1/2"



17 pcs 1/4" HEX Socket Wrench Set



Powerful and precise tightening wrench set in handy case.

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents:

- 12 pcs 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |
- 11 | 12 | 13 | 14 mm
- 1 pc 1/4" Quick release ratchet handle | 72 Teeth
- 2 pcs 1/4" Extension Bar: 100 | 150 mm
- 1 pc 1/4" Joint
- 1 pc 1/4" Universal Joint

Art. 5763 114 017





24 pcs 1/4" HEX Socket Wrench Set



RED STRIPE

Extensive socket wrench assortment in compact case

ORSY ready - ORSY 2.3 case perfect fit for ORSY System


Contents: 12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 7 pcs - 1/4" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 1 pc - ¼" Quick release ratchet handle | 72 Teeth 2 pcs - ¼" Extension Bar: 100 | 150 mm 1 pc - 1/4" Joint 1 pc - 1/4" Universal Joint

Art. 5763 114 024

32 pcs 1/4" HEX Socket Wrench Set



RED STRIPE



PH1 | PH2 | PH3

H3 | H4 | H5 | H6

T10 | T15 | T20 | T25 | T30 | T40

Selected sockets and bits in a convenient assortment case

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents:

12 pcs - 1/4" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 |

- 11 | 12 | 13 | 14 mm 1 pc - ¼" Spanner handle | 200 mm
- 1 pc ¹/₄" Quick release ratchet handle | 72 Teeth
- 1 pc 1/4" Extension bar: 150 mm
- 1 pc 1/4" Flexible extension: 150 mm
- 1 pc 1/4" Universal Joint
- 15 pcs 1/4" Bit Sockets 25 mm

Art. 5763 114 032



40 pcs 1/4" HEX Socket Wrench Set



RED STRIPE

0.8 x 5.5 mm
PH1 | PH2 | PH3
H3 | H4 | H5 | H6
T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

Extensive socket and bit assortment in handy case

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents: 12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 7 pcs - ¼" Deep Sockets: 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 1 pc - ¼" Spanner handle | 150 mm 1 pc - ¼" Quick release ratchet handle | 72 Teeth 1 pc - ¼" Extension Bar: 100 mm 1 pc - ¼" Universal Joint 1 pc - ¼" Hex Bit Adaptor | 25 mm 16 pcs - ¼" Bit Sockets | 25 mm

Art. 5763 114 040

22 pcs 1/2 " HEX Socket Wrench Set



Compact socket wrench set containing the most popular sizes

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents: 17 pcs - ½" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm 1 pc - ½" Quick release ratchet handle | 72 Teeth 2 pcs - ½" Extension Bar: 125 | 250 mm 1 pc - ½" x ¾" T-Head 1 pc - ½" Universal Joint

Art. 5763 112 022

RED STRIPE



24 pcs 3/8" HEX Socket Wrench Set



Extensive socket wrench assortment in compact case.

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents:

16 pcs - ¾" Sockets: 6 | 7 | 8 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 21 | 22 | 24 mm 1 pc - ¾" Quick release ratchet handle | 72 Teeth 1 pc - ¾" Universal Joint 2 pcs - ¾" Extension bar : 75 | 250 mm 1 pcs - ¾" T-Adapter

3 pcs - ¾" Spark plug sockets: 16 | 18 | 21 mm


RED STRIPE

Art. 5763 138 024

72 pcs 1/4" + 1/2" HEX Socket Wrench Set



RED STRIPE



T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40

Art. 5763 100 072

Vast selection of sockets and bits in convenient assortment case.

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents:

1/2" - 22 Pieces 17 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm 1 pc - 1/2" Quick release ratchet handle | 72 Teeth 2 pcs - 1/2" Extension bar: 125 | 250 mm 1 pc - 1/2" x 3/8" T-Head 1 pc - 1/2" Universal Joint 1/4" - 50 Pieces 12 pcs - ¼″ Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 14 pcs - ¼" Bit sockets: H3 | H4 | H5 | H6 | T 10 | T15 | T20 | T25 | T30 | T40 | PH1 | PH2 | PZ1 | PZ2 1 pc - 1/4" Quick release ratchet handle | 72 Teeth 1 pc - ¼″ Spanner handle 150 mm 2 pcs - 1/4" Extension bar: 100 | 150 mm 1 pc - 1/4" x 3/8" T-Head 1 pc - ¼" Universal Joint 1 pc - 1/4" Flexible extension 145 mm

- 1 pc ¼″ Bit Coupler
- 16 pcs 1/4" Bits 25mm



154 pcs 1/4, 3/8, 1/2" HEX Socket Wrench Set



RED STRIPE

1⁄4″ Bits:

SL3 | SL4 | SL5 | SL6
PH1 | PH2 | PH3
PZ1 | PZ2 | PZ3
H3 | H4 | H5
T10 | T15 | T20 | T25 | T30
5/16" Bits:
SL6 | SL7 | SL8
PH3 | PH4
PZ2 | PZ3
H5 | H6 | H7 | H8
T25 | T27 | T30 | T40 | T45



State of the art bits and socket assortment in high quality BMC case.

ORSY ready - ORSY 2.3 case perfect fit for ORSY System

Contents:

1/4"- 79 Pieces 12 pcs - ¼" Sockets: 4 | 5 | 5.5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 mm 8 pcs - 1/4" Deep sockets: 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 mm 1 pc - ¼" Quick release ratchet handle | 72 Teeth 1 pc - 1/4" E-Profile sockets: E4 | E5 | E6 | E7 | E8 2 pcs - ¼" Extension bar: 50 | 150 mm 8 pcs - ¼" Bit Sockets [Bit: S2]: T8 | T9 | T10 | T15 | T20 | T25 | T27 | T30 8 pcs - 1/4" Bit Sockets [Bit: S2]: T8H | T9H | T10H | T15H | T20H | T25H | T27H | T30H 6 pcs - 1/4" Bit Sockets : PZ1 | PZ2 | PZ3 | PH1 | PH2 | PH3 8 pcs - 1/4" Bit Sockets : H3 | H4 | H5 | H6 | SL4 | SL5.5 | SL6.5 | SL7 1 pc - 1/4" Universal Joint 1 pc - ¼″ Spinner Handle: 200 mm 1 pc - ¼″ Bit Coupler 18 pc - 1/4" Bits 25mm 3/8" - 29 Pieces 10 pcs - 3%" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 mm 9 pcs - ¾" Deep Sockets: 8 | 10 | 11 | 13 | 16 | 17 | 18 | 19 | 21 mm 1 pc - ³/₈" Quick release ratchet handle | 72 Teeth 6 pcs - 3/8" E-Profile sockets: E10 | E11 | E12 | E14 | E16 | E18 1 pc - 3/8" Extension Bar: 125mm 1 pc - ¾" Hexagon bit coupler: 5/16" 1 pc - 3/8" Universal Joint 1/2" - 46 Pieces 15 pcs - 1/2" Sockets: 10 | 11 | 12 | 13 | 14 | 15 | 17 | 19 | 20 | 21 | 22 | 24 | 27 | 30 | 32 mm 4 pcs - 1/2" Deep Sockets: 17 | 18 | 19 | 22 mm 1 pc - 1/2" Quick release ratchet handle | 72 Teeth 3 pcs - 1/2" E-Profile sockets: E20 | E22 | E24 2 pcs - 1/2" Extension Bars: 125 | 250 mm 1 pc - 1/2" x 3/8" T-Head 1 pc - ½" Universal Joint 1 pc - ½" Hexagon bit coupler: 5/16" Art. 5763 100 154 2 pcs - 1/2" Bit Sockets [Bit: S2]: T55 | T60 16 pc - 5/16" Bits 30mm











Tool holder can be opened up to 180° for easy access to each Allen Key.

Carefully designed tool holder for extra comfort while working.

HEX

9 Piece Set (1,5 - 10 mm) Art. No. 575241 100

Matt chrome plated for strong corrosion resistance.

SHORT VERSION





LONG VERSION

TX 8 Piece Set (TX9 - TX 40) Art. 575239 101

6

EXTRA LONG VERSION

HEX 9 Piece Set (1,5 - 10 mm)

9 Piece Set (1,5 - 10 mm) Art. No. 575243 100





Straight Handle Screwdriver

Hanger hole, perfectly prepared for retail business.

Würth exclusive design, 2-component handle ergonomically shaped for maximum comfort even under heavy use.

S2 Blade with chrome plated, black tip for extended durability and lifetime.

Available Range (Art. 5751 XXX XXX)

A MORE

 Slotted
 3.5 | 4.0 | 5.5 | 6.5 | 8.0

 PH
 1 | 2 | 3

 PZ
 1 | 2 | 3

 Torx
 10 - 40

 6 PC Set
 SL & PH

 7 PC Set
 TX



SL SLOTTED SCREWDRIVER

PH SLOTTED SCREWDRIVER

SCREWDRIVER PZ1



Art. No. 5751241055 - SL 1,0 x 5,5 x 125 Art. No. 5751241040 - SL 0,8 X 4,0 X 100 Art. No. 5751241065 - SL 1,2 x 6,5 x 150 Art. No. 575124108 - SL 1,2 x 8,0 x 175 Art. No. 5751241035 - SL 100 x 3.5x0.6

Art. No. 57512422 - PH 2 x 100mm Art. No. 57512421 - PH 1 x 80mm Art. No. 57512423 - PH 3 x 150mm

Art. No. 57512431 - PZ 1 x 80mm Art. No. 57512432 - PZ 2 x 100mm Art. No. 57512433 - PZ 3 x 150mm Art. No. 57512434 - PZ 4 x 200mm

SCREWDRIVER PHILLIPS (PH)/SLOTTED SET 6 PIECES

Art. No. 575194227



SCREWDRIVER TX SET 7 PIECES TX 10-40

Art. No. 57519349



Art. No. 575144410 Art. No. 575144415 Art. No. 575144420 Art. No. 575144425



COMING SOON

Art. No. 575144427 Art. No. 575144430 Art. No. 575144440







T-Handle Screwdriver RED STRIPE

Würth exclusive design, 2-component handle ergonomically shaped for maximum comfort, even under heavy use.

Hanger hole, perfectly prepared for retail business.

WURTH RED

Available Range (Art. 5751 XXX XXX)

Hex 2.5 | 3 | 4 | 5 | 6 | 8 | 10 Torx TX10 | TX15 | TX20 | TX25 | TX30 |TX 40 6 PC Set HEX 7 PC Set TX



T-HANDLE SCREWDRIVER HEXAGON 7 PIECES



Art. No. 5751914062

T-HANDLE SCREWDRIVER (TX) SET 6 PIECES Art. No. 5751913063



Art. No. 5751132001 -Art. No. 5751132002 -Art. No. 5751132003 -Art. No. 5751132004 -Art. No. 5751132005 -Art. No. 5751132007 -

COMING SOON

NEW!

Art. No. 5751132006

Art. No. 5751913063





Adjustable Wrench

Hanger hole, perfectly prepared for retail business.

Ba

8 1 1 Jaw position 22.5°, with metric / inch measuring scale for quick and accurate recognition of jaw opening.

5751-22119

п	(200 mm)	Art. 5754221108
0 "	(250 mm)	Art. 5754221110 A t. 5754221112
2 "	(300 mm)	A t. 5754221112

Each Ex. Vat Each Ex. Vat Each Ex. Vat



COMBINATION WRENCH

COMBINATION WRENCH SET 25 PIECES - FLAT

Art. 5754101925 Available Sets: WS6-32

Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.

Chrome-Vanadium Steel Anti-Slip Handle 15 Degrees Angle Head (Open End)





COMBINATION SPANNER RED_STRIPE

COMBINATION WRENCH SET 17 PIECES

Art. 5754101917

Available Sets: W6-W22

Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.







COMBINATION WRENCH - FLAT



Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, mee ting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.

Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

Flat Design

Allows work in confined spaces and are also suitable for union nuts and fasteners that are difficult to access.

Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

Material: Chrome-vanadium steel

Surface: Chrome plated

Width across flats	Length	Ring thickness	Thickness of jaw	Width of jaws (outside)	Art. no.
6 mm	100 mm	4.9 mm	3.5 mm	15.1 mm	5754 101 06
7 mm	110 mm	5.6 mm	3.6 mm	17 mm	5754 101 07
8 mm	120 mm	6.4 mm	4 mm	18.5 mm	5754 101 08
9 mm	130 mm	6.7 mm	4 mm	20.7 mm	5754 101 09
10 mm	155 mm	7.3 mm	4.6 mm	22.7 mm	5754 101 10
11 mm	162 mm	8.3 mm	5 mm	24.6 mm	5754 101 11
12 mm	170 mm	8.4 mm	5 mm	27 mm	5754 101 12
13 mm	178 mm	8.4 mm	5.5 mm	29.5 mm	5754 101 13
14 mm	192 mm	9.7 mm	5.6 mm	30.4 mm	5754 101 14
15 mm	210 mm	10.2 mm	6 mm	32 mm	5754 101 15
16 mm	220 mm	10.8 mm	6.6 mm	33.7 mm	5754 101 16
17 mm	226 mm	10.8 mm	7 mm	36.5 mm	5754 101 17
18 mm	240 mm	11.2 mm	7.7 mm	38.5 mm	5754 101 18
19 mm	246 mm	12.6 mm	8.2 mm	40.6 mm	5754 101 19
20 mm	260 mm	12.7 mm	8.4 mm	42.2 mm	5754 101 20
21 mm	270 mm	13 mm	8.5 mm	44 mm	5754 101 21
22 mm	275 mm	13.6 mm	8.6 mm	44.8 mm	5754 101 22
23 mm	320 mm	13.6 mm	8.7 mm	49.4 mm	5754 101 23
24 mm	320 mm	13.6 mm	8.9 mm	49.4 mm	5754 101 24
25 mm	343 mm	13.6 mm	9.3 mm	53.8 mm	5754 101 25
26 mm	343 mm	15.2 mm	9.7 mm	53.8 mm	5754 101 26
27 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 101 27
28 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 101 28
29 mm	395 mm	17.3 mm	11.2 mm	62.1 mm	5754 101 29
30 mm	395 mm	17.3 mm	11.3 mm	62.5 mm	5754 101 30
32 mm	418 mm	17.9 mm	11.5 mm	66.2 mm	5754 101 32



COMBINATION WRENCH - OFFSET



Rugged design, featuring a hardened steel construction, ensures resistance to tough applications that demand elevated torque. The combination of different designs (ring and open-ended) of the ends offers versatility for a wide variety of applications, meeting the most rigorous demands of tasks in maintenance and assembly in the fields of automotive, industry and construction.

Chrome-Vanadium Steel

The usual elevated torque demanded to tighten/loosen up bolts and nuts with big diameters is followed by the need a very resistant steel. The Chrome-Vanadium alloy (mix of two or more metals) enhances resistance to rusting and provides additional strength and hardness in tough operations.

Anti-Slip Handle

The tool is coated with a thick layer of textured matte chrome that offers a nice sturdy grip. It also provides an extra resistance to oils, greases, dirt, and other aggressive substances commonly found in workshops and construction sites, such as cement and solvents from paint that could attack the surface and lead to corrosion.

15 Degrees Angle Head (Open End)

It allows for an increase in movement which creates a larger turning arc when space is a restriction.

Deep Offset Head (Ring End)

It allows for an increase in reach when space is a restriction.

Wide Visible Markings

Enable quick identification, for effortlessly pick the right tool from a tool bag or pouch, saving time and efforts.

Material: Chrome-vanadium steel

Surface: Chrome/nickel plated

Width across flats	Length	Ring thickness	Thickness of jaw	Width of jaws (outside)	Art. no.
6 mm	100 mm	4.9 mm	3.5 mm	15.1 mm	5754 111 06
7 mm	110 mm	5.6 mm	3.6 mm	17 mm	5754 111 07
8 mm	120 mm	6.4 mm	4 mm	18.5 mm	5754 111 08
9 mm	130 mm	6.7 mm	4 mm	20.7 mm	5754 111 09
10 mm	155 mm	7.3 mm	4.6 mm	22.7 mm	5754 111 10
11 mm	162 mm	8.3 mm	5 mm	24.6 mm	5754 111 11
12 mm	170 mm	8.4 mm	5 mm	27 mm	5754 111 12
13 mm	178 mm	8.4 mm	5.5 mm	29.5 mm	5754 111 13
14 mm	192 mm	9.7 mm	5.6 mm	30.4 mm	5754 111 14
15 mm	210 mm	10.2 mm	6 mm	32 mm	5754 111 15
16 mm	220 mm	10.8 mm	6.6 mm	33.7 mm	5754 111 16
17 mm	226 mm	10.8 mm	7 mm	36.5 mm	5754 111 17
18 mm	240 mm	11.2 mm	7.7 mm	38.5 mm	5754 111 18
19 mm	246 mm	12.6 mm	8.2 mm	40.6 mm	5754 111 19
20 mm	260 mm	12.7 mm	8.4 mm	42.2 mm	5754 111 20
21 mm	270 mm	13 mm	8.5 mm	44 mm	5754 111 21
22 mm	275 mm	13.6 mm	8.6 mm	44.8 mm	5754 111 22
23 mm	320 mm	13.6 mm	8.7 mm	49.4 mm	5754 111 23
24 mm	320 mm	13.6 mm	8.9 mm	49.4 mm	5754 111 24
25 mm	343 mm	13.6 mm	9.3 mm	53.8 mm	5754 111 25
26 mm	343 mm	15.2 mm	9.7 mm	53.8 mm	5754 111 26
27 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 111 27
28 mm	370 mm	15.3 mm	10.6 mm	58.5 mm	5754 111 28
30 mm	395 mm	17.3 mm	11.3 mm	62.5 mm	5754 111 30
32 mm	418 mm	17.9 mm	11.5 mm	66.2 mm	5754 111 32

COMING SOON

Art. No. 5754101908 - Coming Soon Art. No. 5754101912 - Coming Soon Art. No. 5754104912 - Coming Soon Art. No. 5754105912 - Coming Soon Art. No. 5754221118 - Coming Soon



REDSTRIPE HAND TOOLS PHASE I EXECUTIVE SUMMARY

WURTH

Würth SA Ltd.

Head Office Plumbago Business Park, Spier Rd, Glen Erasmia X17, Kempton Park, 1619

T: 011 281 1000 E: wurthsa@wurth.co.za W: eshop.wurth.co.za

Terms and conditions

Warranty Terms and Conditions for Würth Zebra and Red Stripe Hand Tools

In accordance with the following terms and conditions, Würth Red Stripe hand tools are covered by a lifetime factory fault warranty. This warranty is only applicable to the person/business that originally purchased the product directly from Würth South Africa and is valid from the date of purchase granted that an invoice for the product in question is provided. Würth commit, with certain exceptions, to exchange or repair any product which, upon examination by Würth, is deemed to have flaws or defects in either the manufacturing process and/or input components/materials.

WUR WUR

RED STRUP

Red Stripe ratchets will not be covered by the warranty. If a ratchet has a factory fault upon receiving the ratchet, the purchaser must contact Würth South Africa within 7 days of receiving the ratchet. If the purchaser contacts Würth South Africa after a period of 7 days of receiving the ratchet, the warranty will be rendered null and void.

" Our vision, mission and values are to provide a product for our growing market within South Africa. RedStripe a good quality hand tool at an affordable price for professional use. With huge excitement – now the day is here!! The launch of our 1st phase on RedStripe hand tools. Our goal with RedStripe will be to continuously expand our RedStripe product assortment." - Chavonne Teunissen