



# LED LIGHTING RANGE


Würth South Africa

**READY  
FOR WORK**

# CONTENTS

WORK LIGHTS	3
HAND LAMPS	11
HEAD LAMPS	15
FLASHLIGHTS	19





# WORK LIGHTS

# M-CUBE POWERQUAD M CORDLESS LED WORK LAMP



**Lamp with powerful light source and interchangeable battery system**


- Continuously dimmable (5 to 100 %) light source (200 to 4,000 lumens)
- M-CUBE interchangeable battery system avoids downtime
- LED panel with highly efficient SMD LEDs

Min./max. luminous flux	200/4000 lm
Colour temperature	5000 K
Impact resistance	IK08
IP protection class	IP 20
Protection class IP with cover	IP 54
Nominal voltage	18 V/DC



**Art. no. 5701 501 000**

P. Qty. 1




Factory-installed NCF tag (see information)

**Application**

For indoor and outdoor use (with optional battery pack cover IP54)

**Application**



## ERGOPOWER FLAP CORDLESS LED WORK LAMP

Rechargeable (R) lamp can be recharged when connected to the mains (AC)

Five different colour temperatures - suitable for almost all trades/applications


Design	Includes height-adjustable tripod 1.20-2.24 m
Min./max. luminous flux	600/6000 lm
Min./max. luminous period	2-16 h
Charging time	5.5 h
Impact resistance	IK07
IP protection type, lamp	IP 65
IP protection type charger	IP 20
Nominal voltage	14.8 V/DC
Rechargeable battery/battery capacity	5200 mAh

Art. no. 0827 981 000

P. Qty. 1

### Application

Suitable for indoor and outdoor use; use only in dry areas or indoors when connected to the mains (IP20).



## RECHARGEABLE LED WORK LAMP ERGOPOWER CLAMP

**Powerful and durable. Thanks to the clamping system and the bendable and rotatable light head, the LED work lamp can be used in a variety of ways.**




Min. colour rendering index (CRI)	80
Min./max. luminous flux	100/1600 lm
Colour temperature	6500 K
Min./max. luminous period	3-24 h
Charging time	3.5 h
Impact resistance	IK06
IP protection class	IP 65
IP protection type, lamp	IP 65
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	5200 mAh



Art. no. 0827 950 300

P. Qty. 1



IP65



Rechargeable battery

IK06

## RECHARGEABLE LED WORK LIGHT ERGOPOWER 10 W

Design	Portable, With handle
Min. colour rendering index (CRI)	70
Luminous flux	1000 lm
Min./max. luminous flux	500/1000 lm
Colour temperature	5700 K
Min./max. luminous period	3-6 h
Luminous period	3 h
Impact resistance	IK08
IP protection class	IP 65
Nominal voltage	5 V/DC
Rechargeable battery/battery capacity	4400 mAh



**Art. no. 0981 508 162**

P. Qty. 1

**Color box with user manual**



### Application



## BATTERY-POWERED LED WORK LAMP ERGOPOWER MINI 10W

Small but powerful rechargeable LED work light, can stand high exposure to dust and water with IP67 protection level

Design	Portable, With handle, Compact
Min. colour rendering index (CRI)	70
Min./max. luminous flux	500/1000 lm
Colour temperature	6000 K
Min./max. luminous period	3-6 h
Charging time	4.5 h
Impact resistance	IK09
IP protection class	IP 67
Nominal voltage	5 V/DC
Rechargeable battery/battery capacity	4400 mAh



Art. no. 0981 504 128

P. Qty. 1



### Application

Ergopower Mini work lamp



Ergopower Mini work lamp



Ergopower Mini work lamp



## CORDLESS LED ENGINE COMPARTMENT LAMP EXTENDABLE

Extra wide, compact and extendable, powerful LED under bonnet light with an aluminium shell.


Design	Aluminium sleeve, Impact-resistant, Hook end bent vertically, Light, Mountable to both sides, Flexible shaft
Min. colour rendering index (CRI)	70
Min./max. luminous flux	500/1000 lm
Colour temperature	6000 K
Min./max. luminous period	3-6 h
Charging time	5 h
IP protection class	IP 65
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	4400 mAh



Art. no. 0827 940 754

P. Qty. 1

Color box with user manual



Rechargeable battery



### Application



## WLH 6 LED HAND-HELD LAMP

Soft, pleasant and low-shadow light for effortless work

- No warm-up and pre-heating time
- Resistant to oil, petrol and UV radiation
- Made in Germany

Luminous flux	500 lm
IP protection class	IP 64
Impact resistance	IK07
Min./max. nominal voltage	220/240 V/AC
Protection class	Protection class II/protective insulation
Min./max. frequency	50/60 Hz
Power rating	6 W
Cable type	H05BQ-F2x1 mm <sup>2</sup>
Power-lead length	5 m



Art. no. 0981 736

P. Qty. 1





# HAND LAMPS


## RECHARGEABLE LED HAND-HELD LAMP ERGOPOWER TINY

Super compact and bendable LED hand lamp

Luminous flux main light	100 lm
Luminous flux side light	50 lm
Luminous period of main light	3 h
Luminous period of secondary light	3 h
Charging time	2.5 h
IP protection class	IP 20
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	350 mAh

Art. no. 0827 950 101

P. Qty. 1



## RECHARGEABLE LED HAND LAMP WL1 LED 6+1 W

Shadowless working LED hand lamp for narrow space

Min. colour rendering index (CRI)	80
Luminous flux main light	600 lm
Luminous flux side light	120 lm
Colour temperature	6500 K
Min./max. luminous period	2.5-10 h
Luminous period of main light	2.5 h
Luminous period of secondary light	10 h
Charging time	4 h
Impact resistance	IK07
IP protection class	IP 54
Nominal voltage	5 V/DC
Rechargeable battery/battery capacity	2600 mAh



Art. no. 0827 940 383

P. Qty. 1

Color box with user manual



Rechargeable battery



## RECHARGEABLE LED HAND LAMP ERGOPOWER BOOST

Powerful LED hand lamp with additional boost mode

Min. colour rendering index (CRI)	70
Luminous flux	1000 lm
Luminous flux main light	500 lm
Luminous flux side light	300 lm
Colour temperature	6000 K
Luminous period	2.5 h
Luminous period of main light	5 h
Luminous period of secondary light	8 h
Charging time	5 h
Impact resistance	IK08
IP protection class	IP 65
IP protection type, lamp	IP 65
Nominal voltage	3.7 V/DC
Rechargeable battery/battery capacity	4400 mAh



**Art. no. 0827 940 455**

P. Qty. 1

Color box with user manual





# HEAD LAMPS

## RECHARGEABLE LED HEAD- AND FLASHLIGHT ERGOPOWER MULTI



High performance and compact multi-purpose lamp

Colour temperature	5000 K
Charging time	3.5 h
IP protection class	IP 68
Nominal voltage	3.7 V
Rechargeable battery/battery capacity	2600 mAh



Art. no. 0827 809 639

P. Qty. 1



## RECHARGEABLE LED HEAD LAMP ERGOPOWER SENSOR



**Strong light beam headlamp enables hands free professional operation of tools and machines thanks to sensor switch and high capacity battery**

- 60° swivelling lamp head
- Equipped with two switches:
  - Standard on/off switch - 1. step half light intensity, 2. step full light intensity
  - Sensor switch - Motion sensor (with hand movements) up to 5 cm distance to the lamp
- Protection class IP65  
Impact resistance IK07
- Headband with integrated anti-slip rubber strip for better grip

Min. colour rendering index (CRI)	80
Min./max. luminous flux	100/280 lm
Colour temperature	6500 K
Min./max. luminous period	2-5.5 h
Charging time	2.5 h
IP protection class	IP 65
Nominal voltage	3.7 V/DC
Rechargeable battery/battery capacity	1500 mAh

Art. no. 0827 809 638

P. Qty. 1



IP65

## RECHARGEABLE LED HEADLAMP ERGOPOWER SENSOR PETITE

Compact headlamp with sensor function



Min. colour rendering index (CRI)	80
Min./max. luminous flux	100/200 lm
Colour temperature	6500 K
Min./max. luminous period	2-4 h
Charging time	2.5 h
IP protection class	IP 65
Nominal voltage	3.7 V/DC
Rechargeable battery/battery capacity	600 mAh

Art. no. 0827 809 637

P. Qty. 1


Color box with user manual

IP65

### Application

Indoor and outdoor





# FLASH LIGHTS

## HIGH-END POWER LED RECHARGEABLE TORCH WTZ5+R

**With 1,500 lumens, MOT focus - wireless charging in conjunction with charging station**

- Six light modes - spot power (1,500 lumens), spot mid/low power (700/300 lumens), flood power (400 lumens) and flood mid/low power (200/40 lumens)
- Multiple-Optic-Technology (MOT) - maximum light quality
- Focusable (MOT) - floodlight and spotlight

Min./max. luminous flux	40/1500 lm
Adjustable focus	Yes
Lighting range min./max.	18/290 m
Min./max. luminous period	2-55 h
Charging time	3.5 h
IP protection class	IP 66
Impact resistance	IK07
Protection class lamp	Protection class III/safety extra-low voltage
Type of rechargeable battery/battery	Li-Ion



**Art. no. 0827 806 925**

P. Qty. 1




### Application

- For indoor and outdoor use
- Suitable for local visual inspections according to DIN EN 13018

### Proof of Performance





## LED POCKET TORCH SUPRABEAM Q1 MINI


The ultimate miniature pocket torch for professionals



Luminous flux	120 lm
Adjustable focus	Yes
Lighting range	60 m
IP protection class	IP X4
Battery designation	Micro AAA; LR03
Number of rechargeable batteries/batteries	1 PCS
Material of housing	Aluminium

Art. no. 0827 806 100

P. Qty. 1



### Application

Ideal for a keyring, ensuring both safety and comfort.

## LED POCKET TORCH SUPRABEAM Q2

Compact yet high-performance.



Luminous flux	200 lm
Adjustable focus	Yes
Lighting range	195 m
IP protection class	IP X4
Battery designation	Mignon AA; LR6
Number of rechargeable batteries/batteries	1 PCS
Material of housing	Aluminium

Art. no. 0827 806 120

P. Qty. 1

## HIGH-END POWER LED POCKET TORCH WTX6

**3 light functions — Power (600 lumens), Mid Power (250 lumens) and Low Power (80 lumens). Also suitable for NiMH batteries**

- Reflector lens technology for optimum light efficiency
- Hard gold-plated contacts provide optimal protection against corrosion
- Internal twist-focus mechanism for switching between uniform short-range beam (defocused) and concentrated long-range beam (focused)

Min./max. luminous flux	80/600 lm
Adjustable focus	Yes
Lighting range min./max.	130/350 m
IP protection class	IP 67
Battery designation	Mignon AA; LR6; AM3
Number of rechargeable batteries/batteries	4 PCS
Min./max. operating temperature	-20 to 40 °C
Material of housing	Aluminium
Length x width x height	203 x 46 x 46 mm
Colour	Black



Art. no. 0827 806 806

P. Qty. 1

Scope of delivery: Light, holster, wrist strap



### Application

Suitable for local visual inspections to DIN EN 13018



## LED LIGHTING RANGE

Modern LED lighting has evolved significantly offering a wide range of innovative products designed for efficiency, durability and versatility.



**DIRK VAN SCHALKWYK - PRODUCT MANAGER**

E: [dirk.vanschalkwyk@wurth.co.za](mailto:dirk.vanschalkwyk@wurth.co.za)  
C: 081 287 8815