

Chemicals...

Page 4-33

Fasteners...

Page 34-41

Material Processing...

Page 42-55

Electrical...

Page 56-73

Safety "PPE"...

Page 74-83

Hand Tools...

Page 84-121

Power Tools...

Page 122-134

Pneumatic Tools...

Page 135-157

Assortments...

Page 158-165

Body Clips...

Page 166-177



| Description | Article No. | Page | Description | Article No. | Page | Description | Article No. | Page |
|-----------------------------------|----------------|------|-------------------------------------|---------------|------|----------------------------------|------------------|------|
| 4-in-1 Filler | 01890 1/250... | 12 | Epoxy Repair Sticks METAL | 01893 446 | 5 | Perfect ALUMINIUM Spray | 00893 114 115 | 28 |
| 5-in-1 Car Clean Set | 00899 500 004 | 19 | Epoxy Repair Sticks PLASTIC | 01893 447 | 5 | Perfect STAINLESS STEEL Spray | 00893 114 116 | 28 |
| Acetone Cleaner | 00893 460 | 22 | Exhaust Assembly Paste | 00890 100 045 | 25 | Perfect BRASS Spray | 00893 114 117 | 28 |
| Acrylic | 00892 165 | 10 | Exhaust Putty | 00890 100 046 | 25 | Perfect BRASS Spray | 00893 114 117 | 28 |
| Active Clean | 00893 472 | 22 | Fast Acting Epoxy ESK50 | 00893 480 1 | 4 | Perfect COPPER Spray | 00893 114 118 | 28 |
| Active Glass Cleaner | 00890 25 | 22 | F1 Interior Cleaner | 00890 120 | 22 | Pipe Sealant | 00893 511 050 | 13 |
| Adhesive Remover | 00893 141 | 5 | Fine Line Tape 3/6mm | 01992 00... | 33 | Plastic Adhesive SPECIAL | 00893 480 001 | 4 |
| Adhesive Sealant | 00893 225 0 | 10 | Foodline LMS Fluid | 00893 107 001 | 29 | Plastic Care | 00893 477 | 21 |
| Air Intake/Throttle Valve Cleaner | 05861 113 500 | 14 | Foodline Multi Clean | 00890 109 6 | 29 | Plasto Bond | 00893 091 | 4 |
| Aircon Disinfectant Spray | 00893 764 10 | 23 | Foodline Silicone Fluid | 00893 221 000 | 29 | Polishing Compound | 00893 157 1 | 20 |
| Aircon. Leak Detection | 00892 764 134 | 23 | Foodsafe Silicone Clear | 00892 550 1 | 27 | Polymer Surface Protector | 00893 158 | 20 |
| Aircon. Leak Stop | 00892 764 775 | 23 | FUEL Cure | 01893 560 | 15 | Powdered Chalk | 00713 70... | 18 |
| Aluminium Paste AL1100 | 00893 110 1 | 25 | Gasket Remover | 00893 100 0 | 11 | Powerbond | 00893 450 100 | 5 |
| Aluminium Polish | 00893 121 301 | 21 | Glass Metal Adhesive | 00893 40 | 5 | Primer for Plasto Bond | 00893 091 5 | 4 |
| Aluminium Protection Tape | 01992 50 | 33 | Gloss Sealing Compound | 00893 012 6 | 20 | Primer For Windscreen Bonder | 00890 024 101 | 9 |
| Anti Freeze 1Ltr | 00892 350 001 | 15 | Hand Cleaner (D-mark) | 00890 600 608 | 27 | Profile Rubber Glue | 00890 100 015 | 5 |
| Anti Freeze 20Ltr | 00892 350 020 | 15 | Hand Cleaner 350ml | 00893 900 01 | 27 | PTFE Tape | 00985 030 165 | 33 |
| Anti Freeze 4Ltr | 00892 354 1 | 15 | Hand Cleaner 4000ml | 00893 900 0 | 27 | PU Cleaner | 00892 160 | 22 |
| Anti Spatter 300ml/Ltr | 00893 102... | 28 | Hand Cleaner BASIC | 00893 900 015 | 27 | PUR Glue | 00892 100 180 | 6 |
| Anti Squeal | 00890 106 | 25 | Hand Wipes Universal | 00890 900 90 | 27 | Push Pump | 01903 9 3 | 15 |
| Autosham Two 1Ltr/5Ltr | 00893 010... | 20 | HHS 2000 | 00893 106 | 24 | Quick Fresh TURBO | 00893 764 640 | 23 |
| B&S Activating Cleaner | 00890 100 60 | 9 | HHS Clean | 00893 106 10 | 24 | Push Pump | 01903 9 3 | 15 |
| B&S Primer Metal | 00890 100 61 | 9 | HHS Drylube | 00893 106 6 | 24 | Quick Fresh TURBO | 00893 764 640 | 18 |
| B&S Primer Plastic, Wood, Stone | 00890 100 62 | 9 | HHS Foodstuffs | 00893 107 6 | 29 | Radiator Flush & Cleaner | 05861 510... | 15 |
| Battery Terminal Grease | 00890 104 1 | 16 | HHS White Grease | 00893 106 7 | 24 | Radiator Sealer HP | 05861 500 150 | 15 |
| Battery Terminal Spray | 00890 104 | 16 | High Performance Shuttle Grease | 00893 880 1 | 25 | Red Rubber Grease | 01893 140 500 | 26 |
| Battery Terminal Spray | 01890 10... | 16 | High Strength Glue Sticks | 00890 100 050 | 5 | Reflexite Tape | 01812 44... | 33 |
| Body Protection Wax | 00892 082 | 11 | High Strength Threadlock 25/50Gr | 00893 270... | 13 | Replast Plastic Cleaner | 00893 500 1 | 4 |
| Bodywork Sealing Tape | 00890 100 032 | 33 | High Temp Exhaust Sealer | 01890 046 | 25 | Replast Plastic Repair FAST | 00893 500 3 | 4 |
| Bond and Seal | 00890 100... | 9 | Hot Melt Glue Sticks | 00890 100 057 | 5 | Replast Plastic Repair SUPERFAST | 00893 500 5 | 4 |
| Bond and Seal 400ml & 600ml | 00890 100... | 9 | Hydraulic Sealant | 00893 545 050 | 13 | Replast Plastic Repair UNIVERSAL | 00893 500 4 | 4 |
| Bond and Seal POWER | 00893 235... | 9 | Industry Cleaner | 00893 140 | 21 | Rost Off | 00890 200/300 | 24 |
| Bond and Seal Quick | 00890 100 7... | 9 | Injector Solvent EX | 00893 300 250 | 15 | Rost Off BLACK | 00890 200 500 | 24 |
| Brake Cleaner 500ml/5Ltr/20Ltr | 00890 108 7... | 14 | Insect Remover | 00893 470 | 21 | Rost Off Ice | 00893 240 | 24 |
| Brake Fluid DOT4 | 00892 009 050 | 22 | Insulation Tape | 00985 19... | 32 | RTV Silicone 200ml Black/Red | 00893 321 2 | 11 |
| Brake Shoe Protection Spray | 00893 816 | 25 | Intensive Rim Cleaner | 00893 476 | 20 | RTV Silicone 200ml Grey | 00893 331 1/6 | 11 |
| Buff/Packaging Tape | 01992 48 50 | 33 | IPA Cleaner | 00893 223 500 | 16 | RTV Silicone Grey 85Gr | 00890 324 085 | 11 |
| Butyl Tape | 00894 700 122 | 32 | Kautschuk Underbody Seal | 00892 075 200 | 11 | Rubber Care | 00890 110 | 21 |
| Cargo Bearing Strength | 00893 620 050 | 13 | Leak Detector | 00890 20 | 16 | Rust Convertor | 00893 110 | 28 |
| Chemical Anchor System 380ml | 01903 9 380 | 18 | Leather Care | 00893 012 9 | 22 | Rust Stop Primer | 00890 191 | 28 |
| Chemical Anchors | 05915... | 18 | Linen Tape | 01985 106/107 | 32 | Rust Stop Primer | 00893 210 2 | 28 |
| Cleaning & Cockpit Spray | 00890 222 1 | 22 | Liquid Metal FE1 | 00893 449 | 5 | Screen Wash | 00892 333 | 21 |
| Cleaning & Cockpit Spray | 00890 222 1 | 22 | LMS 220 Spray | 00893 107 1 | 29 | Seal Fix | 00893 226/7/8 | 10 |
| Clear Varnish Spray | 00893 188/1 | 12 | Lock Cylinder Spray | 00893 052 | 24 | Self Vulcanising Tape | 00985 077 1 | 32 |
| Compressed Air | 00893 620 200 | 22 | Masking Tape 18/24/36/48mm | 01992 0... | 33 | Silicone 250 | 00890 321/323 | 11 |
| Compressed Tape | 00875 415 3 | 33 | Med. Strength Threadlock 25/50Gr | 00893 243... | 13 | Silicone Acetate | 00892 570/317... | 10 |
| Contact Adhesive | 01893 1/5 | 6 | Metal Rubbing Compound | 00893 121 1 | 29 | Silicone Glass Clear | 00892 215 | 10 |
| Contact Lacquer | 00893 70 | 16 | Micro Absorber | 00890 61 | 14 | Silicone Neutral | 00892 530... | 10 |
| Contact OL | 00893 60 | 16 | Mirror Tape | 01894 030 24 | 29 | Silicone Remover | 00893 222 | 22 |
| Contact OS | 00893 61 | 16 | Mould Release Agent | 00890 50 | 26 | Silicone Spray 500ml | 00893 221 | 16 |
| Contact Spray | 00890 100 | 16 | Multi 5-in-1 | 00893 055 40 | 24 | Silicone Spray 5Ltr | 01893 221 100 | 16 |
| Corrosion Protection Bags | 00893 150 270 | 25 | Multi-Grade Compressor Oil | 00892 764 123 | 23 | Silicone Spray Grease | 00893 223 | 16 |
| Corrosion Protection Spray | 00893 15 | 11 | Multi Fibre Adhesive | 00893 100 115 | 6 | Skin Protection Cream BASIC | 00890 600 100 | 27 |
| Crafty Rost Off | 00893 130 | 29 | Multi Purpose Degreaser | 01893 129/130 | 22 | Skin Protection FOAM | 00890 600 102 | 27 |
| CU 800 | 00893 800/1/2 | 25 | Multi Purpose Grease 1 | 00893 870 1 | 25 | SKG Super Glue | 00893 403 | 4 |
| Diesel Cure | 01893 567... | 15 | Multi Purpose FOAM | 00892 142 6 | 12 | SKS Stonechip BLACK | 00892 070 100 | 11 |
| Diesel Particulate Cleaner | 05861 014 500 | 14 | Multi Purpose Grease | 00893 107 003 | 29 | SKS Stonechip GREY | 00892 070 200 | 11 |
| Door Lining Tape | 00894 235 319 | 32 | Oil Binder | 00890 6 | 14 | Soft Wax Sticks - Brown | 00890 403... | 12 |
| Doorlube Sticks | 01893 050 125 | 26 | Non Running Surface Sealant | 00893 518... | 13 | Soft Wax Sticks - Grey | 00890 403... | 12 |
| Double Sided Tape | 00894 910... | 32 | Oil Leak Stop | 05861 311 150 | 14 | Sound Deadening Pads | 00890 100 060 | 33 |
| Double Sided Tape | 01894 08... | 32 | Oil Marker Chalk | 00984 400 1/4 | 26 | Spray Adhesive 500ml | 00890 100 055 | 5 |
| Double Sided Tape - Polyurethane | 01894 900... | 32 | Oil Smoke Stop | 05861 301 300 | 14 | Spray Paint (Lacquer) | 00893 349 110 | 28 |
| DP300 | 00890 100 048 | 11 | Orange Flange Sealant | 00893 574 050 | 13 | Stainless Steel Care Spray | 00893 121 | 30 |
| Drill and Cutting FOAM | 00893 050 007 | 26 | P10 Polish 250Gr/1Ltr | 00893 150... | 16 | Stainless Steel Power Cleaner | 00893 121 2 | 29 |
| Drilland Cutting Oil | 00893 050 1 | 26 | P20 Polish 250Gr/1Ltr | 00893 150... | 16 | Start Rapid | 00890 11 | 15 |
| Drill and Cutting Oil | 00893 050 004 | 26 | P30 Polish 250Gr/1Ltr | 00893 150... | 16 | String Sealer | 00890 100 030 | 33 |
| Drill and Cutting PASTE | 00893 050 010 | 26 | P55 Polish 2-in-1 250Gr/1Ltr/5Kg | 00893 150... | 16 | Super Glue 20Gr | 00893 09 | 4 |
| Dry Lubricant PTFE Spray | 00893 550 | 24 | Paint on Body Sealant | 00892 010 | 10 | Super Glue 5Gr | 00893 090 0 | 4 |
| Duct Tape | 01992 25... | 33 | Paint Sealant Pink 250Gr/ 1Ltr/ 5Kg | 00893 011... | 20 | Super Glue Activator | 00893 301 20 | 4 |
| Engine Cleaner 500ml/25Ltr | 01893 013... | 22 | Panel Adhesive | 00893 100 100 | 6 | Super Glue FLEX | 00893 092 | 4 |
| Engine Flush | 05861 310... | 14 | Paper Towel Blue 2 Ply | 00899 800 773 | 24 | Surface Rust Remover | 00890 130 | 28 |
| Engine Oil Enhancer | 05861 300 300 | 14 | Parquet Acrylic | 00892 171... | 10 | Tar Remover | 00890 26 | 20 |
| Epoxy Repair Sticks ALUMINIUM | 01893 448 | 5 | Petro Cure | 01893 559 | 15 | Temp. Reduction Spray | 00890 001 200 | 12 |



| Description | Article No. | Page | |
|-----------------------------------|---------------|------|--|
| Tyre Fitting Paste | 00890 124 1 | 25 | |
| Underbody Spray Sealer | 00892 075 250 | 11 | |
| Universal Mud Absorber | 00890 900 150 | 22 | |
| VAKU 20 | 00892 602 02 | 10 | |
| V-Belt Spray | 00893 230 | 26 | |
| HIGH BOND Double Sided Tape | 01894 909... | 32 | |
| Wax Spray Transparent | 00893 082 400 | 11 | |
| Web Spray HIGH TEMP 22Ltr | 00893 100 008 | 7 | |
| Web Spray Insulation & Foam 500ml | 00893 100 515 | 7 | |
| Web Spray NON CHLORINATED 22Ltr | 00893 100 009 | 7 | |
| Web Spray NON CHLORINATED 500ml | 00893 100 513 | 7 | |
| Web Spray ULTRA HIGH GRAB 500ml | 00893 100 514 | 7 | |
| Windscreen Bonder Classic | 00890 023 701 | 9 | |
| Windscreen Wash | 00892 333 | 21 | |
| Wire Rope Spray | 00893 105 8 | 24 | |
| WIT-C 140 | 01903 414 | 18 | |
| WIT PE500 | 00903 480 005 | 17 | |
| WIT VM250 | 00903 450 205 | 17 | |
| Wood Fix Super Glue | 00893 423 | 4 | |
| Wood Glue | 01892... | 6 | |
| Woodslide | 00893 070 | 26 | |
| Zinc Spray Light | 00893 114 114 | 28 | |
| Zinc Spray Perfect | 00893 114 113 | 28 | |
| Web Spray HIGH TEMP 22Ltr | 00893 100 017 | 6 | |



Super Glue 20Gr/5Gr

Art. No. 00893 09/090 0

For the adhesion of metal, plastic and rubber parts with and to each other.

Art. No. 00893 301 20 Super Glue Activator.

Locite 401



Plasto Bond 20Gr

Art. No. 00893 091

For bonding hard-to-glue plastics in a matter of seconds. PA, PBT, PET, PI, POM, TPE, TPO, filled elastomers and natural rubber.

Primer for Plasto Bond

Art. No. 00893 091 5



Primer for Plasto Bond

Art. No. 00893 091 5

Pre-treating PE, PP, PTFE and silicone rubber.



Elastobond 20Gr

Art. No. 00893 092

Tough and flexible black cyanoacrylate with excellent thermal stability.

Art. No. 00893 301 20 Super Glue Activator.

Locite 401



SKG Superglue Gel 3Gr

Art. No. 00893 403

Cyanoacrylate Adhesive Gel.

Art. No. 00893 301 20 Super Glue Activator. Locite 454



Woodfix Super Glue 50Gr

Art. No. 00893 423

Cyanoacrylate construction adhesive, especially for porous materials.

Art. No. 00893 301 20 Super Glue Activator.

Locite 4541



Super Glue Activator 150ml

Art. No. 00893 301 20

For accelerating the reaction of Wurth cyanoacrylate adhesives.

Locite 713



Replast Plastic Adhesive - Fast

Art. No. 00893 500 3 - 1.5 minutes

Replast Plastic Adhesive Universal

Art. No. 00893 500 4 - 3.5 minutes

Replast Plastic Adhesive - SuperFast

Art. No. 00893 500 5 - 25 seconds



Plastic Adhesive SPECIAL

Art. No. 00893 480 001

Quick-hardening adhesive for plastics, especially PP/PE



Gun for 00893 480 001

Art. No. 00891 893 486



Fast Acting Epoxy Resin ESK - 50

Art. No. 00893 480 1

Suitable for bonding together various materials with high tensile and impact strength and excellent resistance to flaking and shocks.

Applicator Gun



Re-enforcing Tape

Art. No. 00893 500 6



Replast Contour Film

Art. No. 00893 500 7



Replast Applicator Gun

Art. No. 00891 893 485

Replast Applicator Mixer

Art. No. 00891 486



Replast Plastic Cleaner

500ml

Art. No. 00893 500 1



2 Component Adhesive AL-1

Art. No. 00892 130 010

Low-emission adhesive for bonding angle brackets in aluminium windows, doors and façade construction

Applicator Gun, Art. No. 00891 601 23

Positive Mixer, Art. No. 00891 130 015

Aluminium Cleaner Type 60, Art. No. 00892 130 030



Power Bond

Art. No. 00893 450 100

High strength 2-component epoxy resin system for repairs to motor-vehicle bodies.

Art. No. 00891 450 100 Applicator Gun

Art. No. 00891 450 101 Positive Mixer



Glass Metal Adhesive

Art. No. 00893 40

For easy gluing of glass and metal with and to each other (rear view mirrors, metal latches and hinges on side windows, rain sensors, etc..)



Profile Rubber Glue 180Gr

Art. No. 00890 100 015

For adhesive bonding of rubber profiles on untreated, primed or painted metal.



Hot Melt Adhesive

Art. No. 00890 100 057

Good adhesion to painted surfaces.

High Strength Hot Melt Glue

Art. No. 00890 100 050

High tensile strength glue sticks.



Adhesive Remover 150ml

Art. No. 00893 141

Easily removes cured melted adhesive from enamelled surfaces.



Liquid Metal FE1 500Gr

Art. No. 00893 449

Fast acting repair system for the metal processing field. Ideal for filling shapes, sealing & filling in welds.



Epoxy Repair Sticks 110Gr

Art. No. 01893 446/447/448

2K- Putty for the quick & simple repair of surface damage. For plastic, aluminium or metal.



Multi Fibre Adhesive

Art. No. 00893 100 115

For adhesion of wood, metal, painted aluminium, hard PVC, concrete, natural stone, artificial stone, laminated materials, ceramics, hard foams made from phenol resin and polyurethane.

Art. No. 00891 001 310ml Sealer Gun

Art. No. 00891 310 310ml Sealer Gun



Panel Adhesive 310ml

Art. No. 00893 100 100

Solvent-free, acrylic dispersion-based adhesive with high initial strength for bonding a wide range of indoor materials.



Spray Adhesive 500ml

Art. No. 00890 100 055

Fast-drying adhesive for all lightweight materials.



Contact Adhesive 1Ltr/5Ltr

Art. No. 01893 1/5

Poly-chloroprene polymer solution designed as a general purpose contact adhesive.



PUR Glue - Transparent 500Gr

Art. No. 00892 100 180

Indoor use with frequent exposure to draining water or condensation water as well as all types of wood in outdoor use with adequate surface protection. Interior and exterior applications.




Wood Glue Standard

Art. No. 01892 1/5/20 - 1Ltr/5Kg/20Kg

Excellent adhesion to medium woods, soft woods, processed board, leather, cloth, felt, paper, cardboard, cork and most other porous materials. Suitable for assembly, doweling, laminating, veneering, paper foiling and finger-jointing.

Indoor use - outdoor use only if joints are painted and properly coated.

Not suitable for hardwoods.



Glue Roller

Art. No. 00891 186 - Holder

Art. No. 00891 187 - Polyurethane Roller

Art. No. 00891 188 - Foam Roller - Orange

Art. No. 00891 189 - Internal Roller



Wood Glue Water Resistant

Art. No. 01892 26/27 - 5Kg/20Kg

Excellent adhesion to soft woods (Pine, Meranti), medium woods (Beech, Oak), hard woods (Imbuia, Teak) and processed boards composites (hardboard, chipboard, supra-wood, high pressure laminates.

Interior and exterior applications. Outdoor use only if joints are painted and properly coated.



Wood Glue Fast Drying

Art. No. 01892 29/30 - 5Kg/20Kg

Excellent adhesion to medium woods, soft woods, processed board, leather, cloth, felt, paper, cardboard, cork and most other porous materials. Suitable for assembly, doweling, laminating, veneering, paper foiling and finger-jointing.

Indoor use - outdoor use only if joints are painted and properly coated.

Not suitable for hard woods



Web Spray Non Chlorinated 22Ltr/500ml

Art. No. 00893 100 009/513

Suitable for bonding HPL, hard plastics, GRP, foams and fabrics to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials.



Spray Gun

Art. No. 00891 602 011



Spray Hose 4M/8M

Art. No. 00891 602 012 - 4M

Art. No. 00891 602 014 - 8M



Spray Nozzle

Art. No. 00891 602 016

(Fan of 3-8")

Art. No. 00891 602 017

(Fan of 1"-9")



Web Spray High Temp Contact Adhesive 22Ltr

Art. No. 00893 100 008

Suitable for bonding HPL, hard plastics, GRP, foams and fabrics to a variety of substrates including MDF, chipboard, plywood and many other timber sheet materials.



Spray Gun

Art. No. 00891 602 011



Spray Hose 4M/8M

Art. No. 00891 602 012 - 4M

Art. No. 00891 602 014 - 8M



Spray Nozzle

Art. No. 00891 602 016

(Fan of 3-8")

Art. No. 00891 602 017

(Fan of 1"-9")



Web Spray Insulation & Foam 500ml

Art. No. 00893 100 515

Suitable for bonding quilt and fibrous insulation materials and fabrics in duct work and HVAC markets.



Spray Gun

Art. No. 00891 602 011



Spray Hose 4M/8M

Art. No. 00891 602 012 - 4M

Art. No. 00891 602 014 - 8M



Spray Nozzle

Art. No. 00891 602 016

(Fan of 3-8")

Art. No. 00891 602 017

(Fan of 1"-9")

Art. No. 00891 602 019

(Extra Wide Fan)



Web Spray ULTRA High Grab 500ml

Art. No. 00893 100 514

It is designed for permanent bonding of materials where immediate bond strength, water resistance and high heat resistance are required.



Spray Gun

Art. No. 00891 602 010



Spray Hose 4M/8M

Art. No. 00891 602 012 - 4M

Art. No. 00891 602 014 - 8M



Spray Nozzle

Art. No. 00891 602 017

(Fan of 1"-9")

Art. No. 00891 602 018

(Fan of 6"-30")



Laminating Roller 75mm

Art. No. 00891 602 013



Telescopic Laminating Roller 180mm

Art. No. 00891 602 015

NOTE: the above adhesive requires suitable pressure to ensure that an optimum bond is achieved - optimum pressure is achieved by using the laminating rollers



Product Matrix

| CANISTER ARTICLE NUMBER | | AEROSOL ARTICLE NUMBER | | KEY CHARACTERISTIC | GUN TYPE | | HOSE | NOZZLE | CLEANER |
|-------------------------|---------------|------------------------|--|--------------------|------------------|--|-------------------------|-----------------------------|----------------|
| 1 | 00893 100 015 | 00893 100 515 | Non Chlorinated Ultra High Grab Insulation and foam adhesive | | Professional Gun | | Black Rubber 4 Mtr Hose | 6501 - Standard 9501 - Wide | Citrus Cleaner |
| 2 | 00893 100 517 | 00893 100 514 | Non Chlorinated Ultra High Grab Web Spray adhesive | | Professional Gun | | Black Rubber 4 Mtr Hose | 6501 - Standard 9501 - Wide | Citrus Cleaner |
| 3 | 00893 100 013 | 00893 100 513 | Non Chlorinated High Temp. Contact adhesive | | Professional Gun | | Black Rubber 4 Mtr Hose | 6501 - Standard 9501 - Wide | Citrus Cleaner |
| 4 | 00893 100 017 | | Wurth Web Spray High Temp Contact adhesive | | Professional Gun | | Black Rubber 4 Mtr Hose | 6501 - Standard 9501 - Wide | Citrus Cleaner |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |



Bond & Seal 300ml

Art. No. 00890 100 1/2/3

White/Grey/Black

For a wide range of bonding and sealing work on surface materials such as metal, painted surfaces, wood, stone, concrete and plastic (polyester and hard PVC).

Food Safe when cured.



Bond & Seal **QUICK SET** 300ml

Art. No. 00890 100 710/720/730

White/ Grey/ Black

For a wide range of bonding and sealing work on surface materials such as metal, painted surfaces, wood, stone, concrete and plastic (polyester and hard PVC).

Fast-acting, brush-able PU sealant.

Food Safe when cured.



Bond & Seal **POWER** 300ml

Art. No. 00893 235 1/2 - White/ Grey

For dynamically loaded structural bonded connections and seam and joint sealing in bodywork, vehicle and caravan construction, railway carriage and container construction, metal and equipment construction, in air-conditioning and ventilation duct construction, in the food industry and many more. **Food Safe when cured.**



Bond & Seal Sausage

Art. No. 00890 100 111/112/113 - 400ml

Art. No. 00890 100 181/182/183 - 600ml

White/Grey/Black

For int/ext sealing joints with low absorption of movement eg. Cracks in masonry, plaster or concrete, expansion joints-paintable.



Applicator Gun 600ml

Art. No. 00891 400 601



Heavy Duty 310ml

Art. No. 00891 318



Standard 310ml

Art. No. 00891 001



Windscreen Bonder Classic 310ml

Art. No. 00890 023 701

Non-conductive 1K windscreen adhesive with very good stability

Primer for Windscreen Bonder 100ml

Art. No. 00890 024 101



Bond & Seal Activating Cleaner

Art. No. 00890 100 60

For cleaning and activating non-porous surfaces, such as metal, plastic, glazed ceramic and painted surfaces.



Bond and Seal Primer Metal

Art. No. 00890 100 61


For pre-treating metal surfaces (e.g. iron, steel, stainless steel, hot galvanised steel, aluminium, anodized aluminium, copper, brass and zinc).



Bond & Seal Primer Plastic, Wood, Stone

Art. No. 00890 100 62

For pre-treating plastics (e.g. PVC, ABS, GFRP) wood and other porous surfaces like stone and concrete.



Applicator for Primer

Art. No. 00891 650

NOTE: Surface preparation is of the utmost importance when using any Bond & Seal product, and therefore requires that the above products be used so as to ensure that an optimum bond is achieved.



Silicone Neutral Universal 310ml

Art. No. 00892 530 1/12/2/4...

White/Clear/Grey/Black

A neutral curing silicone which can be used internally or externally, and is especially suited for glazing, sanitary and construction applications.



Silicone Acetate 310ml

Art. No. 00892 570

1/2/3/5/845 329... Clear, White, Grey, Black

Art. No. 00892 845 329

Bronze



Silicone Glass Clear 310ml

Art. No. 00892 215

Special fungicidal sealant for tiles and bathroom area - glass clear especially suited for display glass.



Adhesive Sealant - Glass Clear 290ml

Art. No. 00893 225 0

All purpose, elastic construction adhesive and sealant, which is as clear as glass.



Vaku 20 2Kgs

Art. No. 00892 602 02

Fine filler with high elasticity for closing off existing pores and for repairing small scratches, grooves and uneven areas.



Paint-on-Body Sealant 1.2Kgs

Art. No. 00892 010

Sealing compound for recreating the original brushstroke effect produced at the factory and for sealing of welds, seams, joints and overlaps.



Acrylic Sealer 310ml

Art. No. 00892 165

For indoor sealing and connection joints with low compression and expansion stresses, e.g. for sealing cracks in masonry, plaster or concrete.



Parquet Acrylic 310ml

Art. No. 00892 171

0/1/2/3/4/5/6

Maple Birch/Beech/Ash Light/Oak/Beech Dark/Cherry/Nut Tree

Sealing connection joints on parquet flooring and door frames, sealing moving joints in parquet. The parquet acrylic is suitable for parquet flooring, glued over the entire surface, with low expansion properties



Seal Fix (Spray Sealer) 310ml

Art. No. 00893 226/7/8

Black/White/Grey

Spray-able sealant based on an MS polymer, for recreating the original texture following accident repairs



Air Application Gun 310ml

Art. No. 01891 628 31

Art. No. 01891 628 311 - Repair Kit



Flat Beading Nozzle

Art. No. 01891 673



310ml Cartridge Nozzle

Art. No. 00891 653



Round Beading Nozzle

Art. No. 01891 672



Ragged Edge Spray Nozzle

Art. No. 01891 671



Adaptor Sausage Pack

Art. No. 00891 660



Adaptor Sausage Pack

Art. No. 00891 651 10



Joint Smoother

Art. No. 00891 182

Used for achieving certain joint effects (6 possibilities).



Clean Edge Spray Nozzle

Art. No. 01891 670



Underbody Seal 1Ltr

Art. No. 00892 075 200

Synthetic rubber and plastic-based coating compound containing solvents and suitable for painting over.

Rubber based containing solvents.

Underseal Gun

Art. No. 00891 106 3



SKS Stonechip 1000ml Black/Grey

Art. No. 00892 070 100/200

Solvent-reduced water-based and paintable coating mass based on synthetic resin.

Water-based.

Underseal Gun

Art. No. 00891 106 3



Underbody Spray Sealer 500ml

Art. No. 00892 075 250

For repair and restoration of the original structure and for protection against stone chips and corrosion.



Corrosion Protection Spray 300ml

Art. No. 00893 15

High creep capacity, colourless special fluid for preserving tools, machines, etc.



Wax Spray Transparent 400ml

Art. No. 00893 082 400

Water displacing transparent wax for protection against corrosion.



Body Prot. Wax - Transparent 1Ltr

Art. No. 00892 082

Provides lasting protection of sill panels, inside door spaces, etc. against corrosion.



UBS Gun

Art. No. 00891 110 640

For applying under-body seal and wax

Spray Lances for UBS Gun

Art. No. 00891 110 001

Replacement Seal for UBS Gun

Art. No. 00891 110 0



RTV Silicone 200ml

Art. No. 00893 331 2 Red

Art. No. 00893 331 1/6 - Black/Grey
Acid free high grade adhesive and sealing compound for use with motor vehicles Temperature resistant up to 315°C. **Lotite 37469**



RTV Silicone Grey

Art. No. 00890 324 085

Grey

Permanent elastic silicone sealing compound for engines and vehicle body. Temperature resistant up to 315°C.

Lotite 5699



Silicone 250 70ml

Art. No. 00890 321/323

Red/Black

Permanently elastic silicone sealing compound for engine and vehicle body. Temperature resistant up to 250°C.

Lotite 518



DP 300 Universal Sealer 100Gr

Art. No. 00890 100 048

Permanently elastic, high temperature-resistant engine and housing sealing compound-used with solid seals.

Not suitable for OIL PANS.

Lotite 454



Gasket/Sealer Remover 300ml

Art. No. 00893 100 0

Removes sealing materials, adhesives, paints, etc. in just minutes.



Soft Wax Sticks

Art. No. 00890 403...



Soft Wax Assortment Brown


Art. No. 00964 890 4



Soft Wax Assortment Grey

Art. No. 00964 890 420

Individual Sticks Art. No. 00890 403 2...



"4-in-1" Filler

Art. No. 01890 1/250...

Wood Filler, Grain Filler, Edge Filler, Crack Filler.

Wurth Carpenters Pencil

Art. No. 00715 64 01



Spray Varnish

Art. No. 00893 188 (Clear Silk Matt)

Art. No. 00893 188 1 (Clear Gloss)

Colourless protective varnish for painting over natural surfaces.



Multi Purpose Foam 500ml

Art. No. 00892 142 6

A high quality one component insulating foam for filling gaps.

Art. No. 00891 152 4 Spray Foam Gun



PU Cleaner 500ml

Art. No. 00892 160

For the removal of fresh (wet) PU foam/sealant.



NSF



Med. Str. Threadlock 25/50g

Art. No. 00893 243 025/050

Screw retaining and sealing compound - removable.

Loctite 243

NSF



High Str. Threadlock 25/50g

Art. No. 00893 270 025/050

Screw retaining and sealing compound. For securing Fasteners which are not to be removed under normal circumstances.

Loctite 270



Cargo Bearing Strength 50g

Art. No. 00893 620 050

For assembly of bushes and bearings exposed to high temperatures.

Loctite 620



Orange Flange Sealant 50g

Art. No. 00893 574 050

For sealing of flanges and surfaces with a gap of 0.5mm max. Replacement for solid seals.

Loctite 574



Pipe Sealant 50g

Art. No. 00893 511 050

For the sealing of all metallic pipe connections and fittings with conical/cylindrical threads pursuant to DIN 2999.

Loctite 511



Hydraulic Sealant 50g

Art. No. 00893 545 050

Used to seal pneumatic and hydraulic screw connections under high loads.

Loctite 545



Non Running Surface Sealant

Art. No. 00893 518 050 - 50Gr

Art. No. 00893 518 250 - 250Gr

For sealing of flanges and surfaces with a gap of 0.5mm max. Replacement for solid seals.

Loctite 518



Temperature Reduction Spray 200ml

Art. No. 00890 001 200

For universal repair and assembly work, as well as for locating faults in electrical circuits. Spray causes localised cooling down to -50°C .

Ideal for fitting of bearings, bushings, shafts etc. through shrinkage.



Brake and Parts Cleaner

Art. No. 00890 108 7/715/716 500ml/5Ltr/20Ltr

For quickly removing oily/greasy residues, soot, brake dust on vehicles, disc and drum brakes, engine and gearbox housings etc.



Brake Cleaner Pump 1Ltr

Art. No. 00891 503 002

Tap for 20Ltr Brake Cleaner

Art. No. 00891 302 03



Brake Calliper File

Art. No. 00714 61 79



Air Intake & Throttle Valve Cleaner 500ml

Art. No. 05861 113 500

Removes deposits and impurities in the intake and throttle valve area. Calibrated drill holes and nozzles can also be cleaned with this process. Suitable for



Diesel Particulate Filter Cleaner 500ml

Art. No. 05861 014 500

Cleaner for removing carbon and ash deposits from diesel particulate filters and catalytic converters. Includes plastic probe.



Engine Flush & Cleaner 400ml

Art. No. 05861 310 400

Pre-oil change clean ensures all old oil deposits are effectively cleaned and removed.



Oil Smoke Stop 300ML

Art. No. 05861 301 300

Reduces oil consumption by stabilising the viscosity and compensates viscosity losses. Helps prevent blue exhaust



Engine Oil Enhancer 300ml

Art. No. 05861 300 300

Extends the service life of oil.

300ml sufficient for 5Ltrs.



Oil Leak Stop 300ml

Art. No. 05861 311 150

Eliminates engine oil leaks.

300ml sufficient for 5Ltrs.



Oil Binder

Art. No. 00890 6

Oil binding agent in granular form for removing oil stains and other chemicals from workshop floors, workbenches, etc. (Will absorb approx. 30Ltrs of fluid)



Micro Absorber

Art. No. 00890 61

Highly effective, fast-acting oil-binding granules for all applications. (1Kg will absorb 0.9ltr of oil)



Anti Freeze & Summer Coolant

Art. No. 00892 350 001 - 1Ltr

Art. No. 00892 354 1 - 4Ltr

Art. No. 00892 350 020 - 20Ltr

Used to increase the boiling point during hot summer months, and lowers the freezing point during winter.

Conforms to JIS K2234, ASTM D3306, SAE J1043, GB 29743-2013.



Radiator Flush and Cleaner

Art. No. 05861 510 250 - 250ml

Art. No. 05861 510 001 - 1Ltr


For rectifying reduced cooling performance during radiator repairs and maintenance work on the cooling system



Radiator Sealant HP

Art. No. 05861 500 150 - 150ml

Use for micro-leaks in the cylinder head gasket and hose connections as well as evaporation losses in the cooling system units.



DIESEL CURE

Art. No. 01893 567 - 330ml

Art. No. 01893 567 5 - 5Ltr

Art. No. 01893 567 25 - 25Ltr

Fuel Purifier for diesel engines.



PETRO CURE

Art. No. 01893 559

Fuel Purifier for petrol engines.



FUEL CURE

Art. No. 01893 560

Fuel Purifier for cleaning of injectors in both petrol and diesel engines.

Name has changed product is the same



Petrol/Diesel Canister 5Ltr

Art. No. 00824 010 067



Injector EX

Art. No. 00893 300 250

Mineral oil free injector and spark plug solvent with KENA® micro-fluid formula.



Start Rapid 300ml

Art. No. 00890 11

Is quick and reliable at helping with starting problems, particularly in cold and damp weather



Electrical Cleaning/Protecting



Contact Oxidation Solvent (OL) 200ml

Art. No. 00893 60

Oxidation-dissolving cleaning agent.



Contact Oxidation Prot. (OS) 200ml

Art. No. 00893 61

Long term corrosion protection for new contacts, switches and electro mechanical drive gear units.



Contact Lacquer Prot. (SL) 200ml

Art. No. 00893 70

Insulates, seals and protects against water, diluted acid, alkalis and corrosion.



Contact Spray 300ml

Art. No. 00890 100

Cleans ignition cables, distributor caps and plugs thus preventing ignition problems.



IPA Cleaner 500ml

Art. No. 00893 223 500

Suitable for a broad range of uses in the fields of electronics, precision engineering and optics. For example, can be used to clean optical devices, reading and writing heads, precision instruments, PCBs, mirrors and highly polished metal surfaces.



Silicone Spray Grease 500ml

Art. No. 00893 223

White, extremely lubricant, water displacing and insulating silicone grease - di-electric properties.



Silicone Spray 500ml/5Ltr

Art. No. 00893 221/01893 221 100

Protects, maintains and insulates plastic, rubber and metal parts inside and outside the vehicle.

Also serves as a lubricant. Protects electrical parts against moisture.



Battery Terminal Spray 300ml

Art. No. 01890 104 - Red

Art. No. 01890 105 - Blue



Leak Detector 400ml (180)

Art. No. 00890 20

Test foam for quick and sure detection of leaks, micro leaks and hairline cracks.



Chemical Anchors



WIT-VM250, 420ml

Art. No. 00903 450 205

Composite mortar with hugely versatile range of applications. Individual attachment in cracked and non-cracked concrete, masonry and reinforcement attachment with subsequent mortaring

Static Mixer for WIT-VM250

Art. No. 00903 420 001



Applicator Gun for WIT-VM250

Art. No. 00891 038 0

Approvals

ETA-12/0164

ETA-13/1040

ETA-12/0166

DIBt Z-21.8-2003

ETA-16/075

Application:

Anchoring in cracked and non-cracked concrete, solid and perforated brick masonry, aerated concrete and subsequently-mortared reinforcement bars Suitable for securing metal structures, metal profiles, wooden structures, brackets, grilles, pipes, cable conduits etc.



WIT-PE500, 585ml

Art. No. 00903 480 005

2-component reactive resin mortar, styrene-free pure epoxy

Static Mixer for WIT-PE500

Art. No. 00903 488 101



Applicator Gun for PE500

Art. No. 00891 003 105

Approvals

ETA-09/0040

ETA-07/0313

DIBt Z-21.8-1834

Application:

Suitable for attaching metal structures, metal profiles, wooden structures, brackets, pipes, cable conduits etc.

Suitable for structural expansions, ceiling and wall attachments, expansion of load-bearing structures, reinforcement of load-bearing structures, attachment of balconies and canopies, sealing of temporary openings and "forgotten" reinforcing bars



Blow Out Pump

Art. No. 00903 990 001



Cleaning Brushes

Art. No. 00905 499...



Hex mounting for Brushes

Art. No. 00905 499 101



SDS mounting for Brushes

Art. No. 00905 499 102



Anchor Rod W-VD-A/S Galvanised Steel

Art. No. 05915...



Chemical Anchors



Chemical Anchors (1251)

Art. No. 05915...



WIT-C 140 300ml

Art. No. 01903 414

2-part styrene free anchoring resin for fixing in concrete and brickwork.

Art. No. 00891 001 310ml Sealer Gun

Art. No. 00891 310 310ml Sealer Gun



380ml Chemical Anchor System

Art. No. 01903 9 380

Contains unsaturated polyester resin in styrene, specifically developed to enable the bonding of awkward and problematic materials.

Art. No. 01903 9 2 380ml Applicator Gun



Powdered Chalk 300Gr

Art. No. 00713 70 082 - Red

Art. No. 00713 70 081 - Yellow

Art. No. 00713 70 08 - Blue



Chalk Reel Line

Art. No. 00713 70 240



Vehicle Exterior



P10 Fast Cut 250Gr/1Kg

00893 150 012/010

Highly abrasive high-gloss polish for quickly removing surface defects in **fresh** repair and fully hardened top coats.



Ø = 90mm
Ø = 145mm

Green Pad

Hard polishing pad for maximum dirt removal, with minimal heat build-up.



Polishing Machine PM 200-E

Art. No. 00702 453 0

Green Pad 145mm

Art. No. 00585 025 145-145mm

Velcro backing Pad 125mm

Art. No. 01586 02 125



Pneumatic Polisher

Art. No. 00702 233 0

Green Pad 90mm

Art. No. 00585 025 090

90x25mm Velcro Backing Pad

Art. No. 00586 585 075



P20 High Gloss 250Gr/1Kg

00893 150 022/020

Medium-abrasive high-gloss polish for efficient paint preparation, traces of grinding and scratches on **used** paints, as well as for removing defective areas on hardened repair top coats.



Ø = 90mm
Ø = 145mm

Blue Pad

Medium-hard polishing pads for good dirt removal, with minimal heat build-up.



Polishing Machine PM 200-E

Art. No. 00702 453 0

Blue Pad

Art. No. 00585 027 145-145mm

Art. No. 00585 27 170-170mm

Velcro backing Pad 125mm

Art. No. 01586 02 125



Pneumatic Polisher

Art. No. 00702 233 0

Blue Pad 90mm

Art. No. 00585 027 090

90x25mm Velcro Backing Pad


Art. No. 00586 585 075



P30 Anti Hologram 250Gr/1Kg

00893 150 032/030

High-gloss finish for permanently removing streaks and holograms on **dark** vehicle paints.



Ø = 130mm

Wave Pad

Extremely fine and soft polishing pad for removing micro-scratches and holograms.



Polishing Machine PM 200-E

Art. No. 00702 453 0

Orange Pad

Art. No. 00585 026 145-145mm

Art. No. 00585 26 170-170mm

Velcro backing Pad 125mm

Art. No. 01586 02 125



Pneumatic Polisher

Art. No. 00702 233 0

Blue Pad 90mm

Art. No. 00585 026 090

90x25mm Velcro Backing Pad

Art. No. 00586 585 075



P55 2-in-1 Polish 250Gr/1Kg/5Kg

00893 150 056/055/058

Prepare and seal paint in a single step. Ideally suited for refurbishing **used vehicles**.



Ø = 90mm
Ø = 145mm

Blue Pad

Medium-hard polishing pads for good dirt removal, with minimal heat build-up.



Polishing Machine PM 200-E

Art. No. 00702 453 0

Blue Pad 145mm

Art. No. 00585 027 145 -

145x25mm

Velcro backing Pad 125mm

Art. No. 01586 02 125



Pneumatic Polisher

Art. No. 00702 233 0

Blue Pad 90mm

Art. No. 00585 027 090

90x25mm Velcro Backing Pad

Art. No. 00586 585 075



Ø = 130mm

Hand Polishing Puck

Art. No. 00585 126 130 - Orange

Art. No. 00585 128 130 - Black




Vehicle Exterior



Polishing Compound

Art. No. 00893 157 1

Synthetic clay used for the removal of spray mist and soil build-up.



Clay Pads

Art. No. 00585 300 150 - A.

Art. No. 00585 300 210 - B.

Art. No. 00585 300 320 - C.

Art. No. 00585 300 110 - D.

For fast and effortless removal of paint spray mist, resin, tar and insect remains, especially in the detailing of new and used vehicles. Painted surfaces, glass, chrome, etc.



Paint Sealant Pink 250/1Ltr/5Ltr

Art. No. 00893 011 250/01/05

Synthetic paint sealant with nano-wax particles and UV protection.



Hand Puck

Art. No. 00585 126 130 - Orange

Art. No. 00585 128 130 - Black

Extra soft polishing sponge pad, very finely pored foam for sealing paints surfaces.



Gloss Sealing Compound 250ml

Art. No. 00893 012 6

Provides lasting protection against weathering, salt, sunlight and other influences that can affect paint.



Polymer Protection Spray

Art. No. 00893 158

Transparent surface protection for sealing and preserving smooth surfaces and for the removal of polishing smears and the hologram effect.



Headlight Polishing/Paint Finish Set

Art. No. 05964 089 308

Suitable for headlight polishing and finishing of small areas of paintwork that require polishing.



Polishing Pad - Lambskin

Art. No. 00585 195 - 195mm White

Art. No. 00585 135 - 135mm Black

Optimum removal capacity ensures quick working results.



180mm Lambs Wool Polishing Pad

(Pneumatic)

Art. No. 01586 02 180



Micro Fibre Cloth's

Art. No. 01899 900...

(Blue, Red, Green, Yellow)



Tack Cloth's

Art. No. 01899 700 001



Absobon Autosham Two 1Ltr/5Ltr

Art. No. 00893 010 0/00893 010 05

Environmentally friendly car shampoo that makes your car wash twice as effective. Wash and wax in one.



Intensive Rim Cleaner 1Ltr

Art. No. 00893 476

For all lacquered and non-lacquered alloy rims as well as steel rims.



Tar Remover 300ml

Art. No. 00890 26

Effortlessly removes tar, oil and splashes of underbody protection and hollow cavity sealant from paint and chrome.



Vehicle Exterior



Insect Remover 500ml

Art. No. 00893 470

For easy removal of insect dirt/residue that damages paintwork.



Aluminium Polish 500ml

Art. No. 00893 121 301

For removing stubborn dirt such as metallic oxidations from old, weathered and new aluminium surfaces.



Plastic Care 1Ltr

Art. No. 00893 477

High-quality wax treatment for all exterior plastic and rubber parts.



Rubber Care Spray 300ml

Art. No. 00890 110

Keeps rubber parts supple and prevents adhesion due to old ageing.



Rapid Screen Wash 32ml

Art. No. 00892 333

Highly-concentrated windscreen cleaner 1:100



Silicone Spray 500ml/5Ltr

Art. No. 00893 221/01893 221 100

Protects, maintains and insulates plastic, rubber and metal parts inside and outside the vehicle. Also serves as a lubricant.



Industry Cleaner 500ml

Art. No. 00893 140

Powerful deaner for the removal of adhesive residues, wax, rubber abrasion, silicone residues, oil and grease.



5-in-1 Car Clean Set

Art. No. 00899 500 004



Wing Cover Magnetic

Art. No. 00899 600



Washable Seat Cover

Art. No. 00899 500 058



Car Wash Broom

Art. No. 00891 350 100 - Brush

Art. No. 00891 350 104 - 1.5M Telescopic Pole





Vehicle Interior



Cleaning & Cockpit Care 400ml

Art. No. 00890 222 1

For cleaning the interior of passenger cars, HGV's and buses. For dashboards, door linings, plastics and rubber mats.



Active Clean 500ml

Art. No. 00893 472

Fruit scented intensive foam cleaner for vehicle interiors.



Active Glass Cleaner 500ml

Art. No. 00890 25

Cleaning foam for glass and smooth surfaces



Leather Care

Art. No. 00893 012 901

Cleans and provides lasting care while maintaining the surface quality of all patent leathers.



F1 Interior Cleaner 1Ltr

Art. No. 00890 120

Environmentally friendly cleaner for the complete vehicle interior



Universal Mud Absorber

Art. No. 00890 900 150

For cleaning hard-to-access places such as vehicle air vents, keyboards, telephones etc.



Compressed Air Spray 200ml

Art. No. 00893 620 200

Removes dust effortlessly from inaccessible places.



Silicone Remover 1Ltr

Art. No. 00893 222

For effective cleaning and degreasing before adhesion and painting work.



Acetone Cleaner 250ml

Art. No. 00893 460

Special cleaner for unpainted metal surfaces and glass.



PU Cleaner 500ml

Art. No. 00892 160

For the removal of fresh (wet) PU foam/sealant.



Engine Cleaner 500ml/25Ltr

Art. No. 01893 013 500/25

A highly effective water based product for removing oil, grease and carbon.



Multi Purpose Degreaser 1Ltr/25Ltr

Art. No. 01893 129/130

A biologically degradable multi purpose degreaser (1:5 General Degreasing, 1:10 Lighter Degreasing-cars, 1:50 Janitorial).



Airconditioning



Quick Fresh TURBO 40ml

Art. No. 00893 764 640

For effectively controlling odours in vehicle interiors and other spaces



Aircon. Disinfectant Spray 300ml

Art. No. 00893 764 10 - 2 Applications

Art. No. 01893 764 10 - Scented

Used to clean and disinfect the air-conditioner system by cleaning any mould build up on the condenser.



Multi-grade Compressor Oil 1000ml

Art. No. 00892 764 123

High-value synthetic oil with additive specifically tailored for use in air-conditioning compressor technology



Aircon. Leak Detection Dye 240ml

Art. No. 00892 764 134

Fluorescent additive for locating leakages in R134a and R1234yf air-conditioning systems



Aircon. Leak Stop 60ml

Art. No. 00892 764 775

Preventive use for sealing micro-leaks on metal and rubber components as well as for locating leaks in R134a vehicle air-conditioning systems



Adaptor for Dye and Leak Stop

Art. No. 00764 000 013

Screw-on adaptor for filling with Leakage Stop Plus (art. no.0892746775) and other liquids.



R134A Refrigerant Gas 13.6Kgs

Art. No. 01892 764 001

Refrigerant for use in vehicle air-conditioning systems.



UV Leak Detection Lamp

Art. No. 00964 764 009

For the detection of even the most minor leakages in refrigerant, water cooling, engine oil (diesel and gasoline), transmission oil and power-assisted steering systems.



Aircon. LED Thermometer

Art. No. 00764 000 013

Enables measuring of temperatures in heating, air conditioning and ventilation systems



Rost Off PLUS 300ml/5Ltr

Art. No. 00890 200/300

High-quality rust releaser plus lubricating properties thanks to new additive technology (OMC²).



Rost Off PLUS Spray Pistol 500ml

Art. No. 00891 502 005

Lockable regulating nozzle permits all settings from mist to jet



Rost Off ICE 400ml

Art. No. 00893 240

High-grade rust releaser with crack-effect created by extreme cooling, and excellent penetrating properties.



Rost Off BLACK 500ml (Graphite)

Art. No. 00890 200 500

Highly effective graphite-based rust remover, which can be used as a rust remover, lubricant, corrosion protection, and cleaner



HHS 2000 500ml

Art. No. 00893 106

Extremely high pressure-resistant partially synthetic oil, suitable for universal lubrication and under high pressure loads.



HHS Dry Lube 400ml

Art. No. 00893 106 6

Dry synthetic wax highly resistant to centrifugal forces containing PTFE.



HHS White Grease

Art. No. 00893 106 7

For lubricating visible areas such as door hinges, seat runners, control rods, etc..



HHS Clean 500ml

Art. No. 00893 106 10

HHS pre-cleaner with adhesion intensifier.



Multi 5-in-1

Art. No. 00893 055 40 - 400ml

Art. No. 00893 055 405 - 5Ltr

A multi purpose spray that lubricates, penetrates, removes rust, cleans and displaces moistures.



Dry Lubricant PTFE Spray 300ml

Art. No. 00893 550

Transparent non soiling dry lubricant.



Lock Cylinder Spray 50ml

Art. No. 00893 052

Excellent creeping properties ensure very good moisture displacement.



Wire Rope Spray 500ml

Art. No. 00893 105 8

Lubricates and conserves wire ropes on winches, lifts, conveyors as well as carrier and sling ropes.



Brakes



CU800 Copper Spray **300ml/100Gr/1Kg**

Art. No. 00893 800/800 1/800 2
Resistant to high T° (800 °C) and pressure, highly adhesive copper lubricating, release and corrosion prevention paste.



AL 1100 Aluminium Paste

Art. No. 00893 110 1
Highly adhesive lubricant resistant to temperatures and high pressure



Brake Protection Spray 300ml

Art. No. 00893 816
Lubricating, separating, and anti-corrosion paste for parts on vehicle brake systems mounting aids on machines, etc. (1400 °C)



Anti-Squeal Spray

Art. No. 00890 106
Eliminates squealing on disc brakes. Product applied on reverse side of brake blocks.



DOT 4 Brake Fluid 500ml

Art. No. 00892 009 050
For hydraulic brake systems.



Tyre Fitting Paste 5Kg

Art. No. 00890 124 1
For fitting of car, motorcycle and truck tyres.



Exhaust Assembly Paste 150Gr

Art. No. 00890 100 045
Soft paste for gas tight fitting of flanges and sleeves.



Exhaust Putty 200Gr

Art. No. 00890 100 046
For the repair of small holes and cracks.



High Temp Exhaust Sealer 150Gr

Art. No. 01890 046
A one part heat/air curing silicate cement for the assembly of exhaust systems.



High Perf. Shuttle Grease 400Gr

Art. No. 00893 880 1
Cargo lithium-complex lubricating grease with semi-synthetic oil base.



Lube Shuttle Gun

Art. No. 00986 05
The system for lubricating greases in 400-g system cartridge.



Multi Purpose Grease 1, 400Gr

Art. No. 00893 870 1
Lithium-soap, mineral-oil-based universal lubricating grease



Hand Lever Grease Gun

Art. No. 00986 00



Drill and Cutting Oil

Art. No. 00893 050 004 - 400ml

Art. No. 00893 050 1 - 5Ltr

Multi-cutting oil for light to medium-heavy machining work.



Drill and Cutting FOAM 400ml

Art. No. 00893 050 007 - 400ml

Highly activated high performance cutting foam for all machining applications. Ideal overhead use.



Drill and Cutting PASTE 500ml

Art. No. 00893 050 010 - 400ml

The drilling and cutting paste is particularly ideal for the most challenging machining processes, e.g. for highest-strength steels, tool steel, ball bearing steel, Cr-Ni alloys and Hastelloy.



Red Rubber Grease 500gr

Art. No. 01893 140 500



Door-Lube Stick

Art. No. 01893 050 125

Solid lubricant, for lubricating wood and metal. Used in the auto industry for lubricating door hinges and swing arms.



Mould Release Agent 400ml

Art. No. 00890 50

For thermoplastics and thermosets. Silicone free.



V-Belt Spray 400ml

Art. No. 00893 230

For extending the service life of V-belts. For V-belts made from leather, rubber, balata, hair etc.

Not suitable for use on flat belts.



Woodslide 5Ltr

Art. No. 00893 070


Can be used on all wood processing machines as a lubricating film, and serves as a resin neutraliser.



Pump Bottles for Woodslide 500ml/1Ltr

Art. No. 00891 502 002/503 013

Unfilled pump spray bottles for simple processing of products from canisters and drums



Oil Marker Chalk

Art. No. 00984 400 1 - White

Art. No. 00984 400 4 - Blue

For wood, cardboard, textiles, cold and warm iron.



Sabesto Hand Cleaner 4000ml/350ml

Art. No. 00893 900 0/00893 900 01

PH-Neutral, soap free hand cleaner that cleans and protects - contains grit.

Contains NO SILICONE OIL.

Hand Cleaner BASIC 10Ltr

Art. No. 00893 900 015

Hand cleaner for light to heavy soiling with natural exfoliating particles.

Skin Clean Special (D-Mark) 250ml

Art. No. 00890 600 608

Special hand cleaner for removing highly adhesive dirt, e.g. lacquer, resin, adhesive, paint, bitumen, etc. - contains grit.



Dispenser for Hand Cleaner 00893 900 0

Art. No. 00891 901 1

Wall Unit for Hand Cleaner

Art. No. 00891 900 2

Universal Hand Wipes (396)

Art. No. 00890 900 90

Can be used for cleaning of hands and work tools, which are heavily soiled with oil, grease, adhesive, paint, tar or lubricant.

Skin Protection Cream BASIC

Art. No. 00890 600 100

Wash-off skin-protection cream prevents soiling by insoluble substances.



Skin Protection Cream BASIC

Art. No. 00890 600 102

Wash-off skin protection foam prevents soiling by water-soluble and insoluble substances.

2Ply Paper Rolls (384)

1000 sheets of 380x390mm

Art. No. 00899 800 773

Art. No. 00899 800 606 - Paper Towel Stand

Paper Towel Stand

Art. No. 00899 800 606

Utility Bags (Garbage)

Art. No. 01899 800 1

600x900, 35µ

Art. No. 01899 800 2

750x900, 35µ

Art. No. 01899 800 3

750x900, 70µ



Rust Stop Primer

Art. No. 00893 210 2

Active corrosion protection for



Rust Stop Primer

Art. No. 00890 191

Brush-able, active corrosion protection for metallic surfaces



Rust Converter

Art. No. 00893 110

Dispersion based, environmentally friendly rust converter.



Surface Rust Remover 5Ltr

Art. No. 00890 130

For the removal of rust film from metal sheets, car bodies, steel, iron, etc.



Anti Spatter Protection 5Ltr /300ml

Art. No. 00893 102 005 - 5Ltr (Silicone Free)

Art. No. 00893 102 100 - 400ml (Silicone Free)

Prevents the burning of weld splashes on metals, VA materials and welding torch nozzles.



Lacquer Spray Paint 400ml

Art. No. 00893 349 110

(Black)



Lacquer Spray Paint 400ml

Art. No. 00893 329 005

(Matt Black - R9005)



Lacquer Spray Paint 400ml

Art. No. 00893 369 005

(Gloss Black - R9005)



Lacquer Spray Paint 400ml

Art. No. 00893 359 005

(Gloss Black - R9005)

Heatproof up to 650°C



Zinc Spray Perfect

Art. No. 00893 114 113

Outstanding long-term protection and optimum metal surface appearance.



Light Zinc Spray

Art. No. 00893 114 114

For long term protection and repair of metallic surfaces.



Perfect ALUMINIUM Spray

Art. No. 00893 114 115



Perfect STAINLESS STEEL Spray

Art. No. 00893 114 116



Perfect BRASS Steel Spray

Art. No. 00893 114 117



Perfect COPPER Steel Spray

Art. No. 00893 114 118



Cleaners



Foodline Multi-Clean 400ml

Art. No. 00890 109 6

Fluid for cleaning and temporary lubrication in physiologically and ecologically sensitive areas.



Stainless Steel Power Cleaner 500ml

Art. No. 00893 121 2

Special cleaning fluid for preliminary cleaning of metal surfaces.



Metal Rubbing Compound 400Gr

Art. No. 00893 121 1

Metal grinding paste for removal of the most stubborn contaminants on metal.

Lubricants



LMS 220 Spray 300ml

Art. No. 00893 107 1

Creeping, colourless specialised lubricant for the food, beverage, medical and clinical industries.



Foodline LMS Fluid 400ml

Art. No. 00893 107 001

Physiologically safe special lubricant with a paraffin base.



Crafty Rost Off 300ml

Art. No. 00893 130

Synthetic, biodegradable high-performance rust remover with food registration.



HHS Foodstuffs 500ml

Art. No. 00893 107 6

Creep-able, watertight, synthetic adhesive lubricant.



Foodline Silicon Fluid 400ml

Art. No. 00893 221 000

High-quality physiologically safe anti friction and release agent.



Multipurpose Grease

Art. No. 00893 107 003

Synthetic high-performance grease with white solid lubricants.



Sealers



Bond & Seal 300ml

Art. No. 00890 100 1/2/3

White/Grey/Black

For a wide range of bonding and sealing work on surface materials such as metal, painted surfaces, wood, stone, concrete and plastic (polyester and hard PVC).

Food Safe when cured.



Bond & Seal **QUICK SET** 300ml

Art. No. 00890 100 710/720/730

White/ Grey/ Black

For a wide range of bonding and sealing work on surface materials such as metal, painted surfaces, wood, stone, concrete and plastic (polyester and hard PVC).

Fast-acting, brush-able PU sealant.

Food Safe when cured.



Bond & Seal **POWER** 300ml

Art. No. 00893 235 1/2 - White/ Grey

For dynamically loaded structural bonded connections and seam and joint sealing in bodywork, vehicle and caravan construction, railway carriage and container construction, metal and equipment construction, in air-conditioning and ventilation duct construction, in the food industry and many more. **Food Safe when cured.**



Foodsafe Silicon Clear 310ml

Art. No. 00892 550 1 - Clear

Art. No. 00892 550 2 - White

Special high-quality sealant for sealing in food processing and drinking water sectors, as well as aquarium construction.



Med. Str. Threadlock 25/50g

Art. No. 00893 243 025/050

Screw retaining and sealing compound - removable.

Loctite 243



High Str. Threadlock 25/50g

Art. No. 00893 270 025/050

Screw retaining and sealing compound. For securing Fasteners which are not to be removed under normal circumstances.

Loctite 270



Orange Nitrile Glove (Disposable) M/L/XL

Art. No. 00899 470 121/122/123

Especially for food processing - FOOD SAFE (FDA21 CFR177:2600)



Stainless Steel Care Spray 400ml(374)

Art. No. 00893 121

Cleaning and care emulsion for metallic surfaces.



KOSHER - parve for the all year except for the Passover days.



Classified as "pure" [tahir] and permitted according to ritual Islamic regulations and therefore evaluated as "halal".



U.S. Food and Drug Administration



Standard 310ml
Art. No. 00891 001



Heavy Duty 310ml
Art. No. 00891 318



Applicator Gun 600ml
Art. No. 00891 400 601



POWERBOND Applicator
Art. No. 00891 450 100



REPLAST Applicator
Art. No. 00891 893 485



Underseal Gun
Art. No. 00891 106 3



Air Application Gun 310ml
Art. No. 01891 628 31



Flat Beading Nozzle
Art. No. 01891 673



Round Beading Nozzle
Art. No. 01891 672



Ragged Edge Spray Nozzle
Art. No. 01891 671



Adaptor Sausage Pack
Art. No. 00891 660



310ml Cartridge Nozzle
Art. No. 00891 653



Adaptor Sausage Pack
Art. No. 00891 651 10



Clean Edge Spray Nozzle
Art. No. 01891 670



UBS Gun
Art. No. 00891 110 640
For applying under-body seal and wax
Spray Lances for UBS Gun



Nozzle for 00891 502 002
Art. No. 00891 502 000



Pump Bottles for Woodslide 500ml/1Ltr
Art. No. 00891 502 002/503 013
Unfilled pump spray bottles for simple processing
of products from canisters and drums



Brake Cleaner Pump 1Ltr
Art. No. 00891 503 002




Foam Gun
Art. No. 00891 612



1K Spray Foam Gun
Art. No. 00891 152 4



Refillo Spray System
Art. No. 00891 800 001 - Pressurising Station
Art. No. 00891 800 2/9 - Refillo Can
Art. No. 00891 890 1 - Wall Can Holder



20Mx19mm Insulation Tape
Art. No. 00985 192 01 - Black
10Mx19mm Insulation Tape
Art. No. 00985
102/103/105/107 White/
Red/Blue/Yellow



HR Repair Tape
Art. No. 00985 077 230
Highly resistant, self-fusing silicone
tape for immediate repairs and
sealing tasks - **up to 8 Bar.**



Self Vulcanising Tape
10Mx19mm
Art. No. 00985 077 1
For sealing of pipes, hoses (fuel and
radiator), insulation of electrical wires,
etc.



Linen HARNESS Tape
25Mx19mm
Art. No. 00771 100 119 - Smooth
Art. No. 01985 106 - Rough



HIGH BOND Double Sided Tape - Grey
Art. No. 01894 909 000 - 8mmx0.8mmx33M
Art. No. 01894 909 001 - 12mmx0.8mmx33M
HIGH BOND Double Sided Tape - Clear
Art. No. 01894 909 004 - 18mmx1.0mmx33M
Art. No. 01894 909 005 - 24mmx1.0mmx33M
Art. No. 01894 909 006 - 12mmx1.0mmx33M
Gluing instead of welding, drilling or riveting



Double Sided Tape (334)
Art. No. 00894 910 10Mx12mm
Art. No. 00894 910 1 10Mx24mm
Art. No. 00894 910 4 10Mx4mm
High-strength double-sided tape with polyethylene
carrier and acrylate adhesive.



Double Sided Tape
Art. No. 01894 08 12 20Mx12mm
Art. No. 01894 08 18 20Mx18mm
Art. No. 01894 08 24 20Mx24mm
Open cell PE foam double-sided tape with solvent
acrylic adhesive.



Butyl Tape
Art. No. 00894 700 122
Strong adhesive double-sided sealing tape made
of butyl rubber for overlapping seals.



Door Lining Tape 50Mx19mm
Art. No. 00894 235 319
For adhesion of protective film used for door
linings.



Mirror Tape
Art. No. 01894 030 24
30Mx3mmx24mm
Open cell EVA foam double-sided tape with sol-
vent acrylic adhesive.
Mirror Tape - NORTON
Art. No. 01894 900 0
30Mx3mmx25mm Polyurethane Tape



Bodywork Sealing Tape 10 x 10

Art. No. 00890 100 032 - Black

Permanently elastic, self-adhesive sealing tape for sealing of overlapping car body panels, as well as sealing against dust, moisture and vibrations in the auto, metal and construction industries.



String Sealer 26M x 20mm x 2mm

Art. No. 00890 100 030 - Grey


Permanently elastic, self-adhesive sealing tape for sealing of overlapping car body panels, as well as sealing against dust, moisture and vibrations in the auto, metal and construction industries.



Compressed Tape

Art. No. 00875 415 3

Protects against vibration and will also expand to seal gaps.



Masking Tape


Art. No. 01992 018 - 18mm

Art. No. 01992 024 - 24mm

Art. No. 01992 036 - 36mm

Art. No. 01992 048 - 48mm


80° masking tape.



Fine Line Tape

Art. No. 01992 003 - 3mm

Art. No. 01992 006 - 6mm



Duct Tape 48mmx25M

Art. No. 01992 25 0 - Silver

Art. No. 01992 25 1 - Black



Aluminium Window Protection Tape 48mmx50M

Art. No. 01992 50 - Black/White

Used for protecting aluminium profiles and window frames prior to fitment.



Buff/Packaging Tape

Art. No. 01992 48 50

All purpose packaging tape.



PTFE Sealing Tape

12Mx12mmx0.8mm

Art. No. 00985 030 165

Used to seal thread connections.



Reflexite Tape 50M

Art. No. 01812 44 71 - Yellow

Art. No. 01812 44 72 - Red

Art. No. 01812 44 73 - White


Vehicle conspicuity tape.



Reflexite Tape 6M

Art. No. 01812 44 716 - Yellow

Ideal for caravans, trailers, etc.



Sound Deadening Pads 550x250x2

Art. No. 00890 100 060

Suppresses internal noises caused by vibrating body parts and road noise.



Film Cutting Knife

Art. No. 01818 105 103



Masking Film 4Mx150M

Art. No. 01818 106 150

**Hex. Head S/Tapper**

Art. No. 00114...

**Phil. Pan Head S/Tapper**

Art. No. 00115...Zinc

Art. No. 00119...Stainless Art.

No. 00127...S/Steel

**Phil. C/Sunk S/Tapper**

Art. No. 00116...Zinc

**C/Sunk Raised S/Tapper**

Art. No. 00117...

**Hex. S/Tapper Scr./Washer**

Art. No. 00129...

**Phil. Pan Head S/Tapper**

Art. No. 00134...

**Phil. Washer Face S/Tapper**

Art. No. 00134 0...

**Phil. C/Sunk Rsd S/Tapper**

Art. No. 00137...


**ASSY Plus S/Steel PIAS**

Art. No. 00166...

**ASSY Wood Screw w/o shaft**

Art. No. 00165/170...

Yellow & Blue Pass.

**ASSY Wood Screw with shaft**

Art. No. 00170 3...

**WUPOFAST Wood Screw**

Art. No. 00186...Yellow

Art. No. 00198...Blue Pass.

**Chipboard Screw**

No. 01186...

**PIAS Pan Hd Self Drilling Screw**

Art. No. 00206...

**PIAS Pan Hd Self Drilling Screw**

Art. No. 00211...

**PIAS Hex. Hd Self Drilling Screw(694)**

Art. No.00214...

**PIAS Wing Screw**

Art. No. 00219...

**Mach. Screw Csk - Slotted**

Art. No. 00039...

**Cheese Head Mach. Screw**

Art. No. 00040...

**Pan Head Mach. Screw**

Art. No. 00046...

**Mach. Screw Csk - Phillips**

Art. No. 00048...



Hex. Bolt

Art. No. 00053...Grade 8.8 Blue Pass.

Art. No. 00071...UNF

Art. No. 00072...UNC

Art. No. 00263...Grade 10.9



Hex. Set Screw

Art. No. 00057...Grade 8.8 Blue Pass.

Art. No. 00091...S/Steel

Art. No. 00263...Grade 10.9

Art. No. 01060...Jap. Fine Grade 8.8



Allen Cap Screw

Art. No. 00084...



Allen Cap Screw C/Sunk

Art. No. 00089...Grade 10.9

Art. No. 00299...S/Steel



Tensilock Screws 8.8

Art. No. 00274...Yellow



Coach Screw

Art. No. 01114...



Hex Nuts

Art. No. 00317...Gr. 8 Zinc

Art. No. 00322/6...A2/A4 S/Steel

Art. No. 00324...Gr. 10 Yellow

Art. No. 00330/1...UNC/UNF Gr.8



Nylock Nuts

Art. No. 00368...Gr. 8 Zinc

Art. No. 00370...Gr. 10 Yellow

Art. No. 00391/7...A2/A4 S/Steel



All Metal Lock Nut

Art. No. 00369...



Tensilock Nut (Yellow)

Art. No. 00394...



Copper Nuts

Art. No. 00365 2 - M8

Art. No. 00365 3 - M10

Art. No. 00366...



Copper Flange Nuts

Art. No. 00365 6 - M8

Art. No. 00365 61 - M8 Self Lock

Art. No. 00365 65 - M10 Self Lock.



Studs DIN939

Art. No. 00250...

Art. No. 01250...



Dome Nuts

Art. No. 00349...A4 S/Steel

Art. No. 00356...Zinc



Flat Washers DIN125

Art. No. 00404/9...A4/A2 S/Steel

Art. No. 00407...Blue Pass.

Art. No. 00408...Heavy Duty



Fender Washers

Art. No. 00411...Zinc

Art. No. 00409/19/12...

A2/A4 S/Steel



Schnorr Washer

Art. No. 00493...



Starlock Washer

Art. No. 01316...



Int/Ext. Star Washers

Art. No. 00428...Internal

Art. No. 00429...External



Curved Wavy Wash

Art. No. 000434...



Bevelled Wavy Wash

Art. No. 000435...



Spring Washers

Art. No. 00441...Metric

Art. No. 00442...Imperial



Copper Washers

Art. No. 00460...



Aluminium Washers

Art. No. 00463...



Fibre Washers

Art. No. 00465...



O-rings

Metric and Imperial

Art. No. 00468...

Available in 1M lengths



a.



b.



c.



d.



e.



f.



g.



h.



g.

a). Twin Copper Washer - M8x12x9mm - Art. No. 00464 8 12

b). Sealing Washer - M12.2x21x1mm - Art. No. 00464 012 244

c). Toyota Drain Plug - M18x28x2mm - Art. No. 00464 018 282

d). Toyota Drain Plug - M12x24x2mm - Art. No. 00464 012 242

e). Honda Alu. Sealing Washer - M14x22x2mm - Art. No. 00464 114 22

f). F/Escort Drain Plug - M12.8x20.2x2.1mm - Art. No. 00464 12 20

g). Copper Seal Washer Oil Drain - M15x22mm - Art. No. 00464 15 22

h). Sealing Ring Plastic - M14x22mm - Art. No. 00464 14 22

g). Copper Ring Diesel - M9.5x20x1.0mm - Art. No. 00464 95 20



Dowty Washers

Art. No. 00469...



Cup Washers

Art. No. 00455/458...



Grub Screws

Art. No. 00255...Flat

Art. No. 00256...Cone

Art. No. 00257...Dog



Clevis/Cotter Pin

Art. No. 00260...



Clevis Complete

Art. No. 00268...



Ball Joints

Art. No. 00268 2...Form A

Art. No. 00268 3...Long

Art. No. 00268 5...Form AS

Art. No. 00268 6...L/H Thread



Sump Plugs

Art. No. 00240...Low Form

Art. No. 00241...High Form


Art. No. 00243...Long Special



Split Pins

Art. No. 00470...Steel

Art. No. 00474...A2 S/Steel



Safety Clips

(Lynch Pins)

Art. No. 00472...



Wheel Weights

Art. No. 01830...



Circlips


Art. No. 00438...External

Art. No. 00439...Internal



E-Clips


Art. No. 00490...



Retaining Clips

Art. No. 00473...

Single and Double Loop



Dowel/Sellocc Pins

Art. No. 00475...



Chassis Clamp

Art. No. 00505...



Springs

Art. No. 00506...Compressed

Art. No. 00506 2...Tension



Joint Bolt Clamp

Art. No. 00537...Steel



Hose Clamps

Art. No. 00538...S/Steel

Art. No. Art. No. 00539...Steel

Art. No. 00549...Steel



One Ear Clamps


Art. No. 000541...

Art. No. 00715 02 04 - Pliers



Normapipe Clamps

Art. No. 000542...



Grommets

Art. No. 00561 1...Blanking

Art. No. 00561 6...Cable



Self Cutting Inserts

Art. No. 00660 302...Metric

Art. No. 01660...Metric/ Imp.




Time Sert Inserts

Art. No. 00662...Copper

Art. No. 00663...Blue Pass.

Available in sets:

Art. No. 00661...



Brake Pipe Connector

Art. No. 00884 030... Cutting

Ring and Insert

Art. No. 00884 260/280



Brake Pipe Fittings

Art. No. 00885 01...Straight

Art. No. 00885 02...Tee Piece

Art. No. 00885 03...90°



Plastic Quick Couplers

Art. No. 01885...

Str, 90°, Tee, Unequal (Met. & Imp.)




Tube to Thread Couplers

Art. No. 01885 0...



Air Brake Pipe Nuts

Art. No. 00889 5...



Airbrake Pipe

Art. No. 00885/01885...

Brake Pipe Cutter

Art. No. 01885 20 02

Art. No. 01885 20 020 - Blade



1/2" Suzi Hose

Art. No. 01885 30 302 - PU Red

Art. No. 01885 30 303 - PU Yellow

Art. No. 01885 31 302 - Polyamide Red

Art. No. 01882 31 303 - Polyamide Yellow




HGV Cleaning Kit, 3Pcs

Art. No. 01885 848 100



Plastic Couplers

Art. No. 00500 250...



Grease Nipples

Art. No. 00986...



Fuel/Vacuum (3693-3697)

Art. No. 00895/01895



Banjo Bolts and Tails

Art. No. 01887...



| Art. No. | Description | Int. Dia. | Ext. Dia. | Operating Pressure | Testing Pressure | Roll Length |
|---------------|-------------|-----------|-----------|--------------------|------------------|-------------|
| 00895 513 595 | Fuel Hose | 3.5mm | 9.5mm | 6 Bar | 20 Bar | 15M |
| 00895 514 510 | Fuel Hose | 4.5mm | 10mm | 6 Bar | 20 Bar | 15M |
| 00895 517 313 | Fuel Hose | 7.3mm | 13.5mm | 6 Bar | 20 Bar | 10M |



| Art. No. | Description | Int. Dia. | Ext. Dia. | Max Operating Bar | Roll Length |
|--------------|--------------------|-----------|-----------|-------------------|-------------|
| 00895 810 | Washer System Hose | 10mm | 14mm | 2.5 Bar | 10M |
| 00895 84 | Washer System Hose | 4mm | 6mm | 2.5 Bar | 15M |
| 00895 845 65 | Washer System Hose | 4.5mm | 6.5mm | 2.5 Bar | 15M |
| 00895 85 | Washer System Hose | 5mm | 7.4mm | 2.5 Bar | 15M |
| 00895 86 | Washer System Hose | 6mm | 8.4mm | 2.5 Bar | 15M |
| 00895 88 | Washer System Hose | 8mm | 11mm | 2.5 Bar | 15M |



| Art. No. | Description | Int. Dia. | Ext. Dia. | Max Operating Bar | Roll Length |
|--------------|--------------------|-----------|-----------|-------------------|-------------|
| 00895 845 80 | Washer System Hose | 4.5mm | 8mm | 10 Bar | 15M |



| Art. No. | Description | Int. Dia. | Ext. Dia. | Operating Pressure | Testing Pressure | Roll Length |
|-------------|-------------------|-----------|-----------|--------------------|------------------|-------------|
| 00895 813 2 | Braided Fuel Hose | 3.2mm | 7mm | 10 Bar | 20 Bar | 15M |
| 00895 813 5 | Braided Fuel Hose | 3.5mm | 7.5mm | 10 Bar | 20 Bar | 15M |
| 00895 814 5 | Braided Fuel Hose | 4.5mm | 9.5mm | 10 Bar | 20 Bar | 15M |
| 00895 815 0 | Braided Fuel Hose | 5mm | 10mm | 10 Bar | 20 Bar | 15M |
| 00895 815 5 | Braided Fuel Hose | 5.5mm | 10.5mm | 10 Bar | 20 Bar | 15M |
| 00895 817 0 | Braided Fuel Hose | 7mm | 12mm | 10 Bar | 20 Bar | 15M |
| 00895 817 5 | Braided Fuel Hose | 7.5mm | 12.5mm | 10 Bar | 20 Bar | 15M |
| 00895 819 0 | Braided Fuel Hose | 9mm | 14mm | 10 Bar | 20 Bar | 15M |



| Art. No. | Description | Int. Dia. | Ext. Dia. | Minimum Temp. | Maximum Temp. | Roll Length | Colour |
|--------------|-------------|-----------|-----------|---------------|---------------|-------------|------------------|
| 00895 813 51 | Vacuum Hose | 3.5mm | 7.5mm | -35°C | 110°C | 10M | Black/White/Grey |
| 00895 823 30 | Vacuum Hose | 2.5mm | 6mm | -35°C | 110°C | 10M | Black |
| 00895 823 31 | Vacuum Hose | 3.3mm | 6.8mm | -35°C | 110°C | 10M | Black |
| 00895 823 5 | Vacuum Hose | 3.5mm | 8mm | -35°C | 110°C | 15M | Black |
| 00895 823 6 | Vacuum Hose | 3.7mm | 6.5mm | -35°C | 110°C | 10M | Black |
| 00895 824 54 | Vacuum Hose | 4.5mm | 9mm | -35°C | 110°C | 10M | Black |



| Art. No. | Description | Int. Dia. | Ext. Dia. | Min. Burst Pressure | Roll Length |
|-----------|-------------|-----------|-----------|---------------------|-------------|
| 01895 50 | Fuel Hose | 5mm | 10mm | 250PSi | 10M |
| 01895 60 | Fuel Hose | 6mm | 12mm | 250PSi | 15M |
| 01895 80 | Fuel Hose | 8mm | 14mm | 250PSi | 10M |
| 01895 100 | Fuel Hose | 10mm | 16mm | 250PSi | 10M |
| 01895 120 | Fuel Hose | 12mm | 20mm | 250PSi | 10M |



Zebra Blind Rivet

Art. No. 00915 048...

Sleeve: Alu.

Pin: Galv. Steel



Zebra Blind Rivet

Art. No. 00915 5...

Sleeve: Aluminium

Pin: Galv. Steel



Pias Blind Rivet - White

Art. No. 00915 584 013

Peeled Rivet 4x15mm White

Art. No. 01937 004 015

(for Number Plates)



Zebra Blind Rivet - Blk

Art. No. 00915 594 013

Art. No. 00915 948 10

Art. No. 00915 948 17

Sleeve: Alu. Black Anod.

Pin: Galv. Steel



Blind Riv. Flat Head

Art. No. 00936...

Sleeve: Aluminium

Pin: Galv. Steel



Peeled Rivet

Art. No. 00937/01937...

Sleeve: Aluminium

Pin: Galv. Steel



Alu. Sealed Riv. Flat Hd

Art. No. 01937 1...

Sleeve: Aluminium

Pin: Steel



Full S/Steel Riv. Flat Hd

Art. No. 01937 2...



Alu. Blind Rivet Flat Hd.

Art. No. 01937...

Alu. Blind Rivet Flat Hd.

Art. No. 01937...C/Sunk



Monobolts

Art. No. 00921 065...Alu.

Art. No. 00921 65...Steel



Dent Puller Pins

Art. No. 00691 500 080 - 2.0mm

Art. No. 00691 500 081 - 2.6mm



Rivet Nuts

Art. No. 00917...

(Flat Head, C/Sunk, Knurled C/Sunk)



Rivet Bolts

Art. No. 00948 71...



Dry Wall Plug

Art. No. 00903 251 - Nylon

Art. No. 00903 252 1 - Zinc



Wood Connections - Biscuits

Art. No. 00907 250...



Nylon Wall Plug

Art. No. 00903 10 50



Zebra Shark Wall Plugs

Art. No. 00906...

White - Collar

Brown - Collarless



Nail in Anchors

Art. No. 01906/7...



Covers Caps

Art. No. 01590...




Shield Anchors

Art. No. 01905...



Chemical Anchors

Art. No. 05915...




Headless Pins

Art. No. 01480 100 ...



16Gauge T-Brad Nails

Art. No. 01480 250...



F Med. Head Pins

Art. No. 01480 125...

Art. No. 00480 12...



Staples

Art. No. 01480 100...1/4"

Art. No. 01480 380...3/8"

Art. No. 01480 120...1/2"

Art. No. 00480 129...1/2"



T-Nut

Art. No. 01376...



Woodserts

Art. No. 01376 0...



Shelf Support - Plastic Steel

Art. No. 00683 300 - White



Shelf Support - Plastic Steel

Art. No. 01683 300 1 - Clear



Corner Block Small

15mm x 15mm

Art. No.01683 76 - White

Art. No. 01683 77 - Oak



Plastic Shelf Bracket

38mm x 38mm

Art. No. 01683 78



Art. No. 01683 71

White



Corner Blocks Large - 20mm (h) x 20mm (w) x 44mm (l)

Art. No. 01683 72

Brown




Art. No. 01683 75

Light Oak




Art. No. 01683 73

Cherry




100° Full Overlay - Clip On

Art. No. 01683 142 101



100° Half Overlay - Clip On

Art. No. 01683 142 102




170° Clip On

Art. No. 01683 142 123




Mounting Plate Pressed 2mm

Art. No. 01683 142 031




100° Full Overlay - Dowelled

Art. No. 01683 144 201



100° Half Overlay - Dowelled

Art. No. 01683 144 202



100° Inset - Dowelled

Art. No. 01683 144 203

Art. No. 01683 144 223 - 170°



Mounting Plate 2D - Clip On (2mm)

Art. No. 01683 142 521



REDLINE Cutting Discs

Art. No. 00669 201 155 - **115**x2.5x22.2mm

Art. No. 00669 201 255 - **125**x2.5x22.2mm

Art. No. 00669 202 303 - **230**x3x22.2mm

Art. No. 00669 203 502 - **350**x3x25.4mm

REDLINE Grinding Discs

Art. No. 00669 260 116 - **115**x6x22.2mm

Art. No. 00669 260 126 - **125**x2.5x22.2mm

Art. No. 00669 260 236 - **230**x6x22.2mm



REDLINE Inox (Stainless)

Art. No. 00669 230 111 - **115**x1.0x22.2mm

Art. No. 00669 230 121 - **125**x1.0x22.2mm

Art. No. 00669 230 231 - **230**x2.2x22.2mm



SPEED Cutting 60x2.0mm

Especially for thin-walled pipes and profiles, thin metal sheets, bodywork panels

Art. No. 00664 100 602



Mandrel for 00664 100 602

Art. No. 00664 976



ZEBRA Cutting Discs - Thin Line Cutting

Art. No. 00664 101 150 - **115**x1.0x22.2mm

Art. No. 00664 101 250 - **125**x1.0x22.2mm

Art. No. 00664 102 302 - **230**x2x22.2mm



ZEBRA Cutting Discs

Art. No. 00664 131 150 - **115**x1.0x22.2mm

Art. No. 00664 132 302 - **230**x2.5x22.2mm



SPEED Inox (Stainless)

Art. No. 00664 131 148 - **115**x0.8x22.2mm

Art. No. 00664 131 150 - **115**x1.0x22.2mm



Stainless Steel Cutting 76x1.0mm

Art. No. 00664 130 761



Mandrel

Art. No. 00664 978



ZEBRA Grinding Discs - Steel and Stainless

Art. No. 00664 181 156 - **115**x6.0x22.2mm

Art. No. 00664 181 256 - **125**x6.0x22.2mm



ZEBRA Grinding Discs - Steel and Stainless

Art. No. 00664 181 156 - **115**x6.0x22.2mm

Art. No. 00664 181 256 - **125**x6.0x22.2mm



Lamella Discs 115mm/178mm

Art. No. 00579 580...

Especially suitable for machining stainless steel

Stainless steel sheets, non-alloyed stainless steels, alloyed and highly alloyed steels, rust- and acid-proof



Nylon Fleece Discs 115mm

Art. No. 00585 380 115

For universal use on virtually all materials. Especially for stainless steel, steel, non-ferrous metals, wood and plastic.



Wurth Cutting (Aluminium)



Art. No. 00670 122 302

230x2.5x22.2mm

Art. No. 00664 122 301

230x1.9x22.2mm

Masonry Discs




Art. No. 00670 152 303

230x3x22.2mm

Art. No. 00670 151 152

115x2.5x22.2mm

Thick Sanding Sponges



Art. No. 00587 01...

(P60/80/100/120/
160/220)

Thin Sanding Sponges



Art. No. 00587 02...

(P60/80/120/220)

Features:

- Sandpaper and sanding block in one
- For dry sanding
- Adapts to any shape, making it suitable for

Flap Wheels

Fine sanding and polishing work in tool and mould construction, working smaller and hard-to-reach surfaces in container and apparatus construction, treating fittings made of heavy and light metals as well as stainless and acid-resistant steels.



Diameters: **30mm, 40mm, 60mm**

Grits: **P60/P80/P120**

Art. No. 00672 **010 316/318/311**

Art. No. 00672 **010 426/428/421**

Art. No. 00672 **010 646/648/631**

Matt Finishing Wheels

Fine sanding and polishing work in tool and mould construction, working smaller and hard-to-reach surfaces in container and apparatus construction, treating fittings made of heavy and light metals as well as stainless and acid-resistant steels.



Diameters: (**dia X width X shank**)


Art. No. 00672 964 218 - **40x20x6**

Art. No. 00672 964 318 - **40x30x6**

Art. No. 00672 965 318 - **50x30x6**

Nylon Fleece Wheels 50mm/75mm

For removing tempering colour, scale, rust, corrosion, dirt and oxide layers, paint, old brushed-on coatings, synthetic resins, adhesives, gasket residues, cement and concrete residues and for cleaning and machining before and after welding.



Art. No. 00673 22 50 - 50mm


Art. No. 00673 22 75 - 75mm

Art. No. 00586 578 01 - 50mm Backing Pad

Art. No. 00586 578 02 - 75mm Backing Pad

Grinding Pads 50mm/75mm

For machining welding seams, surface sanding, removing lacquer and paint, sharpening tools, dressing and smoothing, deburring, edge and finish machining, de-rusting, especially in hard-to-reach places.



Grits: **P40/P60/P80**

Art. No. 00580 005 **040/060/080** - 50mm

Art. No. 00580 007 **540/560/580** - 75mm

Art. No. 00586 578 01 - 50mm Backing Pad

Art. No. 00586 578 02 - 75mm Backing Pad

Mini Fleece Discs 50mm/75mm

For cleaning surfaces, removing tempering colour, rust, dirt and oxide layers, light deburring work, producing decorative surfaces, smoothing welding work without excessive material removal, removing sanding grooves, scratches, coatings and old brushed-on coatings.

Art. No. 00673 205 010 - 50mm Brown (Coarse)

Art. No. 00673 205 018 - 50mm Red-Brown (Medium)

Art. No. 00673 205 028 - 50mm Blue (Fine)

Art. No. 00673 205 040 - 50mm Grey (Ultra Fine)

Art. No. 00673 207 518 - 75mm Red-Brown (Medium)

Art. No. 00673 207 528 - 75mm Blue (Fine)

Art. No. 00673 207 540 - 75mm Grey (Ultra Fine)

Art. No. 00586 578 01 - 50mm Backing Pad


Art. No. 00586 578 02 - 75mm Backing Pad





Bristle Disc 50mm

For removing tough, thick and thin deposits such as paint, rust, scale, adhesive areas, gasket residues, coatings or dirt on all types of metal, as well as for cleaning concrete, natural stone, wood and plastics



Art. No. 00673 000 505 - Green G50

Art. No. 00673 000 508 - Yellow G80

Art. No. 00586 578 01 - 50mm Backing Pad

ZEBRA Emery Cloth

Light weight doth sanding strips used for hand sanding in many applications. Suitable for fitting work: used to ensure a perfect fit of steel parts where final adjustment is needed. Used for cleaning, as a means of removing rust from polished components.



Art. No. 00674 830...30mm

(Grits: 60, 80, 120, 180)

Art. No. 00674 840...40mm

(Grits: 60/80/120/180)

Art. No. 00674 850...50mm

(Grits: 60, 80, 120, 400)

Waterproof Paper

Sanding synthetic resin, nitro and thermoplastic acrylic lacquer structures.



Grains: P400-P800

Sanding conventional fillers.

Grains: P1000-P2000

Touching up flaws in the cover coat, in case of dust inclusions or dirt particles (P2000).

Art. No. 00584 11...

Fleece



Art. No. 01585 805... Rolls

150mmx10Mtr

Coarse, Med, Fine, General Purpose

Coarse and aggressive: Removes rust, rust film, and surface soiling. For roughening old paint, varnish, plastics, rubber parts (e. g. prior to bonding).

Medium / medium fine: Universally applicable to remove rust film, light soiling, discolouration; for rubbing down ground or brushed surfaces or for degreasing and cleaning prior to painting.

Fine / ultra fine: For cleaning delicate surfaces, for repairing light scratches on metals. Also suitable for applying fine / very fine matt finishes to steels and non-ferrous metals.

Art. No. 01585 44... Pads

150mmx225mm

Coarse, Med, Fine, General Purpose, Very Fine, Super Fine

Production Paper

For dry sanding of body fillers

Art. No. 01574 70 36/60/80/120

(Grits: 36, 60, 80, 120)




SIA Glass Sanding Belts

For sanding and shaping of glass


Art. No. 01673 533 060/080/100/120

(Grits: P60/80/100/120)



ARIZONA Velcro Discs

For sanding old paint, fillers, plastics, factory primers on new parts and matting of paintwork.



Grains P40-P120

Initial sanding of factory primers on new parts (KTL paints), sanding off old paint, sanding out stone-chip damage and rusty areas, sanding dented areas down to bare metal, pre-sanding of polyester and fine filler, levelling of filler edges.

Grains P100-P600

Initial sanding of old paint during transition to new paint, matting of top-coat paints, sanding of plain paints, thermoplastic acrylic paints, clear lacquers, water-based paints, thick-film, primer, synthetic resin and nitro fillers, spray filler, 2-component and MS filling primers, and reaction primers.


Arizona Velcro Discs

Art. No. 05506 353...

(Grits: 40, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 500, 600.

RED PERFECT Velcro Discs

Used to sand fillers and filler compounds, old paints, HS top-coat paints, water-based paints, factory primers on new parts, plastic parts and composite fibre materials (e.g. GFRP).




Grains P600-P3000

Removing dirt and flaws, orange peel effect, trapped dust and paint runs in clear lacquer.

Art. No. 00581 353

080/100/120/150/200/250

(Grits: 800, 1000, 1200, 1500, 2000, 2500)






Aluminium Oxide Discs

For steel, non-ferrous, cast metals, and aluminium alloys.

Art. No. 00580 115...115mm

Art. No. 00580 125...125mm




Backing Pads

Art. No. 00586 580 115 - 115mm

Art. No. 00586 580 125 - 125mm

Art. No. 00586 580 180 - 180mm



Aluminium Oxide Discs

For steel, non-ferrous, cast metals, and aluminium alloys.

Art. No. 00580 115...115mm

Art. No. 00580 125...125mm

Art. No. 00580 180...180mm

- **Grain size 16-40:** Levelling welding seams, spot-welding points, brazing seams etc. Deburring work on sheet, cast and forged metal parts. Grinding off sprues
- **Grain size 40-80:** Smoothing of butt welds, edge breakage work and bare grinding of metal sheets and other metal surfaces.
- **Grain size 40-120:** Derusting, grinding off old paint layers, fine sanding in vehicle repair

Wood Dry Sand Paper Triangle



Art. No. 00581 498...

(Grits: 40, 60, 80, 100, 120, 150, 180, 240)

Starlock Triangular Backing Pad

Art. No. 00696 121 150

Grey Carat Paper

High-grade abrasive paper for hand sanding, especially for wood; the fine grains are also suitable for softer varnishes such as water varnish. High sanding performance and durability due to synthetic resin bond.



Art. No. 01582 01...

(6150/180/220/240/320/400)

Yellow Abrasive Paper

For machining veneers and solid wood. Sanding edges, rims and flat parts. For hand and machine use. Removes material quickly.



Art. No. 01581 18...

(P40/60/80/100/120/150/180/240/320)

Sanding Belts

For belt abrasive machines



Art. No. 00675...

Belt Size & Grit:

75mmx533mm (P40, 60, 80, 100, 120, 150)

100mmx610mm (P40, 60, 80, 100, 120, 150)

Cabinet Paper

For woodworking.




Art. No. 05506 144...

(P40/60/80/100/120/150/180/220/240/320/400/500)

Sanding Belt Cleaner

For effective cleaning of sanding belts



Art. No. 01675 001 - Belt Cleaner

Wire Brush



Art. No. 00697 4 - 4 Rows

Art. No. 00697 5 - 5 Rows



MOUNTED POINTS



Conical Point

Art. No. 00680 21

Head: Ø20x20mm - Grain 30



Round Point

Art. No. 00680 31

Head: Ø16mm - Grain 30



Tapered Point

Art. No. 00680 41

Head: Ø13x20mm - Grain 30



Cyl. Cone Point

Art. No. 00680 51

Head: Ø20x25mm - Grain 30



Cyl. Round Point

Art. No. 00680 61

Head: Ø20x25mm - Grain 30

BURRS



Cylindrical Type Burr

Art. No. 00616 001 011 - 6x18x50mm

Art. No. 00616 001 031 - 9.6x19x64mm

(with teeth on end face)



Cylindrical Type Burr

Art. No. 00616 000 000 - 3x14x38mm

Art. No. 00616 000 011 - 6x18x50

Art. No. 00616 000 041 - 12x25x70

(no teeth on end face)



Cylinder Point

Art. No. 00680 72

Head: Ø13x20mm - Grain 30



Disc Point

Art. No. 00680 73

Head: Ø20x6mm - Grain 46



Ball Type Burr

Art. No. 00616 003 000 - 3x3x38mm

Art. No. 00616 003 010 - 6x4.7x50mm



Cylindrical Tapered Burr

Art. No. 00616 005 041 - 12x21x66mm



Cylindrical Round Burr

Art. No. 00616 002 441 - 13x25x70mm



Cylindrical Round Burr

Art. No. 00616 002 000 - 3x14x38mm

Art. No. 00616 002 011 - 6x18x50

Art. No. 00616 002 031 - 9.6x19x64

Art. No. 00616 002 041 - 12x25x70



Conical Type Burr

Art. No. 00616 007 000 - 3x14x38mm

Art. No. 00616 007 011 - 6x18x50mm

Art. No. 00616 007 031 - 9.6x19x64mm

Art. No. 00616 007 041 - 12x25x70mm



Blunt Tapered Burr

Art. No. 00616 004 011 - 6x18x50mm

Art. No. 00616 004 041 - 12x25x70mm



Pointed Conical Burr


Art. No. 00616 630 312 - 3x12x38mm

Art. No. 00616 008 041 - 12x22x70mm



Tapered Burr

Art. No. 00616 006 041 - 12x30x75mm



How to measure...

A (diam. of head) X B (length of head) X C (total length of burr)



10 Pcs, Burr Set

Art. No. 00616 100

Hacksaw Blades

For use on tool steel (high- and low-alloyed), structural steel (high- and low-alloyed), high-speed steel, stainless steel.

Art. No. 00603 300 13 - 24TPi

Art. No. 00603 300 133 - 32TPi

Art. No. 00603 301 13 - 18-32TPi



Art. No. 00714 64 02 - Hacksaw frame



| Material thickness in mm | No. of teeth on 1" | Length in mm | Width in mm | Thickness in mm | Art. No. | P. Qty. |
|--------------------------|--------------------|--------------|-------------|-----------------|--------------|---------|
| Over 2 | 24 | 300 | 12.5 | 0.63 | 0603 300 13 | 10/50 |
| Up to 2 | 32 | 300 | 12.5 | 0.63 | 0603 300 133 | 10/50 |
| - | 18-32 | 300 | 13.0 | 0.65 | 0603 301 13* | 10/50 |

Junior Hacksaw Blades

All purpose blade, suited to steel.



Art. No. 00609 2 - 32TPi



Art. No. 00609 1 - Frame



ZEBRA Drills

Assembly drill for precise working in steel, tip angle 130°.



Art. No. 00624...



| | |
|-----------------------|--------------------|
| Tool life: | ●●○○ |
| Drilling speed: | ●●○○ |
| Drilled-hole quality: | ●●○○ |
| Versatility: | ●●○○ |
| Drilling behavior: | ●●○○ |
| Drilling depth: | 5 x drill bit dia. |

Drill Set 1-10mm - Art. No. 00624 000 001

Drill Set 1-13mm - Art. No. 00624 000 002

Double Ended Drill

Assembly drill for working in thin-sheet steel, tip angle 118°.

| | |
|-----------------------|------|
| Tool life: | ●●○○ |
| Drilling speed: | ●●○○ |
| Drilled-hole quality: | ●●○○ |
| Versatility: | ●○○○ |
| Drilling behavior: | ●●○○ |



Art. No. 00636...

Spot Weld Milling Cutter

Body workshops, sheet metal working operations, apparatus construction



Art. No. 00698 1 - Complete Cutter

Art. No. 00698 01 - Spare Blade

Spot Weld Drill HSCO

For simple removal of spot weld - can be used in a normal drill machine.



Art. No. 00710 006 - 6mm

Art. No. 00710 008 - 8mm

Spot Weld Drill HSCO

For simple removal of spot weld - for use in Vario drills.



Art. No. 00710 60 - 6mm

Art. No. 00710 80 - 8mm

Art. No. 00710 90 - **9mm** (Daimler/Ford Mondeo)

Wurth HSS Drill Bits

Cold-formed assembly drill for working in steel, tip angle 118°



Art. No. 00617....

| | |
|--------------------|------|
| Tool life | ●●●○ |
| Drilling speed | ●●○○ |
| Drill hole quality | ●●○○ |
| Versatility | ●●○○ |
| Drilling behavior | ●●○○ |
| Self-centering | Yes |

Dial-a-Drill 1-10mm -

Art. No. 00625 01 B2000 1-13mm Set -

TiN Head Drills

Titanium nitride-coated assembly drill bits for precise work in steel, tip angle 130°.

Art. No. 00624 020/021

New...



TiN Head Drill Set 1-10mm - Art. No. 00624 020 001

Zebra Masonry Drill

Impact drilling in concrete, masonry, sand-lime brick and natural stone. Also for rotary drilling in ceramic and marble.



Art. No. 00637 2...


Drill Set 3-10mm

Art. No. 00637 200



Slugger Bits

Particularly suitable for steel, thin sheet metal, non-ferrous metals and plastics.



Art. No. 00630...

(12-26mm)

Art. No. 00630 930 001

Ejector Pin

Do not use in dry state, ensure cooling fluids are used

HSCO Twist Drill

Precision drill for stainless steel, tip angle 130°.



Art. No. 00626...



| | |
|-----------------------|--------------------|
| Tool life: | ●●●○ |
| Drilling speed: | ●●●○ |
| Drilled-hole quality: | ●●●○ |
| Versatility: | ●●●○ |
| Drilling behavior: | ●●●○ |
| Drilling depth: | 5 x drill bit dia. |

Drill Set 1-10mm - Art. No. 00626 000 002

| | |
|-----------------------|----------------------------|
| Tool life: | ●●●○ |
| Drilling speed: | ●●●○ |
| Drilled-hole quality: | ●●●○ |
| Versatility: | ●●●○ |
| Drilling behavior: | ●●●○ |
| Drilling depth: | approx. 5 x drill bit dia. |

Multi Purpose Drill

Rotary drilling in tiles, solid brick, roof tiles, cavity bricks, stone, marble, wood, plastic, metal etc.



Art. No. 00641...

Zebra Step Drill

Extremely versatile and fast spiral stepped drill bits with an exceptionally long service life



Art. No. 00694 423 412 - 4 to 12mm

Art. No. 00694 423 420 - 4 to 20mm

Art. No. 00694 423 630 - 4 to 30mm Titan



Flat Mount Blades

Special quality for higher-strength vehicle body sheet metal



Art. No. 00696 914 1 - Wood, aluminium, plastic.

Art. No. 00696 918 1 - For tight radii.

Art. No. 00696 924 1 - Double/triple sheeting.

Art. No. 00696 932 1 - Thin sheet metal/high strength steels.

Reciprocating Saw DST 380

Art. No. 00703 883



SiG Mount Blades

Special quality for higher-strength vehicle body sheet metal



Art. No. 00696 914 - Wood, aluminium, plastic.

Art. No. 00696 918 - For tight radii.

Art. No. 00696 924 - Double/triple sheeting.

Art. No. 00696 932 - Thin sheet metal/high strength steels.

Hand Taps

Taper, Intermediate and Plug Tap Sets and Assortments for metric ISO threads according to DIN 13.



Art. No. 00639...Tap Sets (individual Sets 1st, 2nd, 3rd Cuts)

Art. No. 00640...Individual Taps (1st, 2nd, 3rd) (M3, 4, 5, 6, 8, 10, 12, 14, 16, 20)

Art. No. 00639 01...Tap Set (M3-M12)

Dies

Design B (closed, pre-slotted. For metric ISO fine threads DIN 13-2



Art. No. 00652...Individual Dies (M5-M14)

Die Wrench

Art. No. 00659...



Tap and Die Assortment



Art. No. 05964 065 200 - M3 to M12

Art. No. 05964 065 201 - M5 to M20

Combi Screw Taps

Ground precision tool for drilling, thread cutting and countersinking in one step



Art. No. 00653 97...(individual Taps)

Art. No. 00653 971...(Complete Sets)



1. Pilot-drilling with twist drill
2. Tapping
3. Cleaning of thread during withdrawal
4. De-burring of thread
5. Stop locks tool in drill chuck

B2000 Hole Saw

For use in all steel materials, plus cast metal, copper, bronze, aluminium, plastics and wood.



Art. No. 00632...(Individual Saws)



Pilot Drill for Hole Saw

Art. No. 00632 014 - for 00632 02

Art. No. 00632 014 1 - for 00632 04



Cutter Holder for Hole Saw

Art. No. 00 632 02 - 32 to 152mm

Art. No. 00632 04 - 14 to 29mm


Tap Wrench

Art. No. 00657...



Tap Handles

Art. No. 00715 42...



Bi-Metal HSCO Hole Saw

Steel/stainless steel. Extremely fast drilling speed and long service life, even on stainless steel solid materials.



Art. No. 00632 900... (individual)

Art. No. 00964 632 901...(Set)



Wire Cup Brushes

For removal of scale, rust, and paint, as well as for deburring and polishing.



Art. No. 00714 69 01 - 70mm

Art. No. 00714 691 310 - 80mm

Art. No. 00993 579 110 - 100mm

Brush Belts


Especially suitable for areas around weld seams, contours and edges. With sand blasting effect, ensures good adhesion for tin coating and trowel application. For fast removal of underseal, sealing compounds, paint, rust and films.



Brush Belts 11mm

Art. No. 00703 350 51 - Coarse

Art. No. 00703 350 31 - Fine



Brush Belts 23mm

Art. No. 00703 350 1 - Coarse

Art. No. 00703 350 3 - Fine

DBS 3600

Time-saving system for removing underseal, sealing compounds, paint, rust and films



Art. No. 00703 360 1 - DBS 3600 Kit Complete

Nylon Sanding Fleece Disc



Art. No. 00585 110 0 - 100x13mm

Decal Remover for 00703 360 1

For fast and easy removal of films, stickers and adhesive residues on metallic and paint surfaces.



Art. No. 00585 91 - Decal Remover

Flange for 23mm Brush Belts



Art. No. 00703 350 2 - 23mm Flange

Decal Remover

For fast and easy removal of films, stickers and adhesive residues on metallic and paint surfaces. For use with a standard drill



Art. No. 00585 90 - Decal Remover



Wire Brush

Art. No. 00697 4 - 4 Rows

Art. No. 00697 5 - 5 Rows



Masonry Processing

SDS-MAX Chisels



Flat Chisel

Art. No. 00647 040 025

Length 400mm, Width 25mm.

Art. No. 00647 060 025

Length 600mm, Width 25mm.



Pointed Mortise Chisel

Art. No. 00647 040 0

Length 400mm.



Spade Chisel

Art. No. 00647 853 115

Length 350mm

Width 115mm.



Spade Chisel

Art. No. 00647 853 50

Length 380mm

Width 50mm.



Tile Chisel

Art. No. 00647 855 50

Length 380mm

Width 50mm.



Pointed Mortise Chisel

Art. No. 00647 851 280

Length 280mm.



Flat Chisel

Art. No. 00647 852 225

Length 280mm

Width 25mm.



32mm Drill and Chisel Hammer (SDS Plus)

Art. No. 00702 543 1

Rugged drill and chisel hammer in the top SDS-plus performance class for drilling diameters up to 32mm in concrete.



Hammer Drill H24-MLS (SDS Plus)


Art. No. 05708 202 1

Light-weight hammers drills for normal drilling, hammer drilling and light corrective chiselling in masonry.

SDS-Plus Percussion Drills

Art. No. 00648 33...

Range from M5 to M24 - different lengths available.



SDS-Plus Quadro Drills

Art. No. 00648 05...

Range from M5 to M24 - different lengths available.



SDS Plus Quadro Drill Set, 7Pcs

Art. No. 00648 050 001



Schneller Diamond Blade 115mm/230mm

Cured concrete, pre-stressed concrete, general masonry, refractory, terrazzo, reinforced concrete, cement pavers, hard clay pavers, face brick.



Art. No. 01668 3 - 115mm Schneller

Art. No. 01668 1 - 230mm Schneller

Fachman Diamond Blade 115mm/230mm

Stock bricks, cement pavers, soft cement, green concrete, asphalt, cement block.



Art. No. 01668 4 - 115mm Fachman

Art. No. 01668 2 - 230mm Fachman

Diamond Chaser 125mm

For use with wall chasing equipment



Art. No. 01668 71 - Wall Chaser 125mm



REDLINE Segmented Diamond Disc

Art. No. 00668 152 115 - 115mm

Art. No. 00668 152 125 - 125mm

Art. No. 00668 152 230 - 230mm



REDLINE Turbo Diamond Disc

Art. No. 00668 154 115 - 115mm

Art. No. 00668 154 125 - 125mm

Art. No. 00668 154 230 - 230mm

Wood Twist Drills

For hardwood, wood and plastics. The hardwood professional for optimum centring and chip removal.



Art. No. 00650...



Push - On Countersink (1495)

Art. No. 00650 7...

For Wood Twist Drills

Conical Countersink

For deburring 90° countersinks



Art. No. 00694 021...



Conical C/Sink Set - Art. No. 00694 021 01



Cup Drill 35mm

For machining wood (right-hand movement)



JIGSAW BLADES



Jig Saw Blade Hardwood Up-cut

Art. No. 00608 115 90



Jig Saw Blade Hardwood Up-cut

Art. No. 00608 115 92



Jig Saw Blade for Stainless Steel A2

Art. No. 00608 115 93



Jig Saw Blade for Aluminium Up-cut

Art. No. 00608 116 008



Jig Saw Blade for Glass/Fibreglass

Art. No. 00608 115 95



Jig Saw Blade for Hard and Soft Wood

Art. No. 00608 116 100



Jig Saw Blade for various Metals

Art. No. 00608 116 104



Jig Saw Blade for Thick Steel 110mm

Art. No. 00608 116 105



Jig Saw Blade for Thin Steel 105mm

Art. No. 00608 116 106



Jig Saw Blade for Plywood/Plaster Fibreboard

Art. No. 00608 116 111



Jig Saw Blade for Plywood/PVC Plastic

Art. No. 00608 116 112



Jig Saw Blade Universal

Art. No. 00608 116 345



Jig Saw Blade for Non-Ferrous (Bi-Metal)

Art. No. 00615 050 15



Jig Saw Blade for Thin Metal (Bi-Metal)

Art. No. 00615 050 20



Jig Saw Blade for Wood (Nails) (Bi-Metal)

Art. No. 00615 050 25



Jig Saw Blade for Laminate/Ply (Bi-Metal)

Art. No. 00615 075 25



Jig Saw Blade for Stainless Steel (Bi-Metal)

Art. No. 00615 250 14



Jig Saw Blade for Alu/Non Ferrous

Art. No. 00615 075 30

Jig Saw STP 140 EXACT

Art. No. 05706 701 2

With bow-type handle, ideal for high-precision applications



SABER SAW BLADES

Sabre Saw Blade for Wood 150mm

Art. No. 00608 030 22





ROUTER BITS

Sabre Saw Blade for Insulation 300mm

Art. No. 00615 730 010



Sabre Saw Blade for Metal 100mm

Art. No. 00615 910 014



Sabre Saw Blade for Metal 150mm

Art. No. 00615 915 010



Circular Saw Blade 85x20x15

Art. No. 00610 085 200



ROUTER BITS

Straight Bit - 2 Flute

Art. No. 01612 06

1/2" Dia. X 38mm Long - 1/2" Shank

Art. No. 01612 07

1/2" Dia. X 50mm Long - 1/2" Shank

Art. No. 01612 01

1/2" Dia. X 63mm Long - 1/2" Shank

Art. No. 01612 047

5/8" Dia. X 32mm Long - 1/2" Shank

Art. No. 01612 042

3/8" Dia. X 1" Long - 1/2" Shank

Art. No. 01612 51

1/2" Dia. X 32mm Long - 1/4" Shank



Laminating Trim Bit

Art. No. 01612 96

1/2" Dia. X 1" Long - 1/4" Shank

Lam. Trim Bit

Art. No. 01612 076

1/2" Dia. X 1" Long - 1/2" Shank



Straight Bit Single Flute

Art. No. 01612 135

3mm Dia. X 13mm Long - 1/4" Shank

Art. No. 01612 171

6mm Dia. X



Corner Rounding Bit

Art. No. 01612 23

5/16" Radius - Shank 1/4"

Art. No. 01612 25

1/2" Radius - Shank 1/4"



Rabbeting Bit

Art. No. 01612 085


Cut Height 38mm/ Cut Width 31.8mm

Shank 1/2"/Shank Length 38mm




How to measure...

A (diam. Of bit) X B (trim diameter) - C
(shank diameter)



1/2" Router Bit Set

Art. No. 01612 964



Hinge Boring Machine

Art. No. 00683 800 400

Can be used for hinge drill holes (optimally suited for Nexis/Tiemos Impresso quick-mounting hinges) and base plate drilling.



15A Shroud Conical

Art. No. 01982 101 515
Length 53.5mm
Outer Dia. 18mm
Int. Dia. @ tip 12mm



25A Shroud Conical

Art. No. 01982 102 515
Length 57mm
Outer Dia. 22mm
Int. Dia. @ tip 15mm



36A Shroud Conical

Art. No. 01982 103 615
Length 84.5mm
Outer Dia. 24mm
Int. Dia. @ tip 16mm



T40 Shroud Conical

Art. No. 01982 104 015
Length 90mm
Outer Dia. 26mm
Int. Dia. @ tip 18mm



T501 Shroud Conical

Art. No. 01982 195 015
Length 76mm
Outer Dia. 24mm
Int. Dia. @ tip 16mm



15A Tip Holder R/Hand - 6mm

Art. No. 01982 101 533
Length 42mm
Int. Dia. @ tip 6mm
Int. Dia. @ base 8mm



25A Tip Holder - 6mm

Art. No. 01982 102 532
Length 35mm
Int. Dia. @ tip 6mm



36A Tip Holder - 6mm

Art. No. 01982 103 642
36A Tip Holder - 8mm
Art. No. 01982 103 642
Length 28.5mm



40A Tip Holder - 8mm

Art. No. 01982 104 042
Length 43mm
Int. Dia. @ tip 8mm




501A Tip Holder - 8mm

Art. No. 01982 115 042
Length 25mm
Int. Dia. @ tip 8mm



Contact Tips M6 & M8

Art. No. 01982 199...
For 1.2, 1.4 and 1.6mm
Wire Sizes



T15 Neck Spring

Art. No. 01982 101 525




36A White Gas Diffuser

Art. No. 01982 103 620
Length 32mm
Int. Dia. @ tip 10.5mm



BNZ Style 40A Gas Diffuser

Art. No. 01982 104 020
Length 36mm
Int. Dia. @ tip 11mm




Liners

Art. No. 01982 191...



15A Goose Neck

Art. No. 01982 101 510
Total Length (a.) 170mm



25A Goose Neck

Art. No. 01982 102 510
Total Length (a.) 170mm




36A Goose Neck

Art. No. 01982 103 610
Total Length (a.) 230mm



40A Goose Neck

Art. No. 01982 104 010
Total Length (a.) 207mm



501A Goose Neck

Art. No. 01982 115 010
Total Length (a.) 203mm



Torches

Art. No. 01982 101 504 MB 15A x 4M Torch

Art. No. 01982 102 504 MB 25A x 4M Torch

Art. No. 01982 103 604 MB 36A x 4M Torch

Art. No. 01982 104 004 MB 40 x 4M Torch



Torches

Art. No. 01982 115 004 MB 501 x 4M WATER COOLED



General Purpose Electrodes

Art. No. 01982 1 - 2.0mm

Art. No. 01982 2 - 2.5mm

Art. No. 01982 3 - 3.2mm



11" Heat Welding Gloves (Kevlar Stitched)

Art. No. 00984 310 001



16" Pro Welding Gloves (Kevlar Stitched)

Art. No. 00984 310 002



Welders Gloves

Art. No. 00984 315



Flip Up Welding Goggles

Art. No. 00984 503 51



Auto Dimming Welding Helmet

Art. No. 00984 700 200

Art. No. 00984 700 201 - Front Lens

Art. No. 00984 700 202 - Inner Lens



Anti Spatter Protection 5Ltr / 300ml

Art. No. 00893 102 10 - 5Ltr (Silicone Free)


Art. No. 00893 102 100 - 300ml (Silicone Free)

Prevents the burning of weld splashes on metals, VA materials and welding torch nozzles.



Pole Welding Clamp

Art. No. 00695 964 11



Angled Magnet

Art. No. 00691 180



Cable Connector
Art. No. 00558 173 0
M6x6.3x0.8mm



Cable Connector
Art. No. 00558 160 61
M5x6.3x0.8mm



Insulating Cover
Art. No. 00558 180 9
6.3mm²



Insulating Cover
Art. No. 00558 181 0
6.3mm²



Flat Plug 2.8mm
Art. No. 00558 190 82



Plug In Conn.
Art. No. 00558 190 9
0.5-1.0mm²



Flat Plug 2.8mm
Art. No. 00558 198 002



Male Spade 6.3mm
Art. No. 00558 501 9



S/Female 7.7mm
Art. No. 00558 502 0
0.5-1.5mm² - Lock. Pin



S/Female 2.8mm
Art. No. 00558 502 9
0.5-1.0mm²



Bullet Male M4
Art. No. 00558 503 8
0.5-1.0mm²



S/Female 6.3mm
Art. No. 00558 504 0
0.5-1.0mm²



S/Female 6.3mm
Art. No. 00558 504 7
4.0-6.0mm²



Male Ring w/rivet
Art. No. 00558 504 9



Bullet Female M4
Art. No. 00558 505 1
1.5-2.5mm²



Spade Male 6.3mm
Art. No. 00558 505 4
1.5-2.5mm² - Lock. Pin



Spade Male 2.8mm
Art. No. 00558 505 41
1.0-1.5mm² - Lock. Pin



Bullet Male M4
Art. No. 00558 513 3
1.5-2.5mm²



Spade Male 6.3mm
Art. No. 00558 513 5
0.5-1.0mm²



Spade Male 2.9mm
Art. No. 00558 514 4
0.5-1.0mm²



Ring Tongue
Art. No. 00558 521 5 - M4
Art. No. 00558 521 7 - M5
Art. No. 00558 521 9 - M6
Art. No. 00558 522 1 - M8



S/Female 9.5mm
Art. No. 00558 526 6
4.0-6.0mm²



S/Female 4.8mm
Art. No. 00558 531 2
1.5-2.5mm²




S/Female 2.8mm
Art. No. 00558 601 0
0.5-1.0mm² - Lock. Pin



S/Female 6.3mm
Art. No. 00558 603 2
1.5-2.5mm²



S/Female 2.8mm
Art. No. 00558 603 21
1.0-1.5mm² - Lock. Pin



S/Female Offset M8
Art. No. 00558 630 2
1.5-2.5mm² - Lock. Pin



2xMale/Female Term.
Art. No. 00558 928
6.3mm



S/Female 6.3mm
Art. No. 00558 929
1.5-2.5mm²



Female Angled
Art. No. 00558 958
6.3mm



Circular Plug
Art. No. 00558 990 4
4.0-6.0mm² - Lock. Pin



Female Bullet
Art. No. 00558 990 5
1.0-2.5mm² - Lock. Pin



Male Bullet
Art. No. 00558 990 6
1.0-2.5mm² - Lock. Pin



2 Hook Round
Art. No. 00558 990 7



BMW Term.
Art. No. 00558 990 8
0.5-1.0mm² - Lock. Pin




Blade Term. 2.8mm
Art. No. 00558 990 9
0.5-1.5mm² - Lock. Pin



S/Female 6.3mm
Art. No. 00558 991 6
0.5-1.5mm² - Lock. Pin



S/Female 6.3mm
Art. No. 00558 991 7
1.5-2.5mm²



Spade Male
Art. No. 00558 991 8
1.5-2.5mm²



S/Female 4.8mm
Art. No. 00558 992 1
1.5-2.5mm²




Spade Male 2.8mm
Art. No. 00558 992 4
0.5-1.0mm² - Lock. Pin




S/Female 6.3mm
Art. No. 00558 992 6
4.0-6.0mm²



S/Female 6.3mm
Art. No. 00558 992 8
1.0-2.5mm² - Lock. Pin



Female Bullet
Art. No. 00558 993 1
0.5-1.5mm² - Lock. Pin



Male Bullet
Art. No. 00558 993 2
0.5-1.5mm² - Lock. Pin



Spade Male 6.3mm
Art. No. 00558 993 4
4.0-6.0mm² - Lock. Pin



Spade Male 6.3mm
Art. No. 00558 993 5
1.5-2.5mm²



S/Female Offset 6.3mm
Art. No. 00558 994 1
1.5-2.5mm²




Spade Male 5.1mm
Art. No. 00558 994 6
0.75-2.0mm² - Lock.




Spade Male
Art. No. 00558 995 81
0.75-1.5mm²



Blade Contact
Art. No. 00558 995 82
0.75-1.5mm²



Spade Male 6.3mm
Art. No. 00558 996 0
0.5-1.0mm² - Lock. Pin



S/Female 6.3mm
Art. No. 00558 996 1
1.5-2.5mm²



S/Female 6.3mm
Art. No. 00558 996 2
4.0-6.0mm² - Lock Pin




Spade Male
Art. No. 00558 996 3
4.0-6.0mm² - Lock. Pin



Female Bullet
Art. No. 00558 996 8
0.5-1.0mm²



Plug in Connector
Art. No. 00558 996 9
1.5-2.5mm²



Male Bullet
Art. No. 00558 997 1
1.5-2.5mm² - Lock. Pin



Plug in Connector
Art. No. 00558 997 2
0.5-1.5mm²



Plug in Conn. 5.8mm
Art. No. 00558 997 23
1.5-2.5mm²



Female Bullet
Art. No. 00558 997 7
2.1-5.3mm² - Lock. Pin



Art. No. 00558 10 - For Non and Ins. Terminals



Art. No. 00558 13 - For Non Insulated Terminals

**AU - Gold: SN - Tin****AMP Micro 009A Quadlock 0.5mm²****Art. No. 00558 470 001 (AU)****(VW Part #: VW 000 979 009 A)****Art. No. 00558 470 002 (SN)****(VW Part #: VW 000 979 009)****AMP Micro 012A Quadlock 0.5mm²****Art. No. 00558 470 101 (AU)****(VW Part #: VW 000 979 012 A)****Art. No. 00558 470 102 (SN)****(VW Part #: VW 000 979 012)****Removal Tool****Art. No. 00713 558 201****AMP Micro Timer 006 MT1****Art. No. 00558 471 001 (SN) - 0.5mm²*****(VW Part #: VW 000 979 006)****Art. No. 00558 471 002 (SN) - 1.0mm²*****(VW Part #: VW 000 979 223)****Art. No. 00558 471 003 (AU) - 0.5mm²******(VW Part #: VW 000 979 019 A)****Art. No. 00558 471 004 (AU) - 1.0mm²******(VW Part #: VW 000 979 131 A)****Art. No. 00558 471 005 (AU) - 0.5mm²******(VW Part #: VW 000 979 019)****Art. No. 00558 471 006 (AU) - 1.0mm²******(VW Part #: VW 000 979 131)****Removal Tool*****Art. No. 00713 558 201****AMP Micro Timer 006 MT1****Art. No. 00558 471 103 (AU) - 0.5mm²******(VW Part #: VW 000 979 020 A)****Art. No. 00558 471 104 (AU) - 1.0mm²******(VW Part #: VW 000 979 132 A)****Art. No. 00558 471 105 (SN) - 0.5mm²******(VW Part #: VW 000 979 020)****Art. No. 00558 471 106 (SN) - 1.0mm²******(VW Part #: VW 000 979 132)****Removal Tool******Art. No. 00713 558 201****AMP MCP****Art. No. 00558 473 002 (SN) - 1.0mm²*****(VW Part #: VW 000 979 025)****Art. No. 00558 473 004 (SN) - 1.0mm²******(VW Part #: VW 000 979 026)****Art. No. 00558 473 006 (SN) - 2.5mm²******(VW Part #: VW 000 979 242)****Removal Tool*****Art. No. 00713 558 321****Removal Tool******Art. No. 00713 558 322****AMP Junior Power Timer****Art. No. 00558 472 001 (AU) - 1.0mm²*****(VW Part #: VW 000 979 133 A)****Art. No. 00558 472 002 (AU) - 2.5mm²*****(VW Part #: VW 000 979 225 A)****Art. No. 00558 472 003 (SN) - 1.0mm²*****(VW Part #: VW 000 979 133)****Art. No. 00558 472 004 (SN) - 2.5mm²*****(VW Part #: VW 000 979 225)****Removal Tool*****Art. No. 00713 558 312****AMP Junior Power Timer****Art. No. 00558 472 101 (AU) - 1.0mm²*****(VW Part #: VW 000 979 134 A)****Art. No. 00558 472 102 (AU) - 2.5mm²*****(VW Part #: VW 000 979 226 A)****Art. No. 00558 472 103 (SN) - 1.0mm²*****(VW Part #: VW 000 979 134)****Art. No. 00558 472 104 (SN) - 2.5mm²*****(VW Part #: VW 000 979 226)****Art. No. 00558 472 106 (SN) - 1.0mm²******(VW Part #: VW 000 979 129)****Removal Tool******Art. No. 00713 558 412****KOSTAL MLK 1.2mm****Art. No. 00558 474 002 (SN) - 1.0mm²****Art. No. 00558 474 102 (SN) - 1.0mm²****YAZAKI 1.5mm****Art. No. 00558 476 001 (AU) - 1.0mm²****Art. No. 00558 476 003 (SN) - 1.0mm²****KOSTAL SLK 2.8mm****Art. No. 00558 475 001 (SN) - 1.0mm²*****(VW Part #: VW 000 979 157)****Art. No. 00558 475 002 (SN) - 2.5mm²*****(VW Part #: VW 000 979 251 C)****Removal Tool*****Art. No. 00713 558 342****Art. No. 00558 475 101 (SN) - 1.0mm²*****(VW Part #: VW 000 979 162 C)****Art. No. 00558 475 102 (SN) - 2.5mm²*****Removal Tool*****Art. No. 00713 558 343**



DEUTSCH DT connectors are environmentally-sealed connectors designed for cable to cable applications on the engine or transmission, under the hood, on the chassis, or in the cab. Ideally suited for Automotive, Industrial and Marine use. Having an IP rating of "IP67" means that the connection is totally dustproof and resistant to immersion in water up to 1 M (tested for 30 minutes).

**2 PIN DT FEMALE**

Art. No. 00555 200 20

(OEM #: DT04-2P)

**2 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 002

(OEM #: W2P)

**2 PIN DT MALE**

Art. No. 00555 200 21

(OEM #: DT06-2S)

**2 PIN WEDGE LOCK MALE**

Art. No. 00555 209 102

(OEM #: W2S)

**3 PIN DT FEMALE**

Art. No. 00555 200 30

(OEM #: DT04-3P)

**3 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 003

(OEM #: W3P)

**3 PIN DT MALE**

Art. No. 00555 200 31

(OEM #: DT06-3S)

**3 PIN WEDGE LOCK MALE**

Art. No. 00555 209 103

(OEM #: W3S)

**4 PIN DT FEMALE**

Art. No. 00555 200 40

(OEM #: DT04-4P)

**4 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 004

(OEM #: W4P)

**4 PIN DT MALE**

Art. No. 00555 200 41

(OEM #: DT06-4S)

**4 PIN WEDGE LOCK MALE**

Art. No. 00555 209 104

(OEM #: W4S-ZZ)

**6 PIN DT FEMALE**

Art. No. 00555 200 60

(OEM #: DT04-6P)

**6 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 006

(OEM #: W6P)

**6 PIN DT MALE**


Art. No. 00555 200 61

(OEM #: DT06-6S)

**6 PIN WEDGE LOCK MALE**

Art. No. 00555 209 106

(OEM #: W6S)

**8 PIN DT FEMALE**

Art. No. 00555 200 80

(OEM #: DT04-08PA)

**8 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 008

(OEM #: W8P)

**8 PIN DT MALE**


Art. No. 00555 200 81

(OEM #: DT06-08SA)

**8 PIN WEDGE LOCK MALE**

Art. No. 00555 209 108

(OEM #: W8S)

**12 PIN DT FEMALE**

Art. No. 00555 200 120

(OEM #: DT04-12PA)

**12 PIN WEDGE LOCK FEMALE**

Art. No. 00555 209 012

(OEM #: W12P)

**12 PIN DT MALE**

Art. No. 00555 200 121

(OEM #: DT06-12SA)

**12 PIN WEDGE LOCK MALE**

Art. No. 00555 209 112

(OEM #: W12S)

TERMINALS FOR (ALL) FEMALE HOUSINGS**SOCKET 0.5mm-1.3mm**

Art. No. 00558 203 002

(OEM #: 0462-201-16141)

**SOCKET 1.3mm-2.1mm**

Art. No. 00558 203 004

(OEM #: 0462-209-16141)

**SOCKET 0.5mm-1.3mm**

Art. No. 00558 203 102

(OEM #: 0460-202-16141)

**SOCKET 1.3mm-2.1mm**

Art. No. 00558 203 104

(OEM #: 0460-215-16141)

SEALING STOPPERS FOR DT SERIES**SEALING STOPPERS**

Art. No. 00555 208 001

(OEM #: 114017-ZZ)

EJECTOR TOOLS**EJECTOR TOOLS**

Art. No. 00713 558 241

(Used for removing terminals & male wedge locks)

**EJECTOR TOOLS**

Art. No. 00713 558 640

(Used for removing the female wedge locks)

**CRIMPING TOOL**

Art. No. 00714 107 500

**HEAD FOR CRIMPING TOOL**

Art. No. 00714 107 510

**Red Ring Tongue (0.5-1.0mm²)**

Art. No. 01558 900 1 - M3 Twin
 Art. No. 01558 901 1 - M4 Twin
 Art. No. 01558 902 1 - M5 Twin
 Art. No. 01558 903 1 - M6 Twin
 Art. No. 01558 904 1 - M8 Twin
 Art. No. 01558 904 11 - M10 Twin

**Blue Ring Tongue (1.5-2.5mm²)**

Art. No. 01558 908 2 - M4 Twin
 Art. No. 01558 909 2 - M5 Twin
 Art. No. 01558 910 2 - M6 Twin
 Art. No. 01558 911 2 - M8 Twin
 Art. No. 01558 912 2 - M10 Twin

**Yellow Ring Tongue (4.0-6.0mm²)**

Art. No. 01558 914 4 - M4 Twin
 Art. No. 01558 915 4 - M5 Twin
 Art. No. 01558 916 4 - M6 Twin
 Art. No. 01558 917 4 - M8 Twin
 Art. No. 01558 918 4 - M10 Twin

**Female Disconnect Spade**

Art. No. 00558 976 1 - Red 4.8mm
 Art. No. 00558 960 - Red 2.8mm
 Art. No. 00558 940 2 - Blue 8.2mm
 Art. No. 01558 905 2 - Blue Twin 6.3mm
 Art. No. 00558 976 2 - Blue 4.8mm
 Art. No. 00558 941 4 - Yellow 9.5mm
 Art. No. 00558 905 4 - Yellow Twin 6.3mm

**Male Disconnect Spade**

Art. No. 01558 944 1 - Red Twin 6.3mm
 Art. No. 00558 939 1 - Red 4.8mm
 Art. No. 00558 975 1 - Red 2.8mm
 Art. No. 01558 945 2 - Blue Twin 6.3mm
 Art. No. 00558 939 2 - Blue 4.8mm
 Art. No. 01558 946 3 - Yellow Twin 6.3mm

**Bullet Male**

Art. No. 01558 946 1 - Red Twin 4mm
 Art. No. 01558 948 2 - Blue Twin 5mm
 Art. No. 01558 961 - Yellow Twin 5mm

**Disc. Female 6.3mm**

Art. No. 01558 980 11 - Red
 Art. No. 00558 905 11 - Red, Single
 Art. No. 01558 980 22 - Blue
 Art. No. 01558 980 33 - Yellow

**Cable Connector**

Art. No. 01558 925 1 - Red
 Art. No. 01558 926 2 - Blue
 Art. No. 01558 927 4 - Yellow

**Bullet Female**

Art. No. 01558 947 1 - Red Twin 4mm
 Art. No. 01558 949 2 - Blue Twin 5mm
 Art. No. 01558 962 - Yellow Twin 5mm

**Fork Terminals (2932)**

Art. No. 00 967 401 054 - Blue M4 (0.5-1.5mm²)
 Art. No. 00967 401 154 - Blue M4 (1.5-2.5mm²)
 Art. No. 00967 401 155 - Blue M5 (1.5-2.5mm²)
 Art. No. 00967 401 405 - Yellow M5 (4.0-6.0mm²)



**Female + Male Conn.**

Art. No. 01558 942 1 - Red Twin
 Art. No. 01558 943 2 - Blue Twin

**Crimping Pliers (Ins)**

Art. No. 01558 001

Picture slightly different to actual product

**Ins. Ferrules**Art. No. 00557 000 50 - Orange 0.5mm²Art. No. 00557 000 75 - White 0.75mm²Art. No. 00557 001 00 - Yellow 1.0mm²Art. No. 00557 001 50 - Red 1.5mm²**Art. No. 00557 10 - Ferrule Pliers**Art. No. 00557 006 00 - Black 6.0mm²Art. No. 00557 300 251 - Blue 2.5mm²Art. No. 00557 300 401 - Grey 4.0mm²**Wire End Ferrules**Art. No. 00557 184 050 - 10mm²x15mmArt. No. 00557 184 098 - 4.0mm²x12mmArt. No. 00557 184 218 - 4.0mm²x9mmArt. No. 00557 184 103 - 2.5mm²x12mmArt. No. 00557 184 191 - 2.5mm²x7mmArt. No. 00557 184 983 - 6.0mm²x12mm**Cable Connectors**Art. No. 00555 557 - Red 0.5-1.5mm²Art. No. 00555 564 - Blue 1.0-2.5mm²Art. No. 00555 562 - Yellow 4.0-6.0mm²Art. No. 00555 951 - Red Releasable 0.5-0.75mm²**Heat Shrink Connectors**Art. No. 00555 510 1 - Red 0.5-1.5mm²Art. No. 00555 510 2 - Blue 1.5-2.5mm²Art. No. 00555 510 4 - Yellow 4.0-6.0mm²**Heat Shrink & Solder Connectors**

Art. No. 00555 923 1 - Red 2.7mm

Art. No. 00555 923 2 - Blue 4.5mm

Art. No. 00555 923 3 - Yellow 6.0mm

**Terminal Blocks**

Art. No. 00556...

**12Way Connector Strip**

Art. No. 00555 4

Plug Width 6.3mm

**3 Way Cable Connector**

Art. No. 00555 11

Plug Width 6.3mm


**4 Way Cable Connector**

Art. No. 00555 12

Plug Width 6.3mm

**Terminal Connectors**

Art. No. 00555...

Compatible Terminals**00558 505 4/603 2****Waterproof Connectors**

Art. No. 00555 102... - Female Conn.

Art. No. 00555 103... - Male Conn.

Compatible Terminals**00558 995 81/995 82****Compatible Seals****00558 991 41 (Yellow)/991 42 (Red)****Solder Lugs**

Art. No. 00557...

**Blade Fuse Holder**

Art. No. 00555 972

0.75-2.0mm²**Blade Fuse Holder W/proof**

Art. No. 00555 974

2.5mm² up to Max. 30Amps**Fuse Holder**

Art. No. 00555 625

Up to 2.5mm²/5-25amps



Fuses

Art. No. 00730 25...



Maxi Blade

Art. No. 00731 301...




Mini Blade Fuses

Art. No. 05208 302...



Mini Blade Fuses

Art. No. 05208 300...



Blade Fuses

Art. No. 05208 0...



MICRO 2 Flat Blade

Art. No. 00731 313...



Strip Fuses

Art. No. 00731 50 -
50Amp Art. No.



Radio Fuse

Art. No. 00730 20 5
20mm x 5AMP




Auto Current Tester

Art. No. 00715 53 090 - Std Fuse.

Art. No. 00715 53 091 - Mini Fuse.

For current measurement in fuse boxes. (0-20Amp)

Max. 48V DC).



Alkaline Battery "HIGH POWER"

Art. No. 00827...



Heat Shrink

Art. No. 00771 8..Rolls

Art. No. 00771 00...100mm



PVC Sleeving

Art. No. 00771...



Corrugated Split Sleeving

Art. No. 01771...



Wire Protect Coil

Art. No. 00771 00...



Battery Terminals 0-50mm²

Art. No. 00510 1 - (+) Art. No. 00510 2 - (-) Art. No. 00510 3 - (-)



Battery Clamps MAN

Art. No. 00510 17 - Positive

Art. No. 00510 18 - Negative



Battery Clamps HD

Art. No. 00510 19 - Positive Art.

No. 00510 20 - Negative



1000A Charging Clamps

Art. No. 00773 307 1

Art. No. 00773 307 6



120A Charging Clamp

Art. No. 00773 314 1

Art. No. 00773 314 6



60A Charging Clamp

Art. No. 00773 321 1

Art. No. 00773 321 6



- Working Length: 4M
- 6x1.0mm², 1x1.5mm²
- Spiral Diameter: 40mm

7 Wire Spiral Coil

Art. No. 01510 956 0



7Pin Connector

Art. No. 01555 405 118



7 Pole Alu. Socket

Art. No. 00555 305 118



7 Pole Socket

Art. No. 00555 506 411



7Pin Connector

Art. No. 01555 405 517



7 Pole Alu. Plug

Art. No. 00555 305 517




7 Wire 24V Elec. Suzi

Art. No. 00510 956 01



7 Wire 12V Elec. Suzi

Art. No. 00510 956 02



7 Wire 12V/24V Elec. Suzi

Art. No. 00510 956 03

- Working Length: 4M
- 6x1.0mm², 1x1.5mm²
- Spiral Diameter: 40mm



2x7 Pin Wire Spiral Coil

Art. No. 01510 956 2

- Working Length: 4M
- 5x1.5mm², 2x2.5mm²
- Spiral Diameter: 50mm



2x7 Pin EBS Coiled Cable

Art. No. 00510 950 71

- Working Length: 4M
- 12x1.5mm², 3x2.5mm²
- Spiral Diameter: 60mm



2x15 Pin Coiled Cable

Art. No. 00510 950 286

- Working Length: 4M
- 5x1.5mm², 2x2.5mm²
- Spiral Diameter: 50mm



2x7 Pin Coiled Cable

Art. No. 01510 950 279



Spiral Coil 24V 15 Pin x 12V 7 Pin

Art. No. 00510 950 60



ABS Spiral Coil 2x5 Pin

Art. No. 00510 950 50



| Cross Section mm ² | 0.5 | 0.75 | 1.0 | 1.5 | 2.5 | 4.0 |
|-------------------------------|-------------|---------------|--------------|--------------|--------------|---------------|
| Approx. Ø/D mm | 1.5 | 1.8 | 2.0 | 2.3 | 2.9 | 3.5 |
| ID Colour | Art. No. | Art. No. | Art. No. | Art. No. | Art. No. | Art. No. |
| BLACK | 01770 205 0 | 01770 207 5 | 01770 210 | 01770 210 0 | 01770 310 5 | 01770 311 0 |
| RED | 01770 205 1 | 01770 207 51 | 01770 209 01 | 01770 210 1 | 01770 310 6 | 01770 311 00 |
| BLUE | | 01770 207 52 | 01770 209 02 | 01770 210 2 | 01770 310 7 | |
| YELLOW | | 01770 207 53 | | 01770 210 3 | 01770 310 8 | 01770 311 000 |
| GREEN | | 01770 207 54 | 01770 209 04 | 01770 210 4 | 01770 310 9 | |
| GREY | | 01770 207 541 | | 01770 210 41 | 01770 310 91 | |
| WHITE | | 01770 207 542 | 01770 209 05 | 01770 210 42 | 01770 310 92 | |
| BROWN | | 01770 207 59 | 01770 209 09 | 01770 210 40 | 01770 310 99 | 01770 311 09 |
| PURPLE | | | | 01770 210 20 | 01770 310 70 | |

| Cross Section mm ² | 1.0 | 1.5 | | Cross Section mm ² | 1.0 | 1.5 |
|-------------------------------|--------------|--------------|--|-------------------------------|--------------|--------------|
| Approx. Ø/D mm | 2.0 | 2.3 | | Approx. Ø/D mm | 2.0 | 2.3 |
| ID Colour | Art. No. | Art. No. | | ID Colour | Art. No. | Art. No. |
| BLACK/BLUE | | 01770 214 50 | | GREY/BLACK | | 01770 214 68 |
| BLACK/GREEN | | 01770 214 51 | | GREY/BLUE | | 01770 214 69 |
| BLACK/PINK | | 01770 214 52 | | GREY/GREEN | | 01770 214 70 |
| BLACK/RED | | 01770 214 53 | | GREY/RED | | 01770 214 71 |
| BLACK/PURPLE | | 01770 214 54 | | RED/BLACK | | 01770 214 73 |
| BLACK/WHITE | | 01770 214 55 | | RED/BLUE | | 01770 214 74 |
| BLACK/YELLOW | | 01770 214 56 | | RED/GREEN | 01770 211 23 | 01770 214 75 |
| BROWN/BLACK | | 01770 214 57 | | RED/WHITE | 01770 211 21 | 01770 214 77 |
| BROWN/BLUE | | | | RED/YELLOW | 01770 211 22 | 01770 214 78 |
| BROWN/WHITE | 01770 211 24 | 01770 214 59 | | WHITE/BLACK | | 01770 214 79 |
| BLUE/BLACK | | 01770 214 60 | | WHITE/GREEN | | 01770 214 80 |
| BLUE/GREEN | | 01770 214 61 | | WHITE/YELLOW | | 01770 214 81 |
| BLUE/RED | | 01770 214 62 | | YELLOW/BLACK | | 01770 214 82 |
| BLUE/WHITE | | 01770 214 63 | | YELLOW/GREEN | | 01770 214 84 |
| BLUE/YELLOW | 01770 211 20 | | | YELLOW/RED | | 01770 214 85 |
| GREEN/ORANGE | | 01770 214 64 | | | | |
| GREEN/RED | | 01770 214 65 | | | | |
| GREEN/YELLOW | | 01770 214 66 | | | | |
| GREEN/BLACK | | 01770 214 67 | | | | |



| Cross Section mm ² | 6.0 | 10.0 | 35.0 | 50.0 | 70.0 |
|-------------------------------|--------------|---------------|--------------|--------------|--------------|
| Approx. Ø/D mm | 4.0 | 6.0 | 11.5 | 13 | 15 |
| ID Colour | Art. No. | Art. No. | Art. No. | Art. No. | Art. No. |
| BLACK | 01770 511 1 | 01770 511 12 | 01770 311 3 | 01770 311 35 | 01770 311 37 |
| RED | 01770 511 10 | 01770 511 121 | 01770 311 31 | — | — |





2 Core Auto Cable

Art. No. 01770 512 0

1.5mm²x30M




3 Core Auto Cable

Art. No. 01770 511 6


5 Core Auto Cable

Art. No. 01770 511 7



7 Core Auto Cable

Art. No. 01770 511 8



Twin Speaker Cable

Art. No. 01770 511 5



Electronic Solder

Art. No. 01987...

Plastic Tongue Cable Ties

Art. No. 00502 111 - 2.5x100mm Black

Art. No. 00502 11 - 2.5x100mm Clear

Art. No. 00502 121 - 3.6x140mm Black

Art. No. 00502 12 - 3.6x140mm Clear

Art. No. 00502 13 - 3.5x200mm Clear

Art. No. 00502 131 - 3.5x200mm Black

Art. No. 00502 135 - 3.6x280mm Clear

Art. No. 00502 135 1 - 3.6x200mm Black

Art. No. 00502 14 - 4.6x178mm Clear

Art. No. 00502 141 - 4.6x178mm Black


Art. No. 00502 15 - 4.8x280mm Clear

Art. No. 00502 151 - 4.8x360mm Black

Art. No. 00502 16 - 4.8x360mm Clear

Art. No. 00502 161 - 4.8x350mm Black

Art. No. 00502 181 - 7.8x380mm Black



Cable Tie Stand - EMPTY

Art. No. 00502 050 20 - Empty



Soldering Assortment

Art. No. 05964 071 500 - 60W



GAS Soldering Assortment

Art. No. 00984 990 300

Fig. A



Fig. B



Cable Tie Clips (2919) Fig. A

Art. No. 00502 625 - 2.5mm Self Adh.


Art. No. 00502 636 - 3.6mm Self Adh.

Art. No. 00502 648 - 4.8mm Self Adh.

Art. No. 00502 665 - 6.5mm Self Adh.

Cord Clip (2919) Fig. B

Art. No. 00502 71 - 4.8mm Self Adh.



Releasable Cable Tie

Art. No. 01502 750 12 - 750x12mm



Soldering Iron

Art. No. 00715 940 05 - 100W







Bulb OVERVIEW...

The Würth Range of Automotive lighting offers a comprehensive range of lighting that is best suited to the most common main headlight and accessory bulbs, such as indicator, brake, and interior lighting. According to the Automotive Industry requirements, almost all the bulbs are marked (E1) and are interchangeable with existing bulbs.

Your safety is important to us!!!



| 12V | | | | | | 12V | | | | | |
|--------|---------|-------|-----------|--------------|--------|---|---------|-------|-----------|--------------|--------|
| Model | Voltage | Watts | Base Type | Art. No. | P. Qty | Model | Voltage | Watts | Base Type | Art. No. | P. Qty |
| H1 | 12 | 55 | P14.5s | 0720 711 1 | 1 | - | 12 | 1.2 | BX8.5d | 0720 765 532 | 10 |
| H3 | 12 | 55 | PK22s | 0720 712 1 | 1 | W5W | 12 | 5 | W2.1x9.5d | 0720 271 2 | 10 |
| H4 | 12 | 60/55 | P43t | 0720 710 1 | 1 | H21W | 12 | 21 | BAY9s | 0720 732 20 | 10 |
| R2 | 12 | 45/40 | P45t | 0720 120 10 | 1 | D1S-35W | 12 | 35 | PK32D-2 | 0720 110 32 | 1 |
| HB3 | 12 | 60 | P20d | 0720 710 3 | 1 | D2S-35W | 12 | 35 | P32D-2 | 0720 110 30 | 1 |
| HB4 | 12 | 51 | P22d | 0720 710 4 | 1 | 24V | | | | | |
| H7 | 12 | 55 | PX26d | 0720 114 12 | 1 | Model | Voltage | Watts | Base Type | Art. No. | P. Qty |
| H8 | 12 | 35 | PGJ19-1 | 0720 718 008 | 1 | H1 | 24 | 70 | P14.5s | 0720 711 2 | 1 |
| H9 | 12 | 65 | PGJ19-5 | 0720 718 009 | 1 | H3 | 24 | 70 | PK22s | 0720 712 2 | 1 |
| H11 | 12 | 55 | PGJ19-2 | 0720 718 011 | 1 | H4 | 24 | 75/70 | P43t | 0720 710 2 | 1 |
| H16 | 12 | 19 | PGJ19-3 | 0720 118 016 | 1 | H4 (HD) | 24 | 75/70 | P43t | 0720 110 25 | 1 |
| H27 | 12 | 27 | PG13 | 0720 118 027 | 1 | H7 | 24 | 70 | PX26d | 0720 714 2 | 1 |
| H27 | 12 | 27 | PGJ13 | 0720 118 028 | 1 | - | 24 | 1.2 | BX8.5d | 0720 765 529 | 10 |
| P21W | 12 | 21 | BA15s | 0720 732 1 | 10 | PY21W | 24 | 21 | BAU15s | 0720 732 23 | 10 |
| PY21W | 12 | 21 | BAU15s | 0720 738 3 | 10 | P21W | 24 | 21 | BA15s | 0720 732 2 | 10 |
| P21/5W | 12 | 21/5 | BAY15d | 0720 734 1 | 10 | P21/5w | 24 | 21/5 | BAY15d | 0720 734 2 | 10 |
| P21/4W | 12 | 21/4 | BAZ15d | 0720 734 11 | 10 | H21W | 24 | 21 | BAY9s | 0720 732 10 | 10 |
| W21W | 12 | 21 | W3x16d | 0720 763 1 | 10 | R5W | 24 | 5 | BA15s | 0720 740 2 | 10 |
| W21/5W | 12 | 21/5 | W3x16q | 0720 763 2 | 10 | R10W | 24 | 10 | BA15s | 0720 741 2 | 10 |
| - | 12 | 15 | W2.1x9.5d | 0720 763 11 | 10 | T4W | 24 | 4 | BA9s | 0720 750 2 | 10 |
| W5W | 12 | 5 | W2.1x9.5d | 0720 762 1 | 10 | W5W | 24 | 5 | W2.1x9.5d | 0720 762 2 | 10 |
| - | 12 | 1.2 | W2x4.6d | 0720 760 1 | 10 | - | 24 | 1.2 | W2x4.6d | 0720 760 2 | 10 |
| T4W | 12 | 4 | BA9S | 0720 750 1 | 10 | W3W | 24 | 3 | W2.1x9.5d | 0720 761 2 | 10 |
| R5W | 12 | 5 | BA15s | 0720 740 1 | 10 | Additional Products: | | 5 | SV 8.5-8 | 0720 771 2 | 10 |
| R10W | 12 | 10 | BA15s | 0720 741 1 | 10 | <div> Contact Cleaner Art. No. 00890 100</div> <div> Electrical Terminals Art. No. 00558...</div> <div> Solder Terminals Art. No. 01555 923...</div> <div> Electrical Crimpers Art. No. 00558...</div> | | | | | |
| - | 12 | 3 | SV7-8 | 0720 770 1 | 10 | | | | | | |
| C5W | 12 | 5 | SV 8.5-8 | 0720 771 1 | 10 | | | | | | |
| | 12 | 10 | SV8.5-8 | 0720 773 1 | 10 | | | | | | |
| C10W | 12 | 10 | SV 8.5-8 | 0720 773 51 | 10 | | | | | | |




Headlight Bulbs



Front Turn-Signal Bulbs



Art. 0720 711 1
H1 12V 55W




Art. 0720 710 1
H4 12V 60/55W



Art. 0720 714 1
H7 12V 55W



Art. 0720 710 3
HB3 12V 60W



Art. 0720 710 185
H51 12V 35/35W



Art. 0720 740 1
R5W 12V 5W



Art. 0720 741 1
R10W 12V 10W



Art. 0720 732 1
P21W 12V 21W



Art. 0720 738 3
PY21W 12V 21W

Back Turn-Signal Bulbs



Art. 0720 740 1
R5W 12V 5W



Art. 0720 741 1
R10W 12V 10W



Art. 0720 732 1
P21W 12V 21W



Art. 0720 738 3
PY21W 12V 21W

Reversing/Brake Bulbs



Art. 0720 734 1
P21/5W 12V 21/5W



Art. 0720 740 1
R5W 12V 5W


License Plate Bulbs



Art. 0720 740 1
R5W 12V 5W



Art. 0720 771 1
C5W 12V 5W



Headlight Bulbs



Fog Bulbs



Panel Bulbs



Art. 0720 765 532
12V 1.2W

Front Turn-Signal Bulbs



Side Turn-Signal Bulbs



Interior Bulbs



Brake Bulbs



Brake/Tail Bulbs



Park/Position Bulbs



Back Turn-Signal Bulbs



License Plate Bulbs




Reversing Bulbs



Rear Fog Bulbs



Headlight Bulbs

Art. 0720 711 2
H1 24V 70WArt. 0720 710 2
H4 24V 75/70WArt. 0720 714 2
H7 24V 70W

Panel Bulbs

Art. 0720 760 2
24 1.2WArt. 0720 765 529
24V 1.2W

Park/Position Bulbs

Art. 0720 762 2
W5W 24V 5WArt. 0720 740 2
R5W 24V 5WArt. 0720 750
T4W 24V 4W

Brake/Fog and Reversing Bulbs

Art. 0720 732 2
P21W 24V 21WArt. 0720 734 2
P21/5W 24V 21/5WArt. 0720 732 20
H21W 24V 21W


Side Mark Bulbs

Art. 0720 762 2
W5W 24V 5WArt. 0720 750 2
T4W 24V 4WArt. 0720 771 2
C5W 24V 5WArt. 0720 740 2
R5W 24V 5W

License Plate Bulbs

Art. 0720 762 2
W5W 24V 5WArt. 0720 750 2
T4W 24V 4WArt. 0720 740 2
R5W 24V 5WArt. 0720 771 2
C5W 24V 5WArt. 0720 773 52
24V 10W

Fog Bulbs

Art. 0720 711 2
H1 24V 70WArt. 0720 712 2
H3 24V 70WArt. 0720 710 2
H4 24V 75/70WArt. 0720 714 2
H7 24V 70W

Turn-Signal Bulbs

Art. 0720 732 2
P21W 24V 21WArt. 0720 732 23
PY21W 24V 21WArt. 0720 732 10
H21W 24V 21W

Park/Position Bulbs

Art. 0720 761 2
W3W 24V 3WArt. 0720 762 2
W5W 24V 5WArt. 0720 750 2
T4W 24V 4WArt. 0720 740 2
R5W 24V 5WArt. 0720 741 2
R10W 24V 10W

Side Mark Bulbs

Art. 0720 761 2
W3W 24V 3W


































Park/Position Bulbs




Art. 0720 740 2
R5W 24V 5WArt. 0720 741 2
R10W 24V 10W

Brake/Fog and Reversing Bulbs

Art. 0720 732 2
P21W 24V 21WArt. 0720 734 2
P21/5W 24V 21/5WArt. 0720 732 23
PY21W 24V 21WArt. 0720 762 2
W5W 24V 5WArt. 0720 732 20
H21W 24V 21W



| | | | | | | | | |
|---|---|---|--|--|--|---|--|---|
|  E 10 IEC 7004-22 DIN 49610 Socket standard: IRC 7005-20 |  EP 10 IEC 7004-30 DIN 49701 IEC 7005-30 DIN 49642 T27 |  G 4 IEC 7004-72 DIN 49757 IEC 7005-72 |  SV 7-8 IEC 7004-80 DIN 49705 T1 IEC 7005-80 DIN 49767 |  SV 8,5-8 IEC 7004-81 DIN 49705 T2 IEC 7005-80 DIN 49767 | | | | |
|  W 2x4,6d IEC 7004-94 DIN 49632 T1 Socket standard: IEC 7005-94 DIN 49642 T2 |  W 2,1x9,2d |  W 2,1x9,5d IEC 7004-91 DIN 49632 T2 IEC 7005-91 DIN 49642 T4 |  W 2,5x1,6d |  W 2,5x1,6q |  W 4,3x8,5 | | | |
|  BA 7s IEC 7004-15 DIN 49710 Socket standard: IEC 7005-11 DIN 49642 T11 |  BA 9s IEC 7004-14 DIN 49715 IEC 7005-12 DIN 49642 T12 |  BAY 9s DIN 49640 |  BAX 9s DIN 49640 |  B 8,4-12,5 BXB 8,4-12,5 |  B 8,5d BX 8,5d |  B 8,3d |  B 8,7d |  B 10d-14,5 BX 10d-14,5 |
|  BA 15s IEC 7004-13 DIN 49720 T1 Socket standard: IEC 7005-13 DIN 49642 T6 |  BAU 15s IEC 7004-19 DIN 49720 T5 IEC 7005-13 DIN 49642 T8 |  BA 15d IEC 7004-13 DIN 49720 T1 IEC 7005-13 DIN 49642 T6 |  BAY 15d IEC 7004-11 B DIN 49720 T2 IEC 7005-13 DIN 49642 T6 |  BAZ 15d DIN 49720 T4 |  BA 20d IEC 7004-12 DIN 49730 IEC 7005-14 DIN 49735 |  BA 20s IEC 7004-12 DIN 49730 IEC 7005-14 DIN 49735 | | |
|  P 26s IEC 7004-36 DIN 49727 Socket standard: IEC 7005-36 DIN 49642 T2 |  PX 13,5s IEC 7004-35 DIN 49640 T5 IEC 7005-35 DIN 49642 T5 |  P 14,5s IEC 7004-46 DIN 49738 IEC 7005-46 DIN 49739 |  PX 14,5s |  PX 26 d IEC 7004-5-1 |  X 511 IEC 7004-99 DIN 49640 T1 IEC 7005-99 DIN 49642 T2 | | | |



Stop/Tail/Indicator Lights

Dimensions:

Dia. Ø = 108.9mm

Thickness: = 53mm



LED Combo Light

01812 167



40 LED Light

01812 100 - Red

01812 101 - Amber

01812 102 - White



19 LED Light

Art. No. 01812 106

Art. No. 01812 107



8 LED Light

01812 106 1 - Red

01812 107 1 - Amber



Incandescent Lights

01812 10 - Red

01812 11 - Amber

01812 12 - Clear



Stainless Steel Flange

01812 103

Marker Lights

Dimensions:

Dia. Ø = 52.1mm

Thickness: = 18mm



LED Marker Lights with Rubber Gasket

Art. No. 01812 109 - Green

Art. No. 01812 111 - Red

Art. No. 01812 113 - Clear

Art. No. 001812 115 - Amber




LED Marker Lights

Art. No. 01812 108 - Green

Art. No. 01812 110 - Red

Art. No. 01812 112 - Clear

Art. No. 001812 114 - Amber




LED Marker Light with Chrome Bezel

Art. No. 01812 116 - Red

Art. No. 01812 117 - Amber

Art. No. 01812 118 - Clear

Number Plate Lights




4 LED Number Plate Light

Art. No. 01812 15



12 LED Number Plate Light

Art. No. 01812 105



Strobe Lights



Strobe Lights Magnetic

Art. No. 01812 119 - 60LED's

(Height x Base) 120mmx120mm

Art. No. 01812 121 - 30LED's

(Height x Base) 90mmx130mm



Strobe Lights Magnetic

Art. No. 01812 120 - 60LED's

(Height x Base) 120mmx120mm

Art. No. 01812 122 - 30LED's

(Height x Base) 120mmx120mm

Reflectors



Metal Flange Reflector

50/76mm

Art. No. 01812...



Rectangular Reflector

30x60/40x90mm

Art. No. 01812...



1.7M Chevron Board

Art. No. 01812 104

1.7M Chevron Board Stick-on

Art. No. 01812 104 1



Number Plate Holders

Art. No. 01812 20 - 440x120mm

Art. No. 01812 21 - 520x113mm



Eye Protection



Safety Glasses - STANDARD

Art. No. 00899 103 120/121/122

Clear/Grey/Amber

Art. No. 00997 000 019 - Green

Features:

- Polycarbonate lens and polycarbonate temple
- Anti-scratch & impact resistance
- UV protection up to 99.9%
- CE Certified; Conform to EN 166-2001
- AS/NZS Certified; Conform to AS/NZS 1337.1:2010
- Conform to ANSI Z87.1-2010

Application: Construction, grinding, milling, light & precision, engineering, assembly & maintenance, laboratory & outdoor work etc.



Auto Dimming Welding Helmet

Art. No. 00984 700 200

Auto-Darkening welding helmets are de-signed to protect the eye and face from sparks, spatter and harmful radiation under normal welding conditions.

Application:

Stick welding (DC & AC), TIG (DC, DC Pulse), TIG AC (Pulse), MIG/MAG Pulse, Plasma Cutting/Welding.

Art. No. 00984 700 201 - Front Lens

Art. No. 00984 700 202 - Inner Lens



Safety Glasses - PREMIUM

Art. No. 00899 103 110/111/112

Clear/Grey/Amber

Features:

- Wraparound polycarbonate lens with adjustable temple
- Anti-scratch & impact resistance
- Anti-Fog
- Protection against high speed particles at extremes of temperature
- UV protection up to 99.9%
- CE Certified; Conform to EN 166-2001
- AS/NZS Certified; Conform to AS/NZS 1337.1:2010
- Conform to ANSI Z87.1-2010

Application: Construction, grinding, milling, light & precision, engineering, assembly & maintenance, laboratory & outdoor work etc.



Safety Goggles

Art. No. 01984 316 10

For general grinding applications, where eye protection is required - can be used with spectacles.



Flip Up Welding Goggles

Art. No. 00984 503 51

Features:

- Fold-up glare protection
- Also fits over prescription glasses
- Indirect ventilation system - allows for airflow
- Easy lens replacement
- Cellulose acetate clear lenses in fixed part
- Individually adjustable, comfortable head strap

Application:

Protects against radiation from gas welding activities, impacts from flying particles of low energy. Liquid droplets, mist, crop spray and fine dust all in accordance with cited standards. Can be worn over most spectacles.



Welding Helmet - BASIC

Art. No. 01984 316 15



Face Shield

Art. No. 00899 101 225 - Includes Visor

Art. No. 00899 101 222 - Replacement Visor



Ear Protection

Earmuff FOLDABLE

Art. No. 00899 300 361



Features:

- Foldable earmuff, sock resistant, durable
- SNR = 31.3 dB
- Soft foam ear cushions for comfort and secure fitting
- Slide and swivel cup enhances comfort and fit
- Comply with EN352 - 1:2003/ANSI S3.19

Ear Plugs

Ergonomic, cone-shaped disposable ear plugs for use in extremely noisy environments.

Art. No. 00899 300 332 - Corded



Features:

- Very good insulation.
- Excellent speech clarity.
- Very comfortable to wear, thus easily accepted.
- Closed surface prevents penetration of foreign bodies and dirt particles in the plug.

Ear Plug Dispenser

Art. No. 00899 300 335

Art. No. 00899 300 336 - Refill




Respiratory Protection

FFP2 NR Dust Mask



For protection against solid and liquid aerosols. Suitable for protecting the user against low - toxicity contaminants in concentrations of up to 10 times the AGW - value.

Art. No. 00899 121 102



Advantages:

- Flexible nose dip → Well fitting → Secure nose-area seal.
- Soft inner flees → Comfortable to wear
- Multi-layer filter medium → Good, continuous filtration of dangerous particles → Low breathing resistance
- Without exhalation valve
- Elastic textile band → Tear-proof head band → Suitable for different head sizes.

N95 Re-usable Dust Mask



For protection against solid and liquid aerosols.

Suitable for protecting the user against low - toxicity contaminants in concentrations of up to 10 times the AGW - value.

Art. No. 00899 121 120

Art. No. 00899 121 121 - Replacement Net



Advantages:

- Reusable filter saves money and waste
- Exhalation valve offers easy breathing in hot and humid conditions
- Pre shaped nose bridge maximizes comfort
- Metal free: → No metal nose band → Industries such as mining, food, electronic request metal free product
- Green product: no need to throw away valve and strap every time
- Durable construction: not easy to damage the mask shape.

Active Carbon FFP2

For protection against solid and liquid aerosols. Suitable for protecting the user against low - toxicity contaminants in concentrations of up to 10 times the AGW - value.

Art. No. 01984 317 4



Advantages:

- Low breathing resistance for increased wearer comfort
- Colour coded plastic adjustable nose dip
- Soft foam nosepiece for comfort and custom fit
- Exhalation valve reduces hot air build-up
- Exhalation valve provides easy breathing in hot and humid environments
- Active carbon pre-filter for nuisance organic vapours and welding fumes .

Single Cartridge Respirator

Art. No. 01984 317 1



P2 Solid Particle

Art. No. 01984 317 2





Hand Protection



SOFT FLEX Gloves

Tight and comfortable fit. **EN388: 4.1.3.1**

Art. No. 00899 401 068/069/070/071

Size: 8/9/10/11

Liner: Nylon/Spandex Coating: Foam nitrile

Applications: Used in areas such as industry, transport, garages, workshops, construction. Not suitable for handling of chemicals.



BASEFLEX Glove

Good sense of touch especially in exposure with small parts, oil and lubricant. **EN388: 4.1.2.1**

Art. No. 00899 401 508/509/510/511

Size: 8/9/10/11

Liner: Nylon Coating: Nitrile

Applications: Fine handling in damp oily or greasy environment. General maintenance, general construction, fine material handling, light assembly etc.



CUT LEVEL 5 Gloves

Excellent grip and protection allowing maximum flexibility and dexterity. **EN388: 4.5.4.3**

Art. No. 00899 451 357/358/359/360/361

Size: 7/8/9/10/11

Liner: HPPE with fibreglass liner Coating: Micro foam nitrile with nitrile dots for grip

Applications: Glass handling, sheet metal, cutting applications, bottling and canning, building and construction.



TIGER FLEX Plus

Skin friendly, seamless round knitted Nylon/Lycra® carrier fabric (15 gauge). **EN388: 4.1.2.1**

Art. No. 00899 411

017/018/019/020/021 Size: 7/8/9/10/11

Liner: Nylon/Lycra Coating: Foam nitrile coating palm with additional nitrile „Tiger“ dots.

Applications: Light to medium work where good gripping and high flexibility are required. Excellently suited for assembly, workshop, mechanic's and body work. Optimum for freight forwarding, transport and storage activities.



TIGER FLEX Hi Lite

Skin friendly, seamless round knitted polyester/spandex carrier fabric (15 gauge) **EN388: 4.1.3.1**

Art. No. 00899 403 088/089/090/091

Size: 8/9/10/11

Liner: Polyester/Spandex Coating: Foam nitrile coating palm with additional nitrile „Tiger“ dots.

Applications: Light to medium work where good gripping and high flexibility are required. Excellently suited for construction, assembly, workshop, mechanic's and body work. Optimum for freight forwarding, transport and storage activities.



Mechanic Gloves PRO

Skin friendly, seamless round knitted polyester/spandex carrier fabric (15 gauge) **EN388: 2.2.3.1**

Art. No. 00899 400 749/750 Size: 9/10

Liner: Polyester/Spandex Coating: Foam nitrile coating palm with additional nitrile „Tiger“ dots.

Applications: Trade fair construction, Warehouse and logistics work, Assembly work, Mechanic's and workshop activities, Work with hand tools and machines.

“EN 388” Explained for Hand Protection

STANDARD EN 388: 2003

Gloves giving protection from mechanical risks

SCOPE

This standard applies to all kinds of protective gloves in respect of physical and mechanical aggressions caused by abrasion, blade cut, puncture and tearing.

DEFINITION AND REQUIREMENTS

Protection against mechanical hazards is expressed by a pictogram followed by four numbers (performance levels), each representing test performance against a specific hazard.



a b c d

The 'mechanical risks' pictogram is accompanied by a 4-digit code.

EN 388:4131

← Abrasion ↓ Cut ↓ Tear ↓ Puncture



Hand Protection



VIP Assembly Gloves

The soft, limber pig leather provides protection at general work with low risks. **EN388: 1.1.2.1**

Art. No. 00899 400 132/133/134

Size: 8/9/10

Outer: Pig skin with Velcro cuff.

Applications: Automotive repair and assembly, transport, fine mechanics etc.



COPENHAGEN Gloves

EN388: 4.1.4.4

Art. No. 00899 535 030

Size: 10

Outer: Cow split leather palm with cotton backing.

Applications: Used in areas such as industry, transport, agriculture, garages, workshops, construction.



BRICKER Gloves

Heavy-duty, extremely tough gloves

EN388: 4.2.4.3

Art. No. 00899 400 310

Size: 10

Outer: Extra strong natural latex with seamless round-knitted carrier fabric.

Applications: Plaster work, construction & woodwork, steel structural work, refuse disposal & sorting, glass and glass recycling industry, scaffolding construction, metalwork and processing.



CANDY STRIPE Gloves

CE Certified, CAT1: EN420

Art. No. 00899 400 295

Size: 10

Outer: Cow split leather palm with striped cotton backing.

Applications: Used in areas such as industry, transport, agriculture, garages, workshops, construction.



CONSTRUCTION Gloves

CE Certified, CAT1: EN420

Art. No. 00899 400 295

Size: 10

Outer: Poly cotton knitted glove, with PVC dots on the palm

Applications: Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handling large panes or dry metal).



"TYSON" Crayfish Gloves

Art. No. 01899 400 310

Size: 10



PVC Gloves Knitted Cuff

Art. No. 01984 316 05

Size: 10



Adhesive Free Plaster - LATEX FREE

Art. No. 00899 512 25

Adhesive-free plaster for all wounds and cuts, optimum hold even in food-processing work.



Hand Protection



Welding Gloves

Used for welding purposes. **EN388: 4.1.4.4**

Art. No. 00984 310 001 - 10.5"

Art. No. 00984 310 002 - 16"

Liner: Cow split hide with KEVLAR stitching

Coating: Jersey lined

Applications: Used in areas such as industry, transport, garages, workshops, construction. Not suitable for handling of chemicals.



Welding Gloves (Full Grain)

High-quality welding glove with full lining for all welding work with extreme heat development.

EN388: 2.1.3.2

Art. No. 00984 315

Size: 10

Liner: Inner surface all cow hide, hand back and sleeve split leather

Applications: For all welding work with increased heat development



Welding Glove (Split Leather)

Universal, lightweight assembly glove with nitrile coating. **EN388: 3.1.3.2**

Art. No. 00984 310 **Size:** 10

Applications: Light welding work, not for use in oily or greasy environments..



Disposable Nitrile Gloves Black

Art. No. 00899 470...**Size:** M/L/XL

Disposable Nitrile Gloves Blue

Nitrile powder & silicone free.

Art. No. 00899 470...**Size:** M/L/XL

5 Year Shelf Life

Applications: Laboratory work, pharmaceutical, chemical and electrical industries, house painting, polishing work, cleaning & maintenance.



Disposable Nitrile Gloves GRIP

Powder free, protein free and skin friendly.

EN420 and EN374-3:2003 Compliant (CAT III for chemical resistance)

Art. No. 00899 470 121/122/123

Size: M/L/XL

Applications: Automotive industries, laboratory work, food processing, pharmaceutical, chemical and electrical industries, house painting work, painting and polishing work, cleaning and maintenance work.



Voltage Protector Glove

Powder free, protein free and skin friendly.

EN60903, EN61482-1+2, CATIII

Art. No. 00899 400 929/930

Size: 9/10

Applications: Installation, maintenance and repair work under live electric voltage; electrical supply and installation companies; electrical engineering workshops; maintenance and repairs to electric and hybrid vehicles; fire and rescue service personnel



NITRILE Protection Gloves

Universal, lightweight assembly glove with nitrile coating. **EN388: 4.1.1.1**

Art. No. 00899 410 08/09/10

Size: 8/9/10

Liner: Sealed cotton interlock with knitted cuff.

Coating: Nitrile coating.

Applications: Light to medium load work, maintenance, light vehicle body construction, plumbing trade.



NITRILE Chemical Protective Gloves

Universal, light chemical protection glove made of nitrile with cotton velour on the inside. **EN388: 4.0.0.2**

Art. No. 00899 435 08/09/10/11

Size: 8/9/10/11

Liner: Cotton velour

Coating: Nitrile coating.

Applications: Painting work, surface treatment, etching, coolants and lubricants, vehicle and machine maintenance, foods industry, galvanising baths, cleaning, handling pesticides



Head Protection & Fall Restraint

Safety Helmet with Visor

Art. No. 00899 200 97



Features:

- Durable ABS shell
- Polycarbonate (PC) brim protects the wearer's eyes from UV. This feature also offers more upward visibility and wide angle peripheral view in any direction, thus providing enhanced safety.
- 6 Points ratchet suspension with sweat band
- Adjustable harness for better fitting
- Weight: 430 g
- Adjustable size: 52-64 cm
- Conforms to EN 397 Certificate laboratory & outdoor work etc.

Reflective Vest

Art. No. 01984 318 8/81/82

Sizes: M/L/XL



Regulation 3 Medical Kit

Art. No. 01984 318 10



Barrier Tape

Art. No. 01984 318 12



Safety Helmet - STANDARD

Art. No. 01984 001/002/003/004/005/006/007

White, Orange, Green, Blue, Yellow, Red, Pink.



General Safety

Coveralls

Art. No. 00899 021 212/213/ 214/215

Sizes: M/L/XL/XXL

Description:

- Protective suit CE-CAT III, type class 5 & 6, white microporous film laminated to non-woven fabric with sewn seams with elasticated hood, ankles and wrists which maximize comfort and protection.



- Waterproof and durable, light weight, full freedom of movement, inexpensive, breathable and comfortable.

Conforms to EN 1149-1 antistatic standard, prevents static charges, thus minimising safety risk.

Conform to EN ISO 13982-1:2004+A1:2010 for Type 5 Barrier to airborne particulate materials and dust.

- Conform to EN ISO 13034:2005+A1:2009 for Type 6 Barrier to limited liquid spray. Limited wear life, full-body protection offer limited protection against liquid chemical, lacquers and paints, lubricants, polyurethane foams, mild acids and bases.

- Conform to EN 14126:2003 for Type 5-B & Type 6-B that against biological hazards and infective agents.

- Conform to EN 1073-2:2002 for protection against radioactive contamination.

- Absolutely fluff-free, thus ideal for the painting field.

- Tear-and wear-resistant, even when wet.

- Not immediately flammable.

Full Body Harness's

Art. No. 01984 318 91 - Scaf Single lanyard

Art. No. 01984 318 92 - Snap Single Lanyard

Art. No. 01984 318 93 - Scaf Double Lanyard

Art. No. 01984 318 94 - Snap Double Lanyard



Welding Apron 90x60

Art. No. 01984 318 1



Leather Spats

Art. No. 01984 318 11



Welders Skull Cap


Art. No. 01984 318 4





Rampmat 14mmx0.9Mx1.5M

Art. No. 01984 400 1



Orthomat Safety 9mmx0.6Mx0.9M

Art. No. 01984 400 2



Coba Rib 3mmx0.9Mx2.5M

Art. No. 01984 400 4




Knee Saver 25mmx530mmx360mm

Art. No. 01984 400 5




Coba Tape Black/Yellow 50mmx33M

Art. No. 01984 400 6





Grip Foot Black 50mmx18.3M

Art. No. 01984 400 7




Grip Foot "Conformable" 50mmx18.3M

Art. No. 01984 400 8



MK3 "Bakkie Mat"

Art. No. 01984 400 10



Kwiklok Floor Tiles

Art. No. 01984 400 11



Brass Padlock - Security

Keyed to Differ

- * Body made from solid brass
- * Shackle made from hardened steel with NANO PROTECT coating (Corrosion Protection)
- * Inner components made from non-corrosive materials
- * Precision pin tumbler
- * CS: Shackle protected for increased cutting and prying resistance



Art. No 01688 65 30
30mm Padlock



Art. No 01688 65 40
40mm Padlock



Art. No 01688 65 50
50mm Padlock



Art. No 01688 65 60
60mm Padlock



Art. No 01688 655 080
50mm Padlock Long Shackle

Mono Block Lock - Security

Keyed to Differ

- * Body made from solid brass
- * Shackle made from hardened steel
- * Precision pin tumbler
- * Hardened steel pin protects the narrow side of the lock body against sawing



Art. No 01688 82 63
ABUS 63mm insurance padlock



Art. No 01688 82 70
ABUS 70mm insurance padlock



Art. No 01688 82 90
ABUS 90mm insurance padlock

Non Conductive Padlock - Safety

Keyed to Differ

- * Body made of lightweight aluminium with insulated plastic cover
- * Shackle made from hardened steel with NANO PROTECT coating, optionally with or without insulated synthetic cover.
- * 6-Pin cylinder for high number of key differs
- * Automatic locking for user
- * Available in 10 different colours
- * For spark-resistant requirements these locks are also available with brass body upon request
- * Food Safe



Art. No 01688 74 409
Non-Conductive
Padlock 74/40 Purple



Art. No 01688 74 410
Non-Conductive
Padlock 74/40 White



Art. No 01688 74 407
Non-Conductive
Padlock 74/40 Grey



Art. No 01688 74 401
Non-Conductive
Padlock 74/40 Black



Art. No 01688 74 402
Non-Conductive
Padlock 74/40 Blue



Art. No 01688 74 403
Non-Conductive
Padlock 74/40 Red



Art. No 01688 74 404
Non-Conductive
Padlock 74/40 Yellow



Art. No 01688 74 405
Non-Conductive
Padlock 74/40 Brown



Art. No 01688 74 406
Non-Conductive
Padlock 74/40 Green



Art. No 01688 74 408
Non-Conductive
Padlock 74/40 Orange



Laminated Padlock - Safety & Security

Keyed to Differ

- * Laminated steel with ETERNA coating on each laminate for extreme corrosion resistance
- * ETERNA; Non-hazardous, cadmium-free plating
- * Tough, countersunk rivets
- * Hardened steel shackle
- * High-precision 5-pin tumbler, drilling and pulling protected
- * Cylinder available in 2 versions: RH 5-pin cylinder & Master M1 4-pin cylinder
- * Plastic bumper for easy identification
- * Made in Germany
- * Food Safe



Art. No 01688 41 402
ABUS 40mm Laminated Steel



Art. No 01688 41 50
ABUS 50mm Laminated Steel



Art. No 01688 41 40
ABUS 40mm Laminated Steel Long



Art. No 01688 41 501
ABUS 50mm Laminated Steel Long

All Weather Padlock - Security

Keyed to Differ

- * Body made from solid brass
- * Sealed lock body with cover seal and drainage channels to protect the cylinder against water and dirt
- * Inner components made from non-corrosive materials
- * Shock absorbing vinyl casing
- * Stainless steel shackle
- * Precision pin tumbler



Art. No 01688 70 45
ABUS 45mm SS Shackle All - weather sealed



Art. No 01688 70 50
ABUS 50mm SS Shackle All - weather sealed

Diskus Lock - Security

Keyed to Differ

- * Original Diskus design: 360 degrees protection
- * 100% non-corrosive: shackle and all inner components made of stainless steel
- * Diskus Deep-Welding Technology – maximum strength
- * Anti-cut plate
- * Precision pin cylinder with extra plating for added corrosion resistance
- * Made in Germany



Art. No 01688 24 70
ABUS Diskus 70mm

Diskus Lock Stainless Steel

Keyed to Differ

- * Original Diskus design: 360 degrees protection
- * Stainless steel inside and outside
- * Diskus Deep-Welding Technology – maximum strength
- * Anti-cut plate
- * Precision pin cylinder
- * Cylinder can be rekeyed to match an existing key
- * Cylinder available in 2 versions: RH 5-pin cylinder & Master M1 4-pin cylinder
- * Made in Germany




Art. No 01688 24 701
ABUS Diskus 70mm Stainless Steel



Aluminium Padlock - Safety

Keyed to Differ
R194.00 Ex Vat

- * Solid, anodized aluminium body
- * Shackle made of hardened steel with NANO PROTECT coating, also available in stainless steel or aluminium
- * 6-pin cylinder can be rekeyed to match an existing key
- * Available keyed alike, master keyed and grand master keyed
- * Key-retaining version available on request
- * Automatic locking for user convenience
- * Cylinder cover available on request
- * Food safe



Art. No 01688 72 403
ABUS 40mm Aluminium
Gold



Art. No 01688 72 409
ABUS 40mm Aluminium
Silver



Art. No 01688 72 404
ABUS 40mm Aluminium
Green



Art. No 01688 72 405
ABUS 40mm Aluminium
Orange




Art. No 01688 72 407
ABUS 40mm Aluminium
Red




Art. No 01688 72 401
ABUS 40mm Aluminium
Blue




Art. No 01688 72 410
ABUS 40mm Aluminium
Black



Art. No 01688 72 406
ABUS 40mm Aluminium
Purple



Art. No 01688 72 408
ABUS 40mm Aluminium
Yellow



Art. No 01688 72 402
ABUS 40mm Aluminium
Brown

Safety Lockout Hasp

- * Hold up to 6 padlocks
- * Vinyl coated high tensile steel
- * Available with interlocking tabs to prevent unauthorized opening



Art. No 01688 711
Safety Lockout Hasp Red 45mm



Art. No 01688 712
Safety Lockout Hasp Red 60mm

Safety Red Box

- * High level of stability in spite of low weight
- * Ergonomic and space-saving fold-away handle
- * Inside is exposed to light from all sides for better visibility of contents
- * Lid features innovative and secure locking mechanism
- * Patented wall bracket, also facilitates storing of padlocks
- * Additional wall bracket can be ordered separately



Art. No 01688 835
Safety Red Box

Lockout Valve

- * High-quality polypropylene: long-lasting, robust and non-conductive
- * Holds 1 padlock
- * Unique, predetermined point at the top for valves with thread
- * Stickers in various languages included



Art. No 01688 305
Lockout Valve 188x142x51mm



Art. No 01688 307
Lockout Valve 225x18x61mm



Art. No 01688 310
Lockout Valve 319x277x77mm




| Description | | Description | |
|-------------------------|----------|----------------------------------|--------------|
| Air Gun | Page 114 | Pipe Cutter | Page 114 |
| Allen Key Sets | Page 91 | Plier Sets & Individual | Page 91-92 |
| Bits | Page 88 | REDLINE Tools | Page 103-110 |
| Brooms | Page 121 | REDLINE Warranty | Page 95 |
| Chisels | Page 120 | Riveters (Rivet Nut & Pop Rivet) | Page 113 |
| Circlip Pliers | Page 88 | Screwdrivers | Page 86-87 |
| Clip Tools | Page 118 | Seat Covers | Page 114 |
| CO2 Leak Tester | Page 117 | Socket Sets (ZEBRA) | Page 99-100 |
| Cooling System Tester | Page 117 | Sockets & Accessories | Page 97-98 |
| Dent Lifting Tools | Page 118 | Spanners & Spanner Sets | Page 95-96 |
| Electrical Hand Tools | Page 92 | Spirit Levels | Page 120 |
| Electrical Testers | Page 119 | Squares | Page 120 |
| Fender Covers | Page 114 | Tape Measures | Page 120 |
| Files | Page 113 | T-Handles | Page 90 |
| Flaring Tool | Page 117 | Tool Trolley & Inserts | Page 101 |
| Grease Pump | Page 117 | Torque Wrenches | Page 92 |
| Hacksaw Frames | Page 116 | Tyre Inflator | Page 117 |
| Hammers | Page 117 | Verniers | Page 120 |
| Knives | Page 116 | Vice Grips | Page 93 |
| Laser Distance Measurer | Page 119 | Video Scope | Page 119 |
| Magnetic Rods & Bowls | Page 114 | Water Pump Pliers | Page 94 |
| Messfix | Page 120 | ZEBRA Tools | Page 81-94 |
| One Hand Clamps | Page 120 | Zebra Tool Warranty | Page 80 |
| Optical Fluid Tester | Page 114 | | |
| ORSY Bull | Page 112 | | |



Würth South Africa (Pty) Ltd.

Warranty Statement

Zebra and Red Line Hand Tools



Warranty Terms and Conditions for Würth Products

In accordance with the following terms and conditions, Würth Zebra and Red Line hand tools are covered by a lifetime factory fault warranty. This warranty is only applicable to the person/business that originally purchased the product directly from Würth South Africa and is valid from the date of purchase granted that an invoice for the product in question is provided. Würth commit, with certain exceptions, to exchange or repair any product which, upon examination by Würth, is deemed to have flaws or defects in either the manufacturing process and/or input components/materials.

Both Zebra and Red Line ratchets will not be covered by the warranty. If a ratchet has a factory fault upon receiving the ratchet, the purchaser must contact Würth South Africa within 7 days of receiving the ratchet. If the purchaser contacts Würth South Africa after a period of 7 days of receiving the ratchet, the warranty will be rendered null and void.

This warranty will only cover tools that were bought from the 1st of January 2017.

This Warranty will not apply if:

- (a) Damages arise from product abuse, misuse, improper application, accidental damage, lack of maintenance, general wear and tear or any repair attempted by someone other than an official Würth approved repairer.
- (b) The product has not been used or maintained in accordance with the manufacturer's instructions as provided with the product.
- (c) The product is used in an application where it is not fit for purpose. This includes, but is not limited to observance of correct tensile strength ratings, suitable DIN/ISO standards, metric/imperial specifications, recommended tightening torques, or appropriate chemical product use.
- (d) The product has been stored incorrectly. This includes, but is not limited to exposure to high or low temperatures, incorrect UV or other light, or excessive moisture as per the manufacturers' recommendations or stipulations of the Safety Data Sheet (where applicable).
- (e) All recommended preparation and/or treatment processes have not been carried out as per the manufacturer's instructions.
- (f) The product or packaging has been modified in such a way that renders any prior specification, rating or classification void. This includes, but is not limited to Dangerous Goods, Flammability ratings or Safe Transport classifications.

To claim this Warranty:

Any warranty claim is to be submitted in writing and accompanied by relevant invoice/s or proof of purchase. Please note the return of the product to a Würth Customer Service Consultant is mandatory for all warranty claims.



Screwdrivers PH, Slotted, Torx



Slotted S/driver

00613 251 05 - 0.8x4.0mm
 00613 321 055 - 1.0x5.5x100mm
 00613 321 07 - 1.2x7.0x125mm
 00613 321 09 - 1.6x9.0x150mm
 00613 421 035 - 0.6x3.5x75mm
 00613 421 055 - 1.0x5.5x100mm
 00613 421 065 - 1.2x6.5x125mm
 00613 421 08 - 1.6x8.0x150mm
 00613 421 10 - 1.6x10.0x175mm
 00613 261 04 - 0.8x4.0x300mm

Phillips S/driver

00613 252 2 - PH2 25mm
 00613 322 2 - PH1 100mm
 00613 422 1 - PH1 80mm
 00613 422 2 - PH2 100mm
 00613 422 3 - PH3 150mm
 00613 262 2 - PH2 445mm

Pozi Screwdriver

00613 423 1 - PZ1 80mm
 00613 423 2 - PZ2 100mm
 00613 423 3 - PZ3 150mm



Zebra Flexible S/driver

00613 286 06 - 6mmx150mm
 00613 286 07 - 7mmx150mm
 00613 286 08 - 8mmx150mm
 00613 286 10 - 10mmx175mm
 00613 286 13 - 13mmx175mm

S/Driver Rack (Empty)

Art. No. 00714 938 218





Round Shaft S/driver Set

Art. No. 00613 923 26  
 (Sizes 0.6x3.5/1.0x5.5/1.2x6.5/
 1.2x8.0mm - Slotted, PH1, PH2)





Auto & Metal S/driver Set

Art. No. 00613 901 5 - "3C"  
 Art. No. 00613 932 25 - Normal
 (Sizes 1.0x5.5/1.2x7.0/1.6x9.0mm -
 Slotted, PH1, PH2)



Wood Working S/driver Set

Art. No. 00613 942 35  
 (Sizes 0.6x3.5/1.0x5.5/1.2x7.0mm -
 Slotted PZ1, PZ2 - Pozi)



Torx with drill hole

Art. No. 00613 934 87 
 (Sizes TX 10, 15, 20, 25, 27, 30, 40)



Screwdriver Set for Hexagon Head

Art. No. 00613 936 6
 (Sizes 6, 7, 8, 10, 12, 13mm)




Torx Screwdriver LONG

Art. No. 00613 964 5
 (Sizes TX 10, 15, 20, 25, 30)



Electrical Screwdrivers



VDE "Slim Point" Screwdriver

Art. No. 00613 963 250

(Sizes 0.4x2.5/0.8x4.0/1.0x5.5mm - Slotted PH1, PH2)



VDE Screwdriver for Electricians

Art. No. 00613 963 25

(Sizes

0.4x2.5/0.8x4.0/1.2x6.5mm - Slotted PZ1, PZ2)



Precision Screwdrivers



TORX Precision Screwdriver Set

Art. No. 00613 489 1

TX 5, TX 6, TX 7, TX 8, TX 9, TX 10, TX 15



PH&SL Precision Screwdriver Set

Art. No. 00613 489 2

Slot: 0.3x1.5, 0.4x2.0, 0.4x2.5, 0.5x3.0

PH: PH00, PH0, PH1



HEX. Precision Screwdriver Set

Art. No. 00613 489 3

Int: 1.5, 2.0, 2.5mm

Ext: 2.5, 3.0, 3.2, 3.5mm



VDE Precision Screwdriver Set

Art. No. 00613 489 4

Slot: 0.3x1.5, 0.3x1.8, 0.4x2.0, 0.4x2.5, 0.5x3.0 PH: PH00, PH0.

Magazine Screwdrivers



Rev. S/Driver Bits

Art. No. 00613 801 1 (PH1x4mm Slotted)

Art. No. 00613 801 2 (PH2x6mm Slotted)

Art. No. 00613 802 1 (PH3x7mm Slotted)

Art. No. 00613 803 2 (PH2xPZ2)

Art. No. 00613 804 1 (TX10xTX15)

Art. No. 00613 804 2 (TX20xTX25)

Art. No. 00613 804 3 (TX30xTX40)

(For set refer to page 5 Fig 1)



Zebra Reversible Screwdriver Set

Art. No. 00613 77



Handle for Rev. S/Driver Bits

Art. No. 00613 473 1



Magazine S/driver with 12 bits

Art. No. 00613 600 2

(AW10, 20, 25, 30, PZ1, 2, 3, Tx10, 20, 25, 30, Slot 0.6x4.5)



T-Handle Ratchet Screwdriver

Art. No. 00613 630 60

(Slot 5.5, Hex. 4 & 5mm, PH1, PH2, Tx10, 15, 20, 25, 30)



1/4" Mini Ratchet S/driver

Art. No. 00613 630 50

(Slot 5.5, Hex. 4 & 5mm, PH1, PH2, Tx10, 15, 20, 25, 30)



Bits



1/4" Slotted Bits

- Art. No. 00614 175 652 - 4.5mmx25mm
- Art. No. 00614 175 653 - 5.5mmx25mm
- Art. No. 00614 175 654 - 6.0mmx25mm
- Art. No. 00614 175 656 - 8.0mmx25mm



1/4" Torx Bits

- Art. No. 00614 311 0 - TX10x25mm
- Art. No. 00614 311 5 - TX15x25mm
- Art. No. 00614 312 0 - TX20x25mm
- Art. No. 00614 312 5 - TX25x25mm
- Art. No. 00614 312 7 - TX27x25mm
- Art. No. 00614 313 0 - TX30x25mm
- Art. No. 00614 314 0 - TX40x25mm
- Art. No. 00614 314 51 - TX45x25mm



Pozidriv Bit

- Art. No. 00614 112 51 - PZ1x25mm
- Art. No. 00614 112 52 - PZ2x25mm
- Art. No. 00614 112 53 - PZ3x25mm



Phillips Torsion Bits

- Art. No. 00614 122 51 - PH1x25mm
- Art. No. 00614 122 52 - PH2x25mm
- Art. No. 00614 122 53 - PH3x25mm



Torx Impact Bits

- Art. No. 00614 311 03 - TX10x29mm
- Art. No. 00614 311 53 - TX15x29mm
- Art. No. 00614 312 03 - TX20x29mm
- Art. No. 00614 312 51 - TX25x29mm
- Art. No. 00614 313 03 - TX30x29mm
- Art. No. 00614 314 03 - TX40x29mm



1/4" Phillips Bits

- Art. No. 00614 176 274 - No.1x25mm (Yellow)
- Art. No. 00614 176 461 - No.2x25mm (White)
- Art. No. 00614 176 648 - No.3x25mm (Red)
- Art. No. 00614 176 735 - No.1x50mm (Yellow)
- Art. No. 00614 176 774 - No. 1x73mm (Yellow)
- Art. No. 00614 176 736 - No.2x50mm (White)
- Art. No. 00614 176 775 - No.2x73mm (White)
- Art. No. 00614 176 737 - No.3x50mm (Red)
- Art. No. 00614 176 750 - No.4x32mm (Purple)

5/16" Phillips Bits

- Art. No. 00614 177 583 - No.2x32mm (White)
- Art. No. 00614 177 770 - No.3x32mm (red)



ASSY Torsion Bits

- Art. No. 00614 125 10 - AW10x25mm
- Art. No. 00614 125 20 - AW20x25mm
- Art. No. 00614 125 25 - AW25x25mm
- Art. No. 00614 125 30 - AW30x25mm



1/4" ASSY Bits

- Art. No. 00614 511 0 - AW10x25mm
- Art. No. 00614 512 0 - AW20x25mm
- Art. No. 00614 512 5 - AW25x25mm
- Art. No. 00614 513 0 - AW30x25mm
- Art. No. 00614 521 0 - AW10x50mm
- Art. No. 00614 522 0 - AW20x50mm
- Art. No. 00614 522 5 - AW25x50mm



Pozi Impact Bits

- Art. No. 00614 176 641 - PZ1x29mm
- Art. No. 00614 176 642 - PZ2x29mm
- Art. No. 00614 176 643 - PZ3x29mm



1/4" Pozi Bits

- Art. No. 00614 176 651 - No.1x25mm (Blue)
- Art. No. 00614 176 652 - No.2x25mm (Black)
- Art. No. 00614 176 653 - No.3x25mm (Green)
- Art. No. 00614 176 659 - No.1x50mm (Blue)
- Art. No. 00614 176 776 - No.1x73mm (Blue)
- Art. No. 00614 176 660 - No.2x50mm (Black)
- Art. No. 00614 176 661 - No.3x50mm (Green)
- Art. No. 00614 176 751 - No.4x32mm (Orange)



1/4" ASSY Bits

- Art. No. 00614 511 0 - AW10x25mm
- Art. No. 00614 512 0 - AW20x25mm
- Art. No. 00614 512 5 - AW25x25mm
- Art. No. 00614 513 0 - AW30x25mm
- Art. No. 00614 514 0 - AW40x25mm
- Art. No. 00614 521 0 - AW10x50mm
- Art. No. 00614 522 0 - AW20x50mm
- Art. No. 00614 522 5 - AW25x50mm



Hexagon Bit

- Art. No. 00614 176 925 - 2.5mmx25mm
- Art. No. 00614 176 93 - 3.0mmx25mm
- Art. No. 00614 176 94 - 4.0mmx25mm
- Art. No. 00614 176 95 - 5.0mmx25mm
- Art. No. 00614 176 96 - 6.0mmx25mm



Phillips Impact Bits

- Art. No. 00614 176 275 - PH1x29mm
- Art. No. 00614 176 462 - PH2x29mm
- Art. No. 00614 176 647 - PH3x29mm



Impact Bits

- Art. No. 00614 250 115 - (PH2, PZ2, TX20, TX25, TX30, TX40)



Bits



1/4" Bit Box

Art. No. 00614 250 7



Bit Holder 100mm

Art. No. 00613 715



Extension 100mm

Art. No. 00613 716



Quick Change Chuck

Art. No. 00614 176 711



1/4" Adapter Bit

Art. No. 00715 11 01



1/4" Socket Wrench 5.5mmx51mm

Art. No. 00614 176 712



Heavy Duty Power Driver

Art. No. 00614 900 0



1/4 Bit Box 9Pcs

Art. No. 00614 250 20 - Phillips

(Contains 3xH1, 3xH2, 3xH3

Art. No. 00614 250 21 - Pozi

(Contains 3xZ1, 3xZ2, 3xZ3)



1/4" Flexi S/driver with Quick Chuck

Art. No. 00613 280 21



1/4" Screwdriver for bits (1/4")

Art. No. 00613 430 31



Hex Bit Magnetic - SW7

Art. No. 00614 176 714

Hex Bit Magnetic - SW8

Art. No. 00614 176 715

Hex Bit Magnetic - SW10

Art. No. 00614 176 717



1/4" Magnetic Bit Holder

Art. No. 00614 176 702



Mini Chuck for Power Driver

Art. No. 00713 92 04



105Pcs Bit Set

Art. No. 00614 250 300



30Pcs Safety Bit Set

Art. No. 00614 250 30



1/4" Connector 25mm

Art. No. 00614 176 700



1/4" Connector 50mm

Art. No. 00614 176 700



1/4" Connector Piece

Art. No. 00614 176 680



1/4" Quick Release Bit Holder

Art. No. 00613 176 638



1/4", 2-in-1 Adaptor

Art. No. 00614 176 636



Hook & Pick Sets

Art. No. 00715 55 335 - 258mm

Art. No. 00715 55 345 - 140mm



1/4" Flexi S/driver with Quick Chuck

Art. No. 00613 280 21

T-Handles




ALLEN KEY T-Handle

Art. No. 00613 130...

Art. No. 00613 132...

(Sizes 2.5, 3, 4, 5, 6, 8mm)



TORX T-Handle

Art. No. 00613 140...

(Sizes Tx10, 15, 20, 25, 27, 30, 40, 45)



SOCKET T-Handle

Art. No. 00613 120...

(Sizes 6, 8, 10, 11, 12, 13)

Art. No. 00613 122...

(Sizes 8, 10, 11, 12, 13, 14mm)



1/4" T-Handle Extension

Art. No. 00613 150 01



ALLEN KEY T-Handle Set

Art. No. 00613 913 6

(Sizes 2.5, 3, 4, 5, 6, 8mm)



TORX T-Handle Set

Art. No. 00613 914 7

(Sizes Tx 10, 15, 20, 25, 30, 40, 45)




SOCKET T-Handle Set

Art. No. 00613 912 05

(Sizes 6, 7, 8, 10, 13mm)



Allen Key Set



Allen Key Set Long 9Pcs with Ball End

Art. No. 00715 40 100 - (1.5-10mm)

Individual Allen Key (2-10mm)

Art. No. 00715 40...



Allen Key Set Long 9Pcs

Art. No. 00715 31 120 - Normal (1.5-10mm)



Allen Key Set 7Pcs

Art. No. 00715 31 70 - Normal (2-8mm)

Art. No. 00715 31 71 - Ball End (2-8mm)

Art. No. 00715 31 55 - Ring Set (2-10mm)



Torx Key Set 8Pcs

Art. No. 00715 36 70 - (TX9-40)



Torx Key Set 8Pcs

Art. No. 00715 37 100 - (TX9-40)



Allen Key Set Imperial 10Pcs

Art. No. 00715 311 110 - (1/16"-1/2")

Pliers



Side Cutters 160mm

Art. No. 00714 01 552



Combination Pliers 180mm

Art. No. 00714 01 555



Long Nose Pliers 210mm

Art. No. 00714 01 557



Water Pump Pliers 250mm

Art. No. 00714 01 563



Combination Pliers 180mm

Art. No. 00715 01 575



**4Pc Zebra Plier Set
(with Water Pump Pliers)**

Art. No. 00714 01 565



**4Pc Zebra Plier Set
(with Wire Stripper)**

Art. No. 00714 01 560



VDE Combi. Pliers 200mm

For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC)

Art. No. 00715 01 83



VDE Long Nose Pliers 200mm

For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC)

Art. No. 00715 01 85



VDE Bent Nose Pliers 200mm

For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC)

Art. No. 00715 01 86



VDE Side Cutters 180mm

For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC)

Art. No. 00715 01 89

Electronic Snips



Art. No. 00714 07 36



Art. No. 00714 07 39



Art. No. 00714 07 544

Wire Cutting, Crimping & Stripping



Wire Stripper 0.5-4mm²

Self-adjusting tool for cutting and stripping cables

Art. No. 00691 500



Zebra Electrician Scissors

Art. No. 00714 036 320



"VDE" Copper Cable Cutter

For cutting copper and aluminium cable

Art. No. 00714 01 585



VDE Electrical Installation Pliers 3-in-1

3 tools in one set of pliers: For cutting, stripping and removing insulation from electrical cables.

Art. No. 00714 01 588



Crimping Pliers

For insulated and non-insulated wire end ferrules

Art. No. 00557 10



Crimping Pliers

For insulated and non-insulated cable connectors

Art. No. 00558 10



Crimping Pliers

For non-insulated cable connectors

Art. No. 00558 13



Crimping Pliers (Ins)

Art. No. 01558 001

Picture slightly different to actual product



Vice Grip Pliers



Curved Jaw Pliers

Art. No. 00714 09 08 - 250mm



Straight Jaw Pliers

Art. No. 00714 09 10 - 250mm



C-Clamp Swivel Tips

Art. No. 00714 09 23 - 280mm



Vice Grip Plier Set

Art. No. 00713 09 28

(200mm, 235mm, 300mm)



Mobile Vice Grips

Art. No. 00713 09 29



Shifting Spanners

Art. No. 00715 221 04 -

13mmx110mm

Art. No. 00715 221 08 -

24mmx210mm

Art. No. 00715 221 12 -

34mmx310mm



Knee Pipe Wrench

Art. No. 00714 06 60 - 1"

Art. No. 00714 06 63 - 3"



Sheet Metal Shears

Art. No. 00713 03 100 - Right.

Art. No. 00715 03 110 - Left.



Spring Band Clamp Pliers

Art. No. 00714 577 111



Monier Pliers

Art. No. 00715 02 04

Mastergrip Pipe Wrench

Art. No. 00714 06 334 - 10"

Art. No. 00714 06 335 - 14"


Art. No. 00714 06 336 - 18"



Bolt Cutters

Art. No. 00714 06 610 - 610mm

Art. No. 00714 06 910 - 910mm



Crowbar/Nail Puller

Art. No. 00714 631 010 - 1000mm

Art. No. 00714 631 060 - 600mm



Water Pump Pliers

Art. No. 00715 02 23 - 250mm

Art. No. 00715 02 34 - 400mm

Art. No. 00715 02 341 - 560mm



Water Pump Pliers

Art. No. 00714 02 76 - 250mm



Self Adj. Water Pump Pliers

Art. No. 00714 02 85 - 250mm



Clamping Wrench

Art. No. 00715 02 50 - 270mm



Cirdlip Pliers Ext. Straight

Art. No. 00714 02 11 (3-10mm)

Art. No. 00714 02 12 (10-25mm)

Art. No. 00714 02 13 (19-60mm)

Art. No. 00714 02 14 (40-100mm)

Art. No. 00714 02 15 (85-140mm)



Cirdlip Pliers Ext. 90°

Art. No. 00714 02 16 (3-10mm)

Art. No. 00714 02 17 (10-25mm)

Art. No. 00714 02 18 (19-60mm)

Art. No. 00714 02 19 (40-100mm)

Art. No. 00714 02 20 (85-140mm)



Cirdlip Pliers Int. Straight

Art. No. 00714 02 02 (12-25mm)

Art. No. 00714 02 03 (19-60mm)

Art. No. 00714 02 04 (40-100mm)

Art. No. 00714 02 05 (85-140mm)




Circlip Pliers Int. 90°

Art. No. 00714 02 07 (12-25mm)

Art. No. 00714 02 08 (19-60mm)

Art. No. 00714 02 09 (40-100mm)

Art. No. 00714 02 10 (85-140mm)



4Pcs Circlip Plier Insert

Art. No. 00965 900 602

Set Contains:

Art. No. 00714 02 03 (19-60mm)

Art. No. 00714 02 08 (19-60mm)

Art. No. 00714 02 13 (19-60mm)

Art. No. 00714 02 18 (19-60mm)



Circlip Pliers for Shafts

Art. No. 00715 02 20

Spanners



Zebra Combination Spanner

Art. No. 00713 301...(5.5-34mm)

Individual



Combination Spanner Sets

Art. No. 00713 301 41 (6-22mm)

Art. No. 00713 301 42 (5-34mm)

Art. No. 00713 303 41 (3/8"-11/4")



"Ultra Slim" Combi Wrench Set 8Pcs

Art. No. 00713 309 50



Ratchet Ring Wrench Set

Art. No. 00714 263 50

Art. No. 00714 263...(Individual)



Multi Combi. Ratchet Set

Art. No. 00714 256 50



Ratchet Spanner Set

Art. No. 00714 259 50



Combi. Ratchet Spanner Set

Art. No. 00714 251 100 - Set

Art. No. 00714 251...(Individual)

Torx Double Ratchet Wrench Set

Art. No. 00714 254 100

Double Ring Ratchet Spanner Set

Art. No. 00714 257 30



Double Ended Torx

Art. No. 00714 226 8 (E6xE8)

Art. No. 00714 221 012 (E10xE12)

Art. No. 00714 221 418 (E14xE18)

Art. No. 00714 222 024 (E22xE24)



Brake Pipe Spanners

Art. No. 00714 240 080 (8x10)

Art. No. 00714 240 124 (12x14)

Art. No. 00714 240 147 (14x17)

Art. No. 00714 231 618 (16x18)

Art. No. 00714 240 179 (17x19)



Double Socket Spanner

Art. No. 00714 244 089 (8x9)

Art. No. 00714 244 101 (10x11)

Art. No. 00714 244 123 (12x13)

Art. No. 00714 244 137 (13x17)

Art. No. 00714 244 145 (14x15)

Art. No. 00714 244 168 (16x18)

Art. No. 00714 244 179 (17x19)



Curved Double Ring Spanner

Art. No. 00715 23 17 (11x13)

Art. No. 00715 23 19 (13x17)

Art. No. 00715 23 20 (14x17)

Art. No. 00715 23 21 (19x22)

Sockets and Socket Sets



Multi Use Sockets

Art. No. 00713 113...1/4" (4-14mm)

Art. No. 00713 123...3/8" (6-22mm)

Art. No. 00712 134...1/2" (10-32mm)



HEX Sockets

Art. No. 00713 122...3/8" (8-17mm)

Art. No. 00712 131...1/2" (10-36mm)



1/2" Torx External

Art. No. 00715 132...(E10-E24)

1/4" Torx External

Art. No. 00715 112...(E5-E10)



1/2" Tube Sockets

Art. No. 00712 132...(12-32mm)



1/2" Allen Head

Art. No. 00715 137...(6, 7 & 8mm)




1/2" Multi Spline

Art. No. 00715 138...(8, 10, & 12mm)



1/2" Torx Internal

Art. No. 00715 133...(TX20-60) 60mm Long
Art. No. 00715 134...(TX40-45) 120mm Long
3/8" Torx Internal
Art. No. 00715 123...(TX15-40) 50mm Long



Universal Joint

Art. No. 00713 118 301 - 1/4"

Art. No. 00712 138 301 - 1/2"



1/4" Socket Wall Holder

Art. No. 00713 111 01

3/8" Socket Wall Holder

Art. No. 00713 121 01

1/2" Socket Wall Holder

Art. No. 00713 131 01



1/4" 5 Star Socket with Hole

Art. No. 00715 113 900



Impact Sockets

Art. No. 00714 13...1/2"

Art. No. 00714 14...3/4"

Art. No. 00714 15...1"



Impact Tube Sockets

Art. No. 00714 13...1/2"

Art. No. 00714 14...3/4"



Impact Socket Reducers

Art. No. 00712 138 401 1/2" to 3/8"

Art. No. 00714 12 09 3/8" to 1/2"

Art. No. 00714 13 28 1/2" to 3/4"

Art. No. 00714 14 19 3/4" to 1"

Art. No. 00714 14 191 3/4" to 1 1/2"

Art. No. 00714 152 02 1" to 3/4"



490mm 1/2" Power Bar

Art. No. 00712 130 102



Repair Set for 00712 130 102

Art. No. 00712 130 100

Sockets and Socket Sets



Spark Plug Socket


Art. No. 00715 51 50 - 3/8" (80mm)

Art. No. 00715 51 47 - 1/2" (80mm)



Mag Socket Set

Art. No. 00714 130 30



Multi Grip Socket

Art. No. 00714 121 907 - 3/8"

Art. No. 00714 131 907 - 1/2"

Extensions



Extension Bars


Art. No. 00713 118 106 - 1/4" (150mm)

Art. No. 00713 128 103 - 3/8" (75mm)

Art. No. 00713 128 110 - 3/8" (250mm)

Art. No. 00712 138 105 - 1/2" (125mm)

Art. No. 00712 138 110 - 1/2" (250mm)



Angled Extension Bars

Art. No. 00713 118 102 - 1/4" (50mm)

Art. No. 00713 118 104 - 1/4" (100mm)

Art. No. 00715 12 40 - 3/8" (125mm)

Art. No. 00715 13 40 - 1/2" (75mm)

Art. No. 00715 13 41 - 1/2" (150mm)



Impact Extension Bars

Art. No. 00714 13 22 1/2" 75mm (2003)

Art. No. 00714 13 23 1/2" 150mm (2003)

Art. No. 00714 14 17 3/4" 175mm (2006)

Art. No. 00714 14 18 3/4" 150mm (2006)



Ratchets



1/4" Ratchet (100mm)

Art. No. 00712 014 5



1/4" Ratchet (135mm)

Art. No. 00712 014 0



3/8" Ratchet (175mm)

Art. No. 00712 03 80



1/4" & 3/8" Repair Kit

Art. No. 00712 001 (175mm)



1/2" Ratchet (250mm)

Art. No. 00712 012 0



1/2" Repair Kit

Art. No. 00712 001 (175mm)



1/4" BIT Ratchet (135mm)

Art. No. 00712 014 02



1" Ratchet Hammer

Art. No. 00714 110 0



Slide Bar for 00714 110 0

Art. No. 00714 110 200



Tyre Lever

Art. No. 00695 326 809

Torque Wrenches



3/4" Torque Wrench

Art. No. 00714 71 23, 300 to 1000Nm



1/4" Torque Wrench

Art. No. 00714 71 20, 4 to 20Nm



3/8" Torque Wrench

Art. No. 00714 71 21, 20 to 100Nm



1/2" Torque Wrench

Art. No. 00714 71 23, 40 to 200Nm



Sockets and Socket Sets



1/4" Socket Bit Set 23Pcs

Art. No. 00965 11 23



1/4" (Hex) Socket Set 16Pcs

Art. NO. 00965 11 16

(4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm).



1/4" (Multi Use) Socket Set 32Pcs

Art. NO. 00965 11 032

(4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm).



1/4" (Hex) Socket Set 32Pcs

Art. NO. 00965 11 32

(4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm).



1/4" (Int./Ext.Torx) Socket Set 20Pcs

Art. NO. 00965 11 180

(E4, 5, 6, 7, 8, 10, 11) (T8, 9, 10, 15, 20, 25, 30).



3/8" (Multi Use) Socket Set 22Pcs

Art. No. 00965 12 022

(6, 6.3, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm).



3/8" (Hex) Socket Set 16Pcs

Art. No. 00965 12 160

(8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm).



1/2" Multi Use Socket Set 23Pcs

Art. No. 00965 13 023

(10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 26, 27, 28, 30, 32mm).



1/2" (Metric Hex) Socket Set 23Pcs

Art. No. 00965 13 230

(10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 26, 26, 27, 28, 30, 32mm).



Sockets and Socket Sets



1/2" (Imperial Hex) Socket Set 21Pcs

Art. No. 00965 13 21

(3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1 1/16, 1 1/8, 1 3/16, 1 1/4").



1/2" (Int. Ext. Torx) Socket Set 21Pcs

Art. No. 00965 13 210


(E10, 11, 12, 14, 16, 18, 20, 24)



1/2" (Allen Key) Socket Set 21Pcs

Art. No. 00965 13 110

(A/F 5, 6, 7, 8, 10, 12, 14, 17, 19).



1/2" Socket Bit Set 31Pcs

Art. No. 00965 13 310



1/2" Go Thru Socket Set 14Pcs

Art. No. 00713 130 0

Art. No. 00713 130 01 - Ratchet



1/4" and 1/2" Socket Set

Art. No. 00965 090 59



3/4" (Hex) Socket Set 15Pcs

Art. No. 00965 14 150

(22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm).



1/2" Repair Kit for 00965 090 59

Art. No. 00712 000 12

1/4" Repair Kit for 00965 090 59

Art. No. 00712 000 14



1/2" Long & Short Socket Set

Art. No. 00965 13 35

(Short: 10-34mm, Long: 13-27mm)




Tool Inlays and Trolley



Zebra Screw Driver Set

Art. No. 00965 900 501

(0.6 x 3.5; 0.8 x 4.5; 1.2 x 7.0; 1.6 x 9.0; PH1; PH2)



Zebra Spanner Insert Set 6-22mm 17 Pcs

Art. No. 00965 900 401

(6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22mm)




Zebra 1/4" Ratchet Socket Insert Set 33Pcs

Art. No. 00965 900 001



Zebra 1/4" + 1/2" Socket Insert Set 56Pcs

Art. No. 00965 900 901



Cirdlip Plier Insert Set 4Pcs

Art. No. 00965 900 602



Zebra Gooseneck Spanner Insert Set 12 Pcs

Art. No. 00965 900 405

(6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32mm)



Zebra 3/8" Ratchet Socket Insert Set 16Pcs

Art. No. 00965 900 102




Zebra Plier Insert Set 4Pcs

Art. No. 00965 900 600



Striking Tool Insert Set 14Pcs

Art. No. 00965 900 701



Zebra 1/4" + 3/8" Socket Insert Set 91Pcs

Art. No. 00965 900 903



Zebra 1/2" Ratchet Socket Insert Set 22Pcs

Art. No. 00965 900 202



7 Drawer Tool Trolley

Art. No. 00962 699 237



Würth South Africa (Pty) Ltd.

Warranty Statement

Zebra and Red Line Hand Tools



Warranty Terms and Conditions for Würth Products

In accordance with the following terms and conditions, Würth Zebra and Red Line hand tools are covered by a lifetime factory fault warranty. This warranty is only applicable to the person/business that originally purchased the product directly from Würth South Africa and is valid from the date of purchase granted that an invoice for the product in question is provided. Würth commit, with certain exceptions, to exchange or repair any product which, upon examination by Würth, is deemed to have flaws or defects in either the manufacturing process and/or input components/materials.

Both Zebra and Red Line ratchets will not be covered by the warranty. If a ratchet has a factory fault upon receiving the ratchet, the purchaser must contact Würth South Africa within 7 days of receiving the ratchet. If the purchaser contacts Würth South Africa after a period of 7 days of receiving the ratchet, the warranty will be rendered null and void.

This warranty will only cover tools that were bought from the 1st of January 2017.

This Warranty will not apply if:

- (a) Damages arise from product abuse, misuse, improper application, accidental damage, lack of maintenance, general wear and tear or any repair attempted by someone other than an official Würth approved repairer.
- (b) The product has not been used or maintained in accordance with the manufacturer's instructions as provided with the product.
- (c) The product is used in an application where it is not fit for purpose. This includes, but is not limited to observance of correct tensile strength ratings, suitable DIN/ISO standards, metric/imperial specifications, recommended tightening torques, or appropriate chemical product use.
- (d) The product has been stored incorrectly. This includes, but is not limited to exposure to high or low temperatures, incorrect UV or other light, or excessive moisture as per the manufacturers' recommendations or stipulations of the Safety Data Sheet (where applicable).
- (e) All recommended preparation and/or treatment processes have not been carried out as per the manufacturer's instructions.
- (f) The product or packaging has been modified in such a way that renders any prior specification, rating or classification void. This includes, but is not limited to Dangerous Goods, Flammability ratings or Safe Transport classifications.

To claim this Warranty:







Any warranty claim is to be submitted in writing and accompanied by relevant invoice/s or proof of purchase. Please note the return of the product to a Würth Customer Service Consultant is mandatory for all warranty claims.



1/4" SOCKET WRENCH ASSORTMENT

Art. No. 05763 11 341



| Designation | Drive | Length | |
|---------------------------------|---|---------|--|
| Ratchet |  | 145 mm | |
| Screwdriver handle | | 150 mm | |
| Extension | | 100 mm | |
| Cardan joint | | 150 mm | |
| 3-way adapter 3/8" F×1/4" M. | | 35 mm | |
| 1/4" F×1/4" H. Coupler | | 24.7mm | |
| Socket 4.5 |  | 25.4 mm | |
| Socket 5 | | | |
| Socket 5.5 | | | |
| Socket 6 | | | |
| Socket 7 | | | |
| Socket 8 | | | |
| Socket 9 | | | |
| Socket 10 | | | |
| Socket 11 | | | |
| Socket 12 | | | |
| Socket 13 | | | |
| Socket 14 | | | |
| Bit PH1 |  | 25 mm | |
| Bit PH2 | | | |
| Bit PH3 | | | |
| Bit slotted 0.8×5.5 |  | | |
| Bit INHEX 3 |  | | |
| Bit INHEX 4 | | | |
| Bit INHEX 5 | | | |
| Bit INHEX 6 | | | |
| Bit TX 10 |  | | |
| Bit TX 15 | | | |
| Bit TX 20 | | | |
| Bit TX 25 | | | |
| Bit TX 27 | | | |
| Bit TX 30 | | | |
| Bit TX 40 | | | |

3/8" SOCKET WRENCH ASSORTMENT

Art. No. 05763 12 170



- Material: CRV
- Surface: Chrome matt
- Supplied in a metal box with PS tray

| Designation | Drive | Length |
|-----------------------------------|-------|---------|
| Ratchet | □ | 196 mm |
| Extension | | 125 mm |
| Cardan joint | | 250 mm |
| 3-way adapter 1/2" F x 3/8" M. | | 51.4 mm |
| Socket 8 | | 40 mm |
| Socket 9 | ● | 25.5 mm |
| Socket 10 | | |
| Socket 11 | | |
| Socket 12 | | |
| Socket 13 | | |
| Socket 14 | | |
| Socket 15 | | |
| Socket 16 | | |
| Socket 17 | | |
| Socket 18 | | |
| Socket 19 | | 27 mm |
| | | 29 mm |

RED LINE



1/2" SOCKET WRENCH ASSORTMENT



Art. No. 05763 13 231

- Material: CRV
- Surface: Chrome matt
- Supplied in a metal box with PS tray

| Designation | Drive | Length |
|-----------------------------------|-------|--------|
| Ratchet | | 250 mm |
| Extension | | 125 mm |
| Cardan joint | | 250 mm |
| 3-way adapter 3/8" F x 1/2" M. | | 68 mm |
| Socket 10 | | 38 mm |
| Socket 11 | | |
| Socket 12 | | |
| Socket 13 | | |
| Socket 14 | | |
| Socket 15 | | |
| Socket 16 | | |
| Socket 17 | | |
| Socket 18 | | |
| Socket 19 | | |
| Socket 20 | | |
| Socket 21 | | |
| Socket 22 | | |
| Socket 23 | | 41 mm |
| Socket 24 | | |
| Socket 27 | | 44 mm |
| Socket 30 | | |
| Socket 32 | | |

ADJUSTABLE SPANNER



RED LINE

| A(max.) mm | L mm | L inch | B(max.) mm | S mm | T mm |
|------------|------|--------|------------|------|------|
| 24 | 200 | 8 | 53 | 13 | 7 |
| 30 | 250 | 10 | 65 | 16 | 8 |
| 36 | 300 | 12 | 77 | 18 | 10 |


Design: adjustable.

Standard: DIN3117/ ISO6787.

Material: chrome vanadium, forged.

Surface: chrome-plated, heads polished.

Geometry: jaw position 22.5°, right-handed model with metric measuring scale for quick and accurate recognition of jaw opening.



Head shape: narrow heads for use in confined spaces. Long jaw design for sure grip of deep-set bolts and nuts

Art. No. 05754 221 08 200mm

Art. No. 05754 221 10 250mm

Art. No. 05754 221 12 300mm



COMBINATION PLIERS



RED LINE

For gripping, holding and cutting hard and soft wire and cable

- High-quality tool steel ensures long tool life and precision of gripping and cutting surfaces
- Extra-long cutting edge also for thicker cables
- Ergonomic, comfort handle for pleasant working conditions and optimal force transmission

Cutting: inductively hardened precision cutting
Torch hole: for gripping round materials
Surface: chrome-plated all around
Joint: lay-on

Art. No. 05772 01 556

SIDE CUTTER



RED LINE

For cutting hard and soft wires

- Force-saving, clean cutting with milled precision cutting edge
- High-quality tool steel ensures long tool life and precision of cutting edges even under greatest stress
- Ergonomic, comfort handle for pleasant working conditions and optimal force transmission

Cutting: inductively hardened precision cutting
Surface: chrome-plated
Joint: lay-on

Art. No. 05772 01 553

SNIPE NOSE PLIERS



RED LINE

For gripping, holding and cutting soft and hard wires and cables

- High-quality tool steel ensures long tool life and precision of gripping and cutting surfaces.
- Extra-long cutting edge also for thicker cables.
- Cutting edges: with additional inductive hardening
- Surface: chrome-plated
- Ergonomic, comfort handle for pleasant working conditions and optimal force transmission
- Joint: laid on

Art. No. 05772 01 557



WATER PUMP PLIERS



RED LINE

Standard: DIN ISO 8976.

Material: chrome-vanadium-steel, tempered.

Teeth: inductive hardened.

Head: chrome plated.

Joint: box, 7x adjustable self-locking on pipes and nuts no slipping on the workpiece.

Ergonomic, comfort handle for pleasant working conditions and optimal force transmission

Applications:

Pipes, nuts, flat workpieces.

Art. No. 05772 01 563

SCREWDRIVER SET



RED LINE

Slotted and PH screwdrivers

Art. No. 05751 942 26

| 0.6x3.5 | PH1 |
|---------|-----|
| 1.0x5.5 | PH2 |
| 1.2x6.5 | |
| 1.2x8.0 | |



* Packed in color window box.

T-HANDLE SCREWDRIVER HEX




With ball head, black point

- Blade: Round blade, chrome plated
- Drive: HEX

Art. No. 05751 914 061


RED LINE

| |  | | |
|-----|---|-------|---------|
| | A1 mm | A2 mm | B/C mm |
| 2.5 | 110 | 15 | 55/31.6 |
| 3 | 110 | 15 | 55/31.6 |
| 4 | 110 | 15 | 55/31.6 |
| 5 | 160 | 18 | 75/45.6 |
| 6 | 160 | 18 | 75/45.6 |
| 8 | 200 | 18 | 75/45.6 |



* Set packed in color window box.


T-HANDLE SCREWDRIVER TX



- Blade: Round blade, chrome plated
- Drive: Torx, black point

Art. No. 05751 913 062

RED LINE

| |  | | |
|----|---|-------|---------|
| | A1 mm | A2 mm | B/C mm |
| 10 | 110 | 15 | 55/31.6 |
| 15 | 110 | 15 | 55/31.6 |
| 20 | 110 | 15 | 55/31.6 |
| 25 | 160 | 18 | 75/45.6 |
| 30 | 160 | 18 | 75/45.6 |
| 40 | 185 | 18 | 75/45.6 |



* Set packed in color window box.





SCREWDRIVER SET



TX screwdrivers

Art. No. 05751 934 8

RED LINE

| |   |
|----|---|
| | A mm |
| 10 | 100 |
| 15 | 100 |
| 20 | 100 |
| 25 | 100 |
| 27 | 100 |
| 30 | 100 |
| 40 | 100 |





* Packed in color window box.

SCREWDRIVER CROSS-RECESS (PZ)



- Blade: Round blade, chrome plated
- Drive: ISO 8764-PZ, Black Point
- Standard: DIN 5262

RED LINE

| |  |  | | |
|-----|---|---|---------------|---------------|
| | | A mm | B/C mm | A inch |
| PZ1 | | 80 | 100/31 | 3 1/8" |
| PZ2 | | 100 | 110/34 | 4" |

Art. No. 05751 233 1 PZ1

Art. No. 05751 233 2 PZ2



COMBINATION SPANNER SET 6-22MM



Version: metric, short design

- Drive: Ring side double hexagon
- Standard: DIN 3113 / DIN 475-2
- Material: Chrome-vanadium-steel
- Surface: Chrome matt plated, open end polished
- Geometry: Ring side 15° angled down, openend position 15°

Art. No. 05754 301 41

| mm | L mm | W1 mm | dia. D mm | a1 mm | a2 mm |
|----|---------|----------|--------------|----------|----------|
| 6 | 100 | 16 | 10.4 | 4.8 | 3.4 |
| 7 | 110 | 16.8 | 11.8 | 5.4 | 3.5 |
| 8 | 115 | 18.7 | 13 | 5.6 | 3.8 |
| 9 | 125 | 20.6 | 14.1 | 6 | 4 |
| 10 | 135 | 22.4 | 16 | 6.3 | 4.5 |
| 11 | 145 | 24 | 17.2 | 6.8 | 4.9 |
| 12 | 155 | 26.3 | 18.5 | 7.2 | 5 |
| 13 | 165 | 28.3 | 19.8 | 8.3 | 5.6 |
| 14 | 171 | 30 | 21.2 | 8.5 | 5.7 |
| 15 | 185 | 31.9 | 22.6 | 9.2 | 6.1 |
| 16 | 195 | 34 | 24.1 | 9.3 | 6.5 |
| 17 | 210 | 35.2 | 25.3 | 9.6 | 6.8 |
| 18 | 220 | 37.5 | 27.2 | 10.1 | 7.2 |
| 19 | 230 | 39.7 | 28.4 | 10.2 | 7.3 |
| 20 | 240 | 41.4 | 29.5 | 10.8 | 7.4 |
| 21 | 245 | 43.2 | 31.4 | 11.1 | 7.6 |
| 22 | 248 | 45.3 | 32.4 | 11.7 | 7.9 |

Art. No. 05754 301 41

GOOSE NECK COMBINATION SPANNER SET 6-34mm




| mm | L mm | W1 mm | dia. D mm | a1 mm | a2 mm |
|----|---------|----------|--------------|----------|----------|
| 6 | 100 | 15.1 | 10.3 | 4.9 | 3.5 |
| 7 | 110 | 17.0 | 11.5 | 5.6 | 3.6 |
| 8 | 120 | 18.5 | 12.8 | 6.4 | 4.0 |
| 9 | 130 | 20.7 | 14.2 | 6.7 | 4.0 |
| 10 | 155 | 22.7 | 16.0 | 7.3 | 4.6 |
| 11 | 162 | 24.6 | 17.3 | 8.3 | 5.0 |
| 12 | 170 | 27.0 | 18.7 | 8.4 | 5.0 |
| 13 | 178 | 29.5 | 19.5 | 8.4 | 5.5 |
| 14 | 192 | 30.4 | 21.4 | 9.7 | 5.6 |
| 15 | 210 | 32.0 | 22.5 | 10.2 | 6.0 |
| 16 | 220 | 33.7 | 24.5 | 10.8 | 6.6 |
| 17 | 226 | 36.5 | 25.5 | 10.8 | 7.0 |
| 18 | 240 | 38.5 | 27.0 | 11.2 | 7.7 |
| 19 | 246 | 40.6 | 28.2 | 12.6 | 8.2 |
| 20 | 260 | 42.2 | 30.7 | 12.7 | 8.4 |
| 21 | 270 | 44.0 | 31.6 | 13.0 | 8.5 |
| 22 | 275 | 44.8 | 33.3 | 13.6 | 8.6 |
| 23 | 320 | 49.4 | 35.8 | 13.6 | 8.7 |
| 24 | 320 | 49.4 | 35.8 | 13.6 | 8.9 |
| 25 | 343 | 53.8 | 38.5 | 13.6 | 9.3 |
| 26 | 343 | 53.8 | 38.5 | 15.2 | 9.7 |
| 27 | 370 | 58.5 | 40.5 | 15.3 | 10.6 |
| 28 | 370 | 58.5 | 40.5 | 15.3 | 10.6 |
| 29 | 395 | 62.1 | 44.6 | 17.3 | 11.2 |
| 30 | 395 | 62.5 | 44.6 | 17.3 | 11.3 |
| 32 | 418 | 66.2 | 46.2 | 17.9 | 11.5 |

Version: metric, short design

- Drive: Ring side double hexagon
- Standard: DIN 3113 / DIN 475-2
- Material: Chrome-vanadium-steel
- Surface: Chrome matt plated, open end polished
- Geometry: Ring side 15° angled down, openend position 15°

Art. No. 05754 301 470





RED LINE

Torx Screwdriver Set

Art. No. 05751 900 502

Contents: TX10, 15, 20, 25, 27, 30, 40



RED LINE

Slotted & Phillips S/Driver Set

Art. No. 05751 900 514

Contents: PH1,2; SL 0.6x3.5, 1.0x5.5, 1.2x6.5, 1.2x8.0



RED LINE

1/4" & 1/2" Socket Set, 57Pcs

Art. No. 05763 900 901

Contents: PH1,2; SL 0.6x3.5, 1.0x5.5, 1.2x6.5, 1.2x8.0

RED LINE 1/2" + 1/4" socket wrench set 57-piece


Contents 1/2" set parts:

Hexagon socket: WS10,11,12,13,14,15,16,17,18,19,20, 21,22,23,24, 27,30,32mm;

Extensions 125MM,250MM; Cardan joint; 3-way adapter 3/8" F* 1/2" M; 1/2" ratchet;

Contents 1/4" set parts:

Hexagon socket: WS4.5,5,5.5,6,7,8,9,10,11,12,13,14mm; Extensions 100,150mm; Cardan joint; 3-way adapter 3/8" F* 1/4" M; 1/4" F* 1/4" H. coupler; 1/4" ratchet; 1/4" driver handle; Bits: PH1/2/3, SL0.8x5.5, INHEX3/4/5/6, TX10/15/20/25/27/30/40.



RED LINE

Combination Spanner Set, 6-22mm

Art. No. 05754 900 401

Contents: WS6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm



RED LINE

Double Offset Spanner Set

Art. No. 05754 900 405

Contents:

WS6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,21x23,24x27,25x28,30x32mm




RED LINE

Plier Set

Art. No. 05754 900 601


Contents:

Side cutter 180mm, Combination plier 180mm, Snip nose plier 200mm, Water pump plier 250mm



Empty Foam Insert SHORT

Art. No. 05754 900 952



Empty Foam Insert LONG

Art. No. 05754 900 960



Creeper Board
Art. No. 00715 93 03
Creeper Board Wheels
Art. No. 00715 93 031



Mobile Assembly Stool
Art. No. 00715 93 04



Lunch Bag (3000x220x190mm)
Art. No. 00715 930 242



Open Tool Bag (440x370x280mm)
Art. No. 00715 930 081



5 Tier Tool Case (530x200x200mm)
Art. No. 00715 93 24



Petrol/Diesel Canister 5Ltr
Art. No. 00824 010 067



Wall Mounted Tool Cabinet (Empty)
Art. No. 01957 354 124



REDLINE Toolbox Complete



ZEBRA Toolbox Complete



ORSY BULL 5 Drawer
Art. No. 00962 330 042
Dimensions: 592x390x400mm
Drawers: 5/480x335x62mm



ORSY BULL 3 Drawer
Art. No. 00962 330 043
Dimensions: 592x390x400mm
Drawers: 1/480x335x62mm, 2/480x335x125mm



ORSY BULL Top Loader - Waterproof
Art. No. 00962 330 012
Dimensions: 592x390x400mm
Top Box: 495x334x343mm



ORSY BULL Top Loader
Art. No. 00962 330 062
Dimensions: 592x390x400mm
Top Box: 495x334x195mm
Drawers: 2/480x335x62mm



ORSY BULL Draw Partitioning & Separations
Art. No. 00962 330 510 - 62mm Drawers
Art. No. 00962 330 520 - 125mm Drawers

ORSY BULL Draw Partitions

Art. No. 00962 330 511 - 62mm Drawers
Art. No. 00962 330 521 - 125mm Drawers



ORSY BULL Cart
Art. No. 00962 330 622
Dimensions: 610x407x200mm



Mounting Rail for Vehicles
Art. No. 00962 330 730



Rivet Nut Pliers
Art. No. 00917 101



Rivet Nuts
Art. No. 00917...
(Flat Head, C/Sunk, Knurled C/Sunk)



Mandrel for 00917 101
Art. No. 00917 948 30/40/50/60
(M3/M4/M5/M6)



Ratchet Rivet Nut Setter
Art. No. 05964 094 803
(M4-M12)
Nose Pieces for 05964 094 803
Art. No. 00949 9...
Mandrel for 05964 094 803
Art. No. 00949 9...



Hand Held Riveter
Art. No. 00915 12



Lazy Tong Riveter
Art. No. 01937 1



Broken Stud/Bolt Extractor
Art. No. 00690 14
Replacement pin and nut
Art. No. 00690 141...



Stud Extractor Socket 6-12mm
Art. No. 00690 421 1



Flat Iron File
Art. No. 00714 61 02 - (H1) 250x25x6.3mm
Art. No. 00714 61 06 - (H2) 200x20x5mm
Art. No. 00714 61 08 - (H2) 300x30x6.7mm
Art. No. 00714 61 11 - (H3) 200x20x5mm



Half Round Iron File
Art. No. 00714 61 34 - (H1) 200x20x6.7mm



Round Iron File
Art. No. 00714 61 50 - (H2) 200x8mm



Wooden File Handle
Art. No. 00714 61...



Easy Out
Art. No. 00695 684 353



Set of Workshop Files
Art. No. 00714 61 90
200mm in length.



Set of Warding Files
Art. No. 00714 61 74
100mm in length.



WU Bodywork File
Art. No. 00714 61 71 - 350mm - 9Z
Art. No. 00714 61 72 - 350mm - 12Z
Half Round Body File
Art. No. 0000714 61 710 - 9TPi



Thread Restoring File
Art. No. 00714 61 77 - Metric
Art. No. 00714 61 78 - Imperial

Pin Punch Set
Art. No. 00714 63 41
(Individual sizes available)





Telescopic Rod

Art. No. 00715 35 70 (290-740mm)



Telescopic Magnet

Art. No. 00715 34 96 (155-670mm)



Magnetic Lifter

Art. No. 00715 35 35 (460mm)




Marking Tool AM

Art. No. 00714 70 09



Scriber

Art. No. 00714 70 10



Magnetiser/Demagnetiser

Art. No. 00715 34 95



Glass Cutter

Art. No. 00714 70 11



Pipe Cutter 3-30mm

Art. No. 00714 551 331

Art. No. 00714 551 940 - Blade



Magnetic Bowl

Art. No. 00714 937 124



Oil Filter Remover

Art. No. 00714 57 10



Blow Out Gun

Art. No. 00714 92 13

Extension Nozzle Blow Out Gun

Art. No. 00714 92 15



Inflatable AMO Bag

For rapid positioning and spacing
when installing windows

Art. No. 00715 67 80



Optical Fluid Tester

Art. No. 00704 510



Ratchet Oil Filter Remover

Art. No. 00714 57 10



5-in-1

Car Clean Set

Art. No. 00899 500 004

Anti Freeze Tester

Art. No. 00853 600 1



Strap Wrench Oil

Art. No. 00715 57 20



Infrared Thermometer

Art. No. 00715 53 110

For touch-free measuring of surface temperatures.



Washable Seat Cover

Art. No. 00899 500 014



Wing Cover Magnetic

Art. No. 00899 600



Pole Terminal Brush

Art. No. 00695 589 544



Universal Lever

Art. No. 00715 74 47



Bearing Puller SPNW 130mm

Art. No. 00714 523 132



Bearing Puller SPNW 160mm

Art. No. 00714 523 161



Bearing Puller SPNW 200mm

Art. No. 00714 523 202



Bearing Puller SPNW 250mm

Art. No. 00714 523 252



Work Scissors, 250mm

Art. No. 00714 03 17



Knives



Universal Knife with Break Off Blade - 9mm

Art. No. 00715 66 915



Universal Knife with Break Off Blade - 18mm

Art. No. 00715 66 920



Universal Knife

Art. No. 00715 66 01

Art. No. 00715 66 028 - Blades



Universal Knife with Break Off Blade with sliding safety lock - 9mm

Art. No. 00715 66 061

Art. No. 00715 66 077 - Blades



Universal Knife with Break Off Blade with sliding safety lock

Art. No. 00715 66 211



Utility Knife For Jap. Blades (1888)

Art. No. 00715 66 35 - Knife

Art. No. 00715 66 351 - Blade

Art. No. 00715 66 352 - Blade for Plastic

Art. No. 00715 66 353 - Blade for Wood



Art. No. 00715 66 077 - Blades 9x85mm



Art. No. 00715 66 057 - Blades 18x100mm



27Pcs Scraper Set

Art. No. 00715 66 40

Replacement Blades Art. No. 00715 66...



Scraper Blade

Art. No. 00715 66 42/43/44 -

12/16/20mm



Bevelled Blade

Art. No. 00715 66 45



Carpet Knife

Art. No. 00715 66 015 - Knife

Art. No. 00715 66 028 - Blades



Blade Scraper 180mm

Art. No. 00714 663 35 - Scraper

Art. No. 00714 663 351 - Blade 40mm



Hacksaw Frame


Art. No. 00714 64 02

Blades

Art. No. 00603 300 13 - 24TPi

Art. No. 00603 300 133 - 32TPi

Art. No. 00603 301 13 18-32TPi



Jnr Hacksaw Frame

Art. No. 00609 1

Blades

Art. No. 00609 2



Profile Gauge 400mm

Art. No. 00714 64 400



Tyre Pressure Gauge
Art. No. 00715 54 05



Blow Out Gun
Art. No. 00714 92 13
Extension Nozzle for Blow Out Gun
Art. No. 00714 92 15




Foot Operated Grease Pump
Art. No. 01715 300 0 - Pump
Art. No. 01715 300 1 - Uni. Coupler
Art. No. 01715 300 5 - 5M Hose



Cooling System Tester
With inflatable sealing bellows
Art. No. 00853 522
Art. No. 00853 521 - Spare Bladder



CO2 Leak Tester
Leakage tester set for early detection of leaks between the combustion chamber and cooling system.
Art. No. 00893 964 101
Art. No. 00893 202 - Replacement Fluid



Shuttle Grease Gun - Art. No. 00986 05 (A.)
Grease Gun - Art. No. 00986 00 (B.)



Flaring Tool
For brake and clutch pipes on cars and trucks
Art. No. 00714 91 02



Panel Clamping Set
Art. No. 00965 744 17
(Clips 00713 744 025/050)



Cargo Lashings
Art. No. 00713 921 954 - 9.5Mx50mm
Art. No. 00713 922 192 - 6Mx25mm

Hammers



2Kg Mallet
Art. No. 00714 734 515



2Kg Mallet
Art. No. 00715 732 200



Copper Hammer 1KG5
Art. No. 00715 733 100



Engineers Hammer
Art. No. 00715 731 30



Carpenter's Hammer
Art. No. 00715 733 02



Bumping & Pecking Hammer
Art. No. 00715 74 30



Claw Hammer
Art. No. 00715 733 116



Ball Peen Hammer
Art. No. 00715 738 04 - 113Gr
Art. No. 00715 738 16 - 454Gr
Art. No. 00715 738 24 - 680Gr



Simplex Soft Hammer
Art. No. 00715 72 30



Replacement Handle
Art. No. 00715 74 35



Chipping Hammer
Art. No. 01697 1

Dent Lifter & Accessories



Paintless Dent Lifter Kit
Art. No. 00691 500 169

Dent Puller Adaptors for 00691 500 169

Art. No. 00691 500 154 - 16mm & 27mm (Packs of 5)

Art. No. 00691 500 155 - 21mm & 32mm (Packs of 5)

Art. No. 00691 500 164 - Rectangular Dent adapter 16mmx32mm
(Packs of 10)



Slide Hammer
Art. No. 00691 500 112

Dent Puller Adaptors

Art. No. 00691 500 115 - Yellow Round (Rigid) 40mm Ø


Art. No. 00691 500 116 - Violet Round (Flex) 40mm Ø

Art. No. 00691 500 117 - Yellow Oval 47x33mm

Art. No. 00691 500 118 - Purple Oval 47x33mm

Art. No. 00691 500 121 - Blue Round 35mm Ø

Art. No. 00691 500 122 - Violet Drum Shape 47x33mm



Trim Clip Removal Tools
Art. No. 00714 34 52



Plastic Wedge
Art. No. 00714 58 32



Assembly Wedge
Art. No. 00714 58 31



Electronic Hand Held Lamp

Art. No. 00981 700 - 220V

Art. No. 00981 700 1 - 8W/240V Globe

Art. No. 00981 700 3 - Replacement Tube



LED Torch (Battery Operated)

Art. No. 00827 901

Includes 3xAAA Batteries



ERGO Light

Art. No. 00827 940 350



Elmo Multi Tester

Art. No. 00715 53 175



Elmo Car Tester

Art. No. 00715 53 07

For cars and trucks only. Voltage range
6-48 Volt



Multi Meter

Art. No. 00715 53 370



Multifunction 6-24V DC Tester

Art. No. 01715 53 080



Elmo Tester

Art. No. 00715 53 100

Contactless voltage tester for AC
circuits.



Test Lamp 6-24V

Art. No. 00695 002 24



Auto Current Tester

Art. No. 00715 53 090 -

Standard Fuse.

Art. No. 00715 53 091 -

Mini Fuse.



Voltage Tester

Art. No. 00715 53 05



Monitor Image Guide Scope

Art. No. 00715 53 761

Can capture and store images.



Probe for Image Guide Scope

Art. No. 00715 53 76

Laser Distance Measurer 80Mtr

Art. No. 05709 300 508



6Pcs Firmer Chisel Set

Art. No. 00715 653 400

Sizes: 10, 16, 20, 24, 26, 30mm



Wooden Box for Chisels

Art. No. 00715 939 001



One Hand Clamps 300/450/700mm

Art. No. 00714 662 300/450/700



Forstner Bits

Art. No. 00650 001 - Set

Art. No. 00650 000... - Individual Bits



Spade Drill Bits

Art. No. 00650 007 004 - Set

Art. No. 00650 007... - Individual Bits



Glue Roller


Art. No. 00891 186



Iron Screw Clamp

Art. No. 00714 671...


Various Sizes.



Spring Gluing Clamp

Art. No. 00714 661 900 - 60mm

Art. No. 00714 661 901 - 100mm



Precision Steel Square

Art. No. 00715 763 150 - 150mm

Art. No. 00715 763 300 - 300mm



Tape Measures 3/5/8M

Art. No. 00714 64...



Messfix 3M/5M

Art. No. 00714 642 103/105



LM Spirit Level

Art. No. 00714 644 210 - 100cm

Art. No. 00714 644 203 - 300cm



Vernier Gauge

Art. No. 00715 76 01



Precision Vernier with Gauge

Art. No. 00715 76 10



Digital Vernier

Art. No. 00715 76 11



30M Fibreglass tape measure

Art. No. 00714 64 51



Steel Tape Measure

Art. No. 00714 64 533 - 30Mtr

Art. No. 00714 64 535 - 50Mtr



Steel Rules

Art. No. 00695 072 300 - 300mm

Art. No. 00695 072 500 - 500mm



Platform Brooms Hard Bristle

Art. No. 01695 460 1 - 460mm

Art. No. 01695 610 1 - 610mm



Platform Brooms Soft Bristle

Art. No. 01695 460 0 - 460mm

Art. No. 01695 610 0 - 610mm



No. 5 Office Broom

Art. No. 01695 5



500Gr Mop

Art. No. 01695 500



Heavy Duty Plastic Buckets

Art. No. 00695 770 12- 12Ltr

Art. No. 00695 770 20- 20Ltr

A general use bucket.



Car Wash Broom

Art. No. 00891 350 100 - Brush

Art. No. 00891 350 104 - 1.5M Telescopic Pole





Wurth MASTER Tool Warranty...

All machines are subject to strict quality checks before being added to the Wurth product line. Due to this, and constant product monitoring, at our Wurth Master Centre, you can be assured of true Professional Quality and Service at all times.

Thank-you...

For choosing to use Wurth MASTER Power Tools. You can be assured that all tools are manufactured according to strict quality controls, so as to ensure that you not only have the right tools for the job but, that the right tools coupled with the highest quality, means you have a hard working and reliable tool, for your business.

For us to validate a warranty claim...

- **All Master Power Tools are covered by a 1 year warranty, that covers against manufacturing faults/defects...**
- **Units with burnt out armatures/field coils will be treated as abused and will not be covered under warranty...**
- **In addition to the above, we offer a 1 year free service on bearings and brushes...**
- **Should the out of warranty repair cost be too high, we will offer a 20% Trade-In discount on a replacement machine...**
- **The decision as to whether a machine has been abused lies at the discretion of our Master Repair Workshop...**
 - **Chargeable repairs are subject to an hourly labour rate of R180.00**



12V Battery Powered Driver Drill, 2Ah

Art. No. 05700 111 2

Extremely compact and powerful 10.8V lithium ion driver drill. Ideal for light drilling and screwing applications.

Compact, lightweight and ergonomic shape

For convenient and effortless work, even with applications above head height and in confined areas.

Li-ion battery packs

Long runtime per battery charge. The practical battery charge indicator tells you how much energy is left at all times.

2-speed gear unit and drill chuck

The cordless drill screwdriver is suitable for both screwing and drilling.

Overload protection

Prevents overload damage to motor and battery.

LED lamp

The working area is always well lit.

Chuck Diameter:

1-10mm

Drilling (Max):

Metal - 10mm

Wood - 19mm

Max Screw Diameter

7mm



Cordless Drill Screwdriver 14-A Light

Art. No. 05700 404 5

Compact and lightweight Li-ion cordless drill screwdriver. For light to medium-duty screwing and drilling tasks.

Compact And Lightweight Li-ion cordless drill screwdriver

For light to medium-duty screwing and drilling tasks.

Very compact, short design with low weight and belt clip:

For pleasant, effortless work, including when working overhead or in confined spaces

2-Speed planetary gearing:

For powerful and versatile application options

LED lamp on the battery cover:

The working area is always well lit. The drill chuck does not cast a shadow.

With Li-ion battery packs:

Compact and lightweight battery with long run life per battery charge

Drill (Max):

Softwood - 30mm

Steel - 10mm

Max. Screw Diameter

7mm



BS 18-A Cordless Drill

Art. No. 05700 504 5 - 2Ah

Art. No. 05700 509 2 - 5Ah

Art. No. 05700 509 01 - **NO BATTERIES/CHARGER**

Four-pole motor

Better power distribution than conventional two-pole motor.

Robust

All components are rated for tough construction site conditions.

Drill chuck with carbide clamping jaws

The extra-tough clamping jaws grip hard in the shank of the drill.

LED lamp on the battery block

The working area is always well lit.

Delivery Scope

2x5.0Ah Batteries (0700 916 535), 1xQuick Charger (00700 816),

1xORSY Carry Case

Extremely powerful yet handy battery-powered impact drill driver with con-

Drill (Max):

Softwood - 82mm

Steel - 13mm

Max. Screw Diameter

12mm





1/2" Battery Operated Impact Wrench

Art. No. 05700 510 01 - **NO BATTERIES/CHARGER**

Art. No. 05700 510 2 - 5Ah

Highly versatile cordless impact screwdriver with unique combination tool chuck, triple power control and low-maintenance, brushless motor.

Combination tool chuck

Combined 1/4-inch hexagon socket and 1/2-inch square drive, allowing one device to be used for even more applications

Efficient, low-maintenance, brushless EC Motor

For longer running time per battery charge and longer motor service life

3-stage power setting

Three stages for speed/impact rate, for different applications and materials

Optimal illumination of the work area

Triple LED illumination

Convenient handle design

Ergonomically shaped and thin handle with soft component for a secure and solid hold

Max Torque

185Nm

Screw Diameter

M6-M16



Hammer Drill, 3Ah

Art. No. 05700 801 4

Extremely powerful yet compact, with brushless EC motor and vibration dampening. Battery capacity can be selected freely thanks to PICK YOUR POWER.

Low-maintenance and durable motor

Brushless EC motor without carbon brushes and with electro-pneumatic striking tool for the same drilling performance as with a mains-powered tool.

Low weight, high performance battery with no memory effect

Lithium-ion technology

Continuous monitoring of the battery capacity

Charge status display on the battery

Universal application

With impact stop, chisel function, clockwise/anti-clockwise rotation and throttle switch.

Fits well in your hand and allows for effortless work

Light, compact and ergonomic design with vibration dampening.

Gives all the light you need when working

Positioning of LED light prevents shadowing caused by drill chuck

Chuck Diameter:

SDS Plus

Drilling (Max):

Metal - 13mm

Concrete 6-28mm

Max Drilling Diameter

with hollow drill bit in

concrete:

75mm





Jig Saw STP 18A

Art. No. 05700 506 01 - **NO BATTERIES/CHARGER**

Accurate and high-performance 18 V cordless jigsaw

SDS quick-change system saw blade mount

For quick, easy and tool-free saw blade changes.

Batteries with Li-ion technology and charge status display

Low weight, high performance, and almost no self-discharging of the battery. No memory effect. The charge status display means that the available charge is visible at any time.

Four settings for pendulum lifts, including infinitely adjustable speed control

Suitable for universal use, since the magnitude of both the lift and the speed can be ideally adjusted to a wide variety of materials.

Lightweight, compact and ergonomic design with rubberised handle

The machine sits easily in the hand, allowing low-fatigue work.

Switchable LED on the saw blade mount

Well illuminated working area, saw blade insertion area is brightly lit.

Stroke Length:

23mm

Max Cutting:

Wood - 120mm

Steel - 8mm

Aluminium - 20mm



Cordless Grinder EWS18 - **NO BATTERIES/CHARGER**

Art. No. 00700 236 01

Handy battery-powered angle grinder for mobile applications up to a disc diameter of 125 mm. Choose the battery power you need with PICK YOUR POWER

Optimum power distribution

Similar to all-wheel drive, the four-pole motor distributes power better than with conventional two-pole motor.

Can be operated with only one hand

Flexible applications, even in inaccessible places

Overload and restart protection

Added safety when working

Low weight, high performance battery with no memory effect

Li-ion technology

Continuous monitoring of the battery capacity

Charge status indicator on battery



Cordless Sabre Saw SBS 18-A - **NO BATTERIES/CHARGER**

Art. No. 05700 505 02

Powerful yet manageable battery-powered sabre saw with lithium-ion technology. Choose the battery power you need with PICK YOUR POWER.

Low weight, high performance battery with no memory effect

Li-ion technology

Speed can be easily adjusted for different materials

2-speed

Quick, one-handed, tool-free blade change

Quick-change saw blade mount

Overload protection

Prevents overload damage to motor and battery.

Comfortable and non-slip hold

Soft grip





Farmers Drill

Art. No. 00702 315 1 (2176)

Compact, powerful drill driver for working at very high torques, e.g. holes with large diameters, series screw connection and agitation work

Three-stage gear reduction

For higher torque and a longer service life for the machine

Soft start

Increases the level of safety and protects the wrist and the motor

Constant electronics

For uniformly high torque throughout the entire speed and load range

Electronic torque adjustment

The machine turns off once a pre-set torque is reached.

Right/left rotation

Carbon brush switches mean that the same torque can be achieved in both running directions

Cable change system

Defective cables can be easily replaced

Chuck Diameter:

1-10mm

Drilling (Max):

Metal - 16mm

Wood - 70mm

Aluminium - 22mm



Screw Gun

Art. No. 00702 050 0

Extremely light and handy dry construction driver.

Specially designed for dry wall screws up to Ø 5 mm

Saves time since the screwing speed can be perfectly matched to the dry wall screws.

Quick-change cable

A longer cable can be connected in just seconds if necessary.

Easy and convenient to use

Making it possible to work for long periods without fatigue.

Adjustable depth stop

Easy-to-adjust screwing depth



Drill/Screwdriver BM 10-XE Drill

Art. No. 00702 327 2

600W drill for quick drilling in wood, plastic and metals.

Robust metal quick-action drill chuck

Ensures high precision and a long service life.

Electronic speed control

Continuously adjustable speed permits gentle force delivery and allows the device to be matched to any application.

Clockwise/anti-clockwise rotation

Inserted screws can be removed. Thanks to direct carbon brush changeover, maximum torque is achieved in both running directions.

Chuck Diameter:

1-10mm

Drilling (Max):

Metal - 10mm

Wood - 25mm

Aluminium - 10mm

Stainless Steel - 8mm





13mm Percussion Drill

Art. No. 05717 001 011

Powerful compact and lightweight 650W impact drill with keyless chuck.

- Keyless chuck for convenient and quick drill changes.
- 2 mode function (drilling and impact drilling).
- Ergonomic handle with rubber handle for increased operator comfort.
- Electronic trigger with adjustment wheel for regulating of speed.
- Additional side handle with depth stop indicator.
- Lock button for continuous operation

Chuck Diameter

1-13mm

Drilling (Max):

Softwood - 25mm

Concrete - 13mm

Steel - 10mm



24mm SDS Hammer Drill

Art. No. 05708 202 1

Lightweight, manageable 750-W hammer drill with interchangeable drill chuck and chiselling function for universal use

Compact:

Ergonomic shape and lightweight for continuous use without rapid signs of fatigue.

Interchangeable drill chuck for versatile applications:

The machine can be converted from SDS to a standard drill chuck in just a few steps.

Universal:

The machine's chiselling function also makes it suitable for corrective chiselling work.

Drilling (Max):

Concrete: 4-24mm

(Ideal in concrete

6-16mm)

Hollow Drill bit into

masonry: 68mm



* SDS Plus Drills

Art. No. 00648...

* Optional Articles

32mm Drill and Chisel Hammer (SDS Plus)

Art. No. 00702 543 2

Rugged drill and chisel hammer in the top SDS-plus performance class for drilling diameters up to 32mm in concrete.

Rapid drilling progress and extremely smooth running

The anti-vibration system protects the user's joints. In addition, the drilling times are shortened due to a high impact power.

Chisel function with 4.2 joule impact strength

Eliminates the need for an additional chipping hammer in many cases.

24-position chipping adjustment

Allows adjustment to different working angles while chiselling, minimising fatigue.

Drilling (Max):

Concrete 6-32mm

Steel - 13mm

Wood - 32mm

Hollow drill bits in

masonry - 90mm





10Kg Hammer Chisel (SDS Max)

Art. No. 00702 571 1

Hardest hitting 10Kg hammer (25 J) with long service life, for heavy duty demolition work and for making holes in walls.

High output power

With specially hardened tool chuck, optimised dust seal and high-performance motor with high power reserve.

Best in class among 10 kg hammers

Removal rate of approximately 490 kg concrete in 60 minutes

Vibration-damped ergonomic handle

Protects joints and allows safe and low-fatigue work.

Control electronics

Enable continuous adjustment of the impact rate, even under load.

Constant electronics

Ensure a consistent impact rate and impact strength.

Warning light

Signals that the carbon brushes will need to be replaced in approx. 8 working hours.

Carbon brushes with automatic cut-out function

With a particularly long service life.

12-position lockable chiselling position

Allows adjustment to various working angles, thereby protecting the user.

Fully isolated

For maximum electrical safety.

SDS-max automatic mount

Simply start using the tool and it will lock through rotation.

Large in-out slide switch.

Easy to operate, even when wearing gloves.



| | |
|--------------------------------------|--------------------|
| Voltage | 230V |
| Power Input | 1500W |
| Power Output | 950W |
| Impact freq. at nom. output | 900-1890rpm |
| Single impact strength/energy | 6-25 J |
| Chisel cap in concrete | 490Kg/h |
| Chisel adjustment | 12 x 30° |
| Cable length | 4M |
| Weight | 10.1Kgs |
| Tool fixture | SDS |
| Weight | 2.2Kgs |

1/2" Impact Wrench

Art. No. 00702 317 0

Powerful, lightweight electric impact screwdriver for M 6 to M 18 screws. Central handle and favourable position of centre of gravity ensures effortless single-handed operation.

Effortless Work

Impact mechanism with low back torque

Adjust impact power to the task at hand

Throttle switch with adjusting wheel

Suitable for stationary work

Suspended bracket (spring balance)

Easy to use (including for left-handed users)

- Compact design
- Easily accessible right/left directional switch
- Central handle for favourable position of centre of gravity





Light Work...

Angle Grinder LIGHT

850 W angle grinder with slim grip circumference and 115 mm protective hood. Ideal for light grinding and cutting work, such as deburring.



Ergonomic design: The compact angle grinder offers an outstanding weight-performance ratio thanks to its small grip size, ensuring low-fatigue work.

Restart protection: Following an interruption in the power supply, the angle grinder does not restart unintentionally, significantly reducing the risk of injury.

Rapidly adjustable protective hood: Enables rapid adjustment of the protective cover without the use of tools.

Art. No. 05717 004 01

Industrial...

Angle Grinder EWS 12-125 SOLID

1,200 watt, robust angle grinder for fast working progress and long service life. Ideal for continuous intense rough machining and cutting work. With anti-vibration handle.



Restart protection: The angle grinder will not restart unintentionally following an interruption to the power supply, significantly reducing the risk of injury.

Recoil protection: Mechanical decoupling ensures no recoil if the disk locks. For a high level of protection for the user and rapid continuation of work.

Quick adjustment of protective cover: Enables quick adjustment of the protective cover without the use of tools.

EWS 12-125 Art. No. 05707 040 0

Industrial...

Angle Grinder EWS 17-125Q POWER

Powerful 1700-watt handy angle grinder for removing material as quickly as possible and achieving maximum productivity. Ideal for heavy-duty roughing and cutting work. With anti-vibration handle.



Constant electronics: Enables rapid progress with work as the speed remains constant even under load.

Restart protection: Following an interruption in the power supply, the angle grinder does not restart unintentionally, significantly reducing the risk of injury.

Overload protection and soft start: Increase in service life and level of operating safety offered by the machine.

Recoil protection: Mechanical decoupling ensures no recoil if the disk locks. For a high level of protection for the user and rapid continuation of work.

"Q-Nut" quick-clamping nut and quick-adjustment protective cover: The quick-clamping nut enables discs to be replaced quickly at the push of a button – without the use of tools. This quick-change system ideally supplemented by the quick-adjustment protective cover.

EWS 17-125 Art. No. 05707 006 2

Industrial...

Angle Grinder EWS 24-230

2400 watt angle grinder, for disks with max. 230 mm diameter.



Handle can be rotated in 90° increments:

Optimum working position for both grinding and cutting.

Vibration damping on both handles: Less fatigue during work.

Twist-proof protective hood: Adjustable without tools, for rapid and effective work

Recoil protection: If the wheel suddenly blocks, the power supply to the motor is interrupted, considerably reducing the danger of injury.

Overload indicator: To prevent motor damage, an LED comes on if the unit becomes overloaded.

Extremely slimline housing: Makes it easier to work with the angle grinder.

On/Off switch with intelligent electronics: Restart protection, overload protection, soft start

Optimised dust-protection concept

Cool air is sucked in at the rear ventilation slots and blown out at the front by the gear head

EWS 24-230 Art. No. 00702 446 10

Safety Angle Grinder SWS 230

Angle grinder of the highest performance class, featuring a unique safety package, comprising of a run-out brake, restarting protection, gentle start-up, and a patented, quick clamping system. Discs can be changed without any tools.

Patented electrical run-out brake

Stops the disc completely in less than 3 seconds, reducing the risk of accident by a disc that is still running.

Patented quick-action clamping system

tool-free disc change secures the tool evenly, thereby preventing damage. Can always be detached manually.

The quietest angle grinder in its class thanks to sound insulation (the sound pressure level according to EN50144 is only 86 dB (A)).

Optimum working position when grinding or cutting through:

- Handle can be rotated in 4 positions (in 90° increments, including upwards)
- Additional handle which can be screwed on to the right or left

Electronically-controlled start-up current limitation protects the circuit. The angle grinder accelerates gently and evenly.

Restart protection prevents accidental start-up following a power failure.

Robust motor with a large power reserve for the toughest applications.

Optimal dust protection

Thanks to field banding and special air-guidance concept.

Optimal motor cooling and prevents the switch from becoming dirty.

Large vents upstream of the switch area.

Long safety switch with a power-on inhibitor on the top of the housing and locking option for continuous running.

Protective hood can be turned and removed quickly without tools

Cut-out carbon brushes prevent motor damage

4 Metre connecting cable

Premium Safety...



SWS 230 Art. No. 00702 498 0 (2248)



Straight Grinder GS 700 - E

Art. No. 00702 520 0

A small and high-output power package. For milling and grinding work.

Compact and light

Thanks to the new lightweight design of the tool

Safety switch

If the tool blocks, the power supply is interrupted immediately

Restart protection

To prevent an accidental restart of the tool

Thermal overload protection

Cut-out carbon brushes for protecting the motor

Long service life

Insensitive to dust with coated field coil and winding protective grille.

Collet Chuck:

6mm

Min/Max Speed:

13000-34000rpm



Straight Grinder Long Nose GSL 950 - E

Art. No. 00702 522 0

Used for surface processing

Spindle stop

Block the gear with the push of a button and change the tool without a second key.

Compact and light

Conical thanks to the new lightweight design of the collar. Tight spaces are easily accessible as a result.

Comfort and safety

- Removable rubber cap and additional handle for safe, convenient working
- Safety switch, if the tool blocks, the power supply is interrupted immediately

Restart protection, to prevent accidental restart of the machine

Thermal overload protection, cut-out carbon brushes for protecting the motor

Long service life

Insensitive to dust with coated field coil and winding protective

Collet Chuck:

6mm

Min/Max Speed:

2500-8700rpm



Electrical Disc Sander

Art. No. 00702 129 0

Eccentric sander with 150 mm dia. sanding plate. With two additional stroke stages for coarse and fine sanding.

Simultaneous rotating and oscillating movement.

Results in high removal and thus time savings.

Integrated dust extraction.

As required, you can also work without the external extraction function.

Adjusting wheel for the adaptation of the rotation and oscillation rates.

Sensitive materials such as veneer or thin layers of paint can be processed without a problem.

Min/Max Idle:

4200-9200rpm

Min/Max Orbital:

8400-18400 1/min

Oscillating Diameter:

1st Gear: 2.8mm

2nd Gear: 6.2mm





Orbital Power Sander ESS 115

Art. No. 05707 700 0

For the clamping of abrasive paper without an adhesion system with dimensions 230x115mm and 10 fold perforation.

Excellent grinding finish

- Low-vibration and long-lasting oscillation system
- Achieves perfect sanding results with almost no sanding grooves

Robust clamping system for versatile use

- Universal clamping system permits the use of sandpaper with and without Velcro.
- Use of abrasives up to 10 mm thick

Integrated dust extraction

- Easy-to-empty dust collection cartridge
- Self-generated dust extraction and washable polyester filter

Clean work

Additional extraction with side extraction channels on the Velcro abrasive pad.

Stronger hold when connecting external vacuum cleaner.

Universal extraction connection with fluting

Min/Max Idle:

4200-9200rpm

Min/Max Orbital:

8400-18400 1/min



Circular Saw HKS 65-E

Art. No. 05706 600 0

1800 Watt hand-held circular saw with low weight and high cutting speed. With matching guide rail, also ideally suited for precise cuts.

Ergonomic design

Low weight for perfect handling. Base plate from die-cast aluminium

Constant electronics

Enables rapid progress with work as the speed remains constant even under load.

Speed pre-selection

Controllable speed for matching to each operation.

Soft start

Improves safety for the user and protects the motor.

Suction device

Almost no sawdust in the work area if used in conjunction with a Würth industrial vacuum cleaner.

Min/Max Idle:

2300-5000rpm

Min Mitre Angle:

0-45°



Biscuit Joiner HVF 710 - S

Art. No. 00702 907 1

Powerful, robust 710W machine for stable and exact joints in hard and soft wood, particle board and plastic with wooden biscuits. Also suitable for repairing material flaws with wooden patches.

- Swivelling front plate with scale for mitre connections of 0-90° (continuously variable), with 22.5°, 45° and 67.5° grid patterns
- Height-adjustable front plate for various material thicknesses with scale of 0-26 mm (0-1 inch) and 3 fast settings on revolver depth stop.
- Preset milling depth for wood connection plates, sizes 0, 10 and 20, and Duplex (D), Simplex (S) and Max with fine adjustment.
- Attachable plastic plate protects the hand from the cutter.

Max Rotation:

6000rpm

Min Mitre Angle:

0-90°





Belt Sander

Art. No. 00702 588 1

Belt sander for 533 x 75 mm sandpaper with long service life and low weight, therefore also suitable for vertical and overhead sanding.

Allows sanding right up to the edge

Removable additional handle

Convenient sanding belt changes

Easy-to-operate quick-action clamping lever

Belt speed adapts to the material

Adjusting wheel on On/Off switch

Long service life and low wear

Rugged toothed belt and metal wheels

Easy to operate even while wearing gloves

On/Off switch with locking button

Simple belt regulation

by adjusting the wing screw

Internal extraction possible

Dust bag provided



Electric Planer EH4

Art. No. 00702 816 1 (2267)

High-performance planer with extra-large chip ducts and chip bag for fault free, clean operation.

High-performance 1050 W motor

Low-fatigue low-effort planing, even with hard woods.

Large-diameter blade shaft

Perfect surface finishes thanks to high circumferential speed.

High-volume chipping bag with fill level display

Eliminates almost all cleaning in the surrounding area.

Chips can be ejected to the right or left (adjustable)

Greatest possible level of flexibility when working.



Jig Saw STP 140 Exact - B

Art. No. 05706 701 1

Oscillating saw especially for work with a demanding requirements for precision.

High precision

An innovative saw blade guide minimises saw blade deflection. The result is a cut with maximum precision.

Quiet running

Low vibrations for extremely quiet operation. This makes the machine easier to handle, thus improving the precision of the cut.

Compact

The compact, lightweight design with small handle circumference permits optimum saw control.

User-friendly

Fast and simple: No additional tool is required to change the saw blade or adjust the magnesium foot plate.

Stroke Length:

26mm

Max Cutting:

Wood - 140mm

Steel - 10mm

Aluminium - 20mm





Electric Planer EH4

Art. No. 00702 816 1 (2267)

High-performance planer with extra-large chip ducts and chip bag for fault free, clean operation.

High-performance 1050 W motor

Low-fatigue low-effort planing, even with hard woods.

Large-diameter blade shaft

Perfect surface finishes thanks to high circumferential speed.

High-volume chipping bag with fill level display

Eliminates almost all cleaning in the surrounding area.

Chips can be ejected to the right or left (adjustable)

Greatest possible level of flexibility when working.



Jig Saw STP 140 Exact - B

Art. No. 05706 701 1

Oscillating saw especially for work with a demanding requirements for precision.

High precision

An innovative saw blade guide minimises saw blade deflection. The result is a cut with maximum precision.

Quiet running

Low vibrations for extremely quiet operation. This makes the machine easier to handle, thus improving the precision of the cut.

Compact

The compact, lightweight design with small handle circumference permits optimum saw control.

User-friendly

Fast and simple: No additional tool is required to change the saw blade or adjust the magnesium foot plate.

Stroke Length:

26mm

Max Cutting:

Wood - 140mm

Steel - 10mm

Aluminium - 20mm



Portable Band Saw PBS120

Art. No. 00701 323 0

Portable metal band saw with automatic sawing frame lowering. Ideal for use on construction sites.

Safe and simple

Precise cutting results can be achieved with incredible ease owing to automatic lowering of the sawing frame with 4 adjustable lowering speeds, as the correct contact pressure can be applied every time to prevent the sawing belt from deviating.

Rapid sawing progress

60% faster cutting thanks to reverse direction of rotating of the sawing belt in comparison to clockwise rotating bandsaws.

Suitable for mobile use

Tool can be carried easily owing to ergonomic handle and compact and lightweight construction.

Constant and adaptable cutting speed

Powerful 1,300-watt motor with constant electronics facilitates an optimal cutting speed matched to the work piece that can be selected according to the size and temperature sensitivity of the materials.

Rapid setting of popular standard mitre joints

Fixed angle stops 0°, 45°, 60°

Dry cutting



Replacement Blades

Art. No. 00602 401 442 - 11TPi

Art. No. 00602 441 443 - 14TPi



Polishing Machine PM 200 - E

Art. No. 00702 453 0 (2251)

Powerful polishing and burnishing machine in a compact and handy package.

Two-in-one, for painted and metal surfaces

With the corresponding accessories, the PM 200-E replaces a burnishing machine.

Extremely handy and lightweight.

Minimal force needed when working side surfaces.

Double transmission reduction.

Enables very low speed for careful, targeted polishing.

Soft start and restart protection (after a power cut)

Increased user safety.

Min/Max Idle:

900-2700rpm

Spindle:

M14



Electronic Heat Gun

Art. No. 00702 202 0

Handy light unit, with step-less temperature adjustment.

Rugged ceramic heater

- Long service life
- Low sensitivity to jolts

Easy and ergonomic

Making it possible to work for long periods without fatigue.

Temperature:

50-600 °C

Air Stream:

150, 300, 500 l/min



Electronic Hot Glue Gun HKP 220

Art. No. 00702 623 1

High-performance glue gun with fast heat-up time and high melting capacity.

Adjustable operating temperature

Melting point and processing temperature can vary from glue to glue. The HKP 220 allows the heating output to be matched and set according to the particular glue.

Exact dosing

The trigger can be set via a mechanical stroke limit so that exactly the same amount of glue is applied on each actuation.

Low-fatigue work

The long trigger promises ergonomically perfect handling. The stroke limit described above can also be used to set the distance from the trigger to the handle to suit the size of your own hand.

Min/Max Melting T°:

140-220 °C



Couplers

Art. No. 00699...

The wall fitting will determine which of the displayed couplers will be most suitable for receiving the air hose.

It is important to note that there are numerous types of couplers in the market and these cannot be mixed i.e. Type 14 couplers can only be used with type 14 couplers.



08 - Filter, Regulator, Lubricator


Art. No. 00699 003 12 - 1/2"

Art. No. 00699 003 14 - 1/4"

When choosing the F,R,L it is important to ascertain what tools the customer will be using and what flow rate he will require i.e. 1" Impact Wrench (307 l/min), uses far more air than a 1/2" Impact Wrench (102 l/min) would.

It is also important to note that the regulator should be located as close as possible to the user. The oil mist is transported optimally up to 5 meters. The working pressure drops with an increase in length of the air hose.

In a workshop scenario as depicted below, a number of 1/2" F, R, L is advised.



Compressor

When selecting a compressor, it is important that the capacity of air it produces is sufficient to run your air tools. Most compressors will have the pressure to start an air tool, but not necessarily the volume to maintain running the tool.

Volume is defined as cfm (cubic feet per minute) or l/min (litres per minute), and should in most cases be available on the compressor itself or within the technical information supplied.

Determining your power requirements of an air compressor

There are two main considerations with regards to air compressor power requirements; determining the air flow required and selecting the tank size.

Air flow required

Compressors are measured in two main ways, PSI (pounds per square inch) and deliverable CFM (cubic feet per minute). These measurements determine the effectiveness of the air compressor in different situations. When selecting a compressor you need to identify the PSI and CFM requirements of your air tools. If you will only be using one tool at a time use the tool with the highest PSI and CFM requirement. If you intend to run multiple tools at the same time you will need to total the CFM's required by each tool.

The key is to choose an air compressor that exceeds the PSI and CFM airflow requirements of your highest rated air tool. That way you're sure to not be under-powered. The best results are obtained when you purchase a compressor with 1.25 to 1.5 times more CFM airflow at the recommended PSI than your air tool(s) require. This method will ensure the performance of your air tool(s) will be maintained without over working the compressor and losing efficiency.

Examples

Single tool use: If a 1/2" impact wrench requires *5.0 CFM (141.64 l/min) @ **90 PSI (6.2 Bar), then the compressor should deliver between 6.25 - 7.5 CFM @ 90 PSI.

Multiple tool use: If you plan to run more than one tool at the same time, you must add the CFM of each tool together to determine your needs. If your compressor needed to power a Cut Off Tool (4 CFM @ 90 PSI) and a High Speed Grinder (4 CFM @ 90 PSI) you should look for a compressor that can deliver 10 - 12 CFM @ 90 PSI or higher.

* Converting CFM to l/min: 1 cfm = 28.328 l/min

** Converting PSI to Bar: PSI / 14.5 = Bar



Wurth Air Tool Warranty...

All machines are subject to strict quality checks before being added to the Wurth product line. Due to this, and constant product monitoring, at our Wurth Master Centre, you can be assured of true Professional Quality and Service at all times.

Thank-you...

For choosing to use Wurth pneumatic tools. You can be assured that all tools are manufactured according to strict quality controls, so as to ensure that you not only have the right tools for the job but, that the right tools coupled with the highest quality, means you have a hard working and reliable tool, for your business.

For us to validate a warranty claim...

- **All Master Pneumatic tools are covered by a 1 year warranty, that covers against manufacturing defects...**
- **For the above warranty to be validated it is imperative that a filter, regulator, oiler be installed, and maintained regularly...**
- **Any machine damaged due to over pressurising of the tool (maximum 6.3 Bar permissible pressure) will not be covered under this warranty and will be regarded as abuse...**
- **Any damage inside of the tool relating to moisture or lack of oiling will not be covered under this warranty, the above 2 points will be assessed by an independent company, and a report will be issued stating the reasons for failure...**
- **Any tools that fail due to a manufacturing fault will be repaired or replaced at the discretion of Wurth South Africa**

3/8" Butterfly Impact Wrench

Art. No. 00703 731 0



Reliable, powerful impact wrench for getting in to tight areas

Built-in Regulator varies speed & power

Swivel air inlet providing easy manoeuvring

Butterfly throttle for easy single hand operating

Small & compact size to get into tight spaces

Ideal for transmission, body panel, exhaust system and small engine repair

Side Exhaust

Technical data

| Square drive | Oper. torque* / Nm | Max. torque/ Nm | No-load speed/ min ⁻¹ | Operating Pressure/ bar | Weight/ kg | Length/ mm | Air consumption l/min. | Air Connection | Hose Diameter (min.)/mm |
|--------------|--------------------|-----------------|----------------------------------|-------------------------|------------|------------|------------------------|----------------|-------------------------|
| 3/8" | 7~68 | 101 | 10,000 | 6,3 | 0,9 | 150 | 85 | R 1/4" | 9 |

1/2" Impact Wrench

Art. No. 00703 736 0



Reliable, powerful impact wrench with fast torque build-up.

Recommended maximum bolt size: M15. Ideal for changing tyres.

Rugged and well-balanced unit featuring an aluminium housing.

Long service life and optimum centre of gravity.

Rubber-coated and ergonomically-shaped handle, user-friendly clockwise/ counter-clockwise switching and adjustable trigger.

The handle does not become cool during work.

The device is very handy and user-friendly.

High-quality pin impact mechanism in oil tank with six vane motor.

Increased service life thanks to constant lubrication.

Technical data

| | | |
|-------------------------|-------------------|----------------|
| Type | DSS 1/2" H | |
| Square drive | 1/2" | |
| Working torque* | in Nm | 70 - 470 |
| Max. releasing torque | in Nm | 569 |
| Avg. operating pressure | in bar | 6.3 |
| Weight | in kg | 2.3 |
| Dimensions | (L x W x H) in mm | 195 x 64 x 202 |
| Avg. air consumption in | L/min | 102 |
| Connection thread | in inches | 1/4" |
| Minimum hose dia. | in mm | 8 |
| Sound pressure level | in db(A) | 92 |

* The working torque is the torque usually achieved under average working conditions. It depends on the highly varying ambient conditions (air pressure, hose diameter, soiling etc.).

3/4" Impact Wrench

Art. No. 00703 773 0



Reliable, powerful impact wrench with fast torque build-up.

Recommended maximum bolt size: M27. Ideal for changing tires on utility vehicles.

Well-balanced device in rugged aluminium housing.

Long service life and optimum distribution of centre of gravity.

Rubber-coated and ergonomically shaped handle.

User-friendly right/left rotation switching and adjustable trigger.

The handle does not become cool during work.

The device is very handy and user friendly.

High-quality pin impact mechanism in oil tank with six vane motor.

Increased service life thanks to constant lubrication.

Nearly vibration-free


Technical Data

| Type | Square drive | Operating torque* in Nm | Max. releasing torque in Nm | Avg. operating pressure in bar | Weight in kg | Dimensions (L x W x H) in mm | Avg. air consumption in L/min. | Connection thread in inches | Minimum hose dia. in mm | Sound pressure level in dB(A) |
|------------|--------------|-------------------------|-----------------------------|--------------------------------|--------------|------------------------------|--------------------------------|-----------------------------|-------------------------|-------------------------------|
| DSS 3/4" H | 3/4" | 350 - 1,440 | 1,500 | 6,3 | 4.73 | 261 x 87 x 227 | 215 | 3/8" | 11 | 96 |

* The working torque is the torque usually reached under average working conditions. It is dependent on the highly variable ambient conditions (air pressure, hose diameter, soiling etc.).

1" Impact Wrench

Art. No. 00703 770 0



Extremely rugged and powerful impact wrench with long drive square. Ideal for service work on trucks and buses, as well as on construction and agricultural machines.

Rugged aluminium housing.

Long service life.

Ergonomically arc-shaped handle, user-friendly clockwise/counterclockwise switching and adjustable trigger.

The device is very handy and user-friendly.

High-quality pin-less hammer striking mechanism. Reli-

| Level | Tightening torque in Nm, approx. |
|-------|----------------------------------|
| 1 | 1152 Nm |
| 2 | 1762 Nm |
| 3 | 2168 Nm |

| Technical data | | | | | | | | | | | |
|----------------|--------------|-----------------------|-----------------------------|--------------------------------|--------------|------------------------------|-------------------------------|-----------------------------|----------------------|-------------------------------|------------|
| Type | Square drive | Working torque* in Nm | Max. loosening torque in Nm | Avg. operating pressure in bar | Weight in kg | Dimensions (L x W x H) in mm | Avg. air consumption in L/min | Connection thread in inches | Min. hose dia. in mm | Sound pressure level in dB(A) | Art. |
| DSS 1" L | 1" | 1152~2168 | 2,846 | 6.3 | 13.06 | 529 x 175.9 x 213.6 | 400 | 1/2" | 11 | 100 | 0703 770 0 |

Hammer Chisel

Art. No. 00703 712 1



Very rugged and powerful hammer chisel with optimum weight distribution and vibration damping. Ideal for any body work which might need to be done, e.g. the extraction of body panels and for the rough removal of coatings or scaling of metal parts.


Rugged and partially rubber coated housing. Very long service life and insulated from the cold.

Non-slip, ergonomically shaped handle with adjustable trigger. The device is very handy and user-friendly. The impact power is continuously and precisely controllable.

Practical plastic case and comprehensive accessories in scope of delivery. Includes retaining spring and alternative quick clamping chuck for convenient chisel changing and five chisels made of special steel for a long service life.

Technical data

| Type | Hexagonal tool mount in mm | Piston dia./stroke in mm | Number of impacts rpm | Average operating pressure in bar | Weight in kg | Dimensions (L x W x H) in mm | Avg. air consumption in L/min. | Connection thread in inches | Min. hose width in mm | Sound pressure level in dB(A) |
|--------|----------------------------|--------------------------|-----------------------|-----------------------------------|--------------|------------------------------|--------------------------------|-----------------------------|-----------------------|-------------------------------|
| DMH 10 | 10.2 | 19/67 | 2,900 | 6.3 | 1.73 | 218 x 56 x 176 | 76.4 | 1/4" | 8 | 96.3 |



| Delivery scope | | | |
|----------------|--------------|--------------------------------|---------|
| Fig. | Art. No. | Designation | P. Qty. |
| 1 | 0703 712 X | DMH 10 Pneumatic Hammer Chisel | 1 |
| 2 | 0703 712 001 | Flat Chisel | |
| 3 | 0703 712 002 | Panel-Separating Chisel | |
| 4 | 0703 712 003 | Spot-Separating Chisel | |
| 5 | 0703 712 004 | Point Chisel | |
| 6 | 0703 712 005 | Pipe-Separating Chisel | |
| 7 | 0703 712 006 | Retaining Spring | |
| 8 | 0703 712 007 | Quick-Change Connector | |

Hand Held Polisher

Art. No. 00703 233 0



Ergonomic, rubber-coated handle. Comfortable and slip-resistant.

Light, compact design. Fatigue-free working and excellently suited for tight spaces.

With speed control. Optimum adjustment to application.

Sound-dampened air outlet at the end of the handle. No air outlet in the working area.

Large-sized and comfortable setting adjustment valve. Opti-

| Technical data | | | | | | | | |
|----------------|-------------------------------|--------------|--------------|---------------------------|--------------------------------|-----------------|-------------------|--------------------------|
| Model | Clamping sleeve female thread | Speed in rpm | Weight in kg | Operating pressure in bar | Avg. air consumption in L/min. | Output in Watts | Connection thread | Minimum hose width in mm |
| DMP 25 | M6 | 2,500 | 0.5 | 6.3 | 113 | 224 | 1/4" | 8 |

DPM250 Pneumatic Polisher

Art. No. 00703 000 870



Powerful 600 Watt motor with air exhaust through the handle.

Rubberized grip area for comfortable handling.

Speed easily controllable by means of lever valve.

Low level of noise and vibrations.

Auxiliary handle can be attached on both sides.

*** Additional reducer included for use with M14 backing pads.**

| Technical Data | | | | | | | |
|----------------------|------------------------------------|---------------|---------------|---------------------------|-----------------------------|-------------------|-------------------------------|
| Disc-Ø/ mm & inch | No-load Speed/min ⁻¹ | Weight/ kg | Length/ mm | Operating Pressure/bar | Air Consumption l/min | Air Connection | Hose Diameter(min.)/ mm |
| 175 & 7" | 2,500 | 1,9 | 307 | 6,3 | 91 | 1/4" | 9 |

Hand Held Sander

Art. No. 00703 232 0



Ergonomic, rubber-coated handle. Comfortable and slip-resistant.

Light, compact design. Fatigue-free working and excellently suited for tight spaces.

With speed control. Optimum adjustment to application.

Sound-dampened air outlet at the end of the handle. No air outlet in the working area.

Large-sized and comfortable setting adjustment valve. Optimized operating convenience.

Technical data

| Model | Mounting-mandrel | Speed in rpm | Weight in kg | Operating pressure in bar | Avg. air consumption l/min. | Output in Watts | Connection thread | Minimum hose width in mm |
|--------|------------------|--------------|--------------|---------------------------|-----------------------------|-----------------|-------------------|--------------------------|
| DSW 15 | M6 | 15,000 | 0.5 | 6.3 | 113 | 224 | 1/4" | 8 |

DSM450 Pneumatic Sander

Art. No. 00703 000 880



Designed for rouging body filler, removing rust, smoothing welds and other sanding jobs.

Powerful 0.8HP motor handles tough jobs.

Lightweight at only 1.9 Kg.

Up to 4,500 rpm free speed makes the user work faster on sanding jobs.

Rubberized grip area for comfortable handling.

Speed easily controllable by means of lever valve.

Technical data

| Disc-Ø/ mm & inch | No-load speed/min ⁻¹ | Weight in kg | Length in mm | Operating pressure/bar | Air consumption l/min | Air connection | Hose diameter (min.)/mm |
|----------------------|------------------------------------|-----------------|-----------------|---------------------------|-----------------------------|-------------------|----------------------------|
| 175 & 7" | 4,500 | 1,9 | 307 | 6,3 | 91 | R1/4" | 9 mm |

DTS 152 Orbital Sander

Art. No. 00703 752 1



Oil - free, powerful pneumatic motor . No oil residues on the processed surface, effective working progress.

Continuous speed control with safety switch - off. Optimum adaptation of the sanding insert and paper change without decoupling the compressed air.

Large - sized bearings with dust guard. Rugged and long - lasting.

Effective, rotating silencer.

Minimal noise emissions and jointed exhaust outlet for maximum operating comfort.

For external dust extraction. Minimal dust build-up thanks to optimum extraction options with vacuum cleaners or stationary extraction systems.

| Technical data | |
|----------------------------|------------|
| Type | DTS 152 C |
| Sanding plate dia. | 150 mm |
| Average operating pressure | 6.3 bar |
| Weight | 0.71 kg |
| Average air consumption | 113 l/min |
| Free Speed | 12'000 RPM |
| Sound pressure level | 85 db(A) |

Extremely compact housing design. Ergonomic shape and perfect handling.



150mm Backing Pad Soft

Art. No. 00586 600 010

150mm x 6 hole (inside)



REDLINE Cutting Discs STEEL

Art. No. 00669 201 155

115x2.5x22.2mm



DWS 125 Grinder

Art. No. 00703 857 0

Powerful, handy machines for sanding, cutting and roughing work.

Powerful 0.85hp (640W) high performance motor for fast, efficient grinding in tight quarters

Bevel gearing in angle head provides extended life and smooth low vibration

Excellent for weld preparation and smoothing, rust removal, deburring and blending of steel, cast iron and aluminium

Fits a wide range of discs (100-115-125mm)

Built-in Comfort Grip reduces the fatigue

Spindle Lock allows quick and easy Disc change

Left & right side handle for lefty and righty handling



| Technical data | | | | | | | |
|----------------------|------------------------------------|-----------------|-----------------|---------------------------|-----------------------------|-------------------|----------------------------|
| Disc-Ø/ mm & inch | No-load speed/min ⁻¹ | Weight in kg | Length in mm | Operating pressure/bar | Air consumption l/min | Air connection | Hose diameter (min.)/mm |
| 175 & 7" | 4,500 | 1,9 | 307 | 6,3 | 91 | R1/4" | 9 mm |

DWS 115 Grinder

Art. No. 00703 855 0

Powerful, handy machines for sanding, cutting and roughing work.

Plastic housing. For warm hands.

Compact design, reduced vibrations. Low-fatigue, pleasant working conditions.

Spindle stop. Faster disk change.



| Technical Data | |
|--------------------------------|--|
| Model | DWS 115 plus Art. No. 0703 855 0 |
| P. Qty. | 1 |
| Disk dia. in mm | 115 |
| Weight in kg | 1.6 |
| Length in mm | 255 |
| Avg. air consumption in l/min. | 113 |
| Power output in W | 600 |
| Connection thread | R 1/4" |
| Minimum hose dia. in mm | 8 |
| Speed in rpm | 10,000 |
| Operating pressure in bar | 6.3 |

Mini Cutter DMC75

Art. No. 00703 853 0

New!!!



3" wheel size

Easy, quiet operation

To cut off mufflers and tail pipes quickly and efficiently

360° rotatable chrome-plated steel guard protects user from sparks

Safety Throttle Lever

Rear Exhaust

Technical data

| Cutting wheels dia./mm(inch) | No-load Speed/min ⁻¹ | Weight/kg | Operating Pressure/bar | Air Consumption l/min | Air Connection | Hose Diameter(min.)/mm |
|------------------------------|---------------------------------|-----------|------------------------|-----------------------|----------------|------------------------|
| 75 (3") | 20,000 | 0,9 | 6,3 | 113 | R 1/4" | 9 |

Die Grinders

Art. No. 00703 230 0 - Straight

Art. No. 00703 231 014 - Angled

Long-life, handy rod grinders with tool free speed control and rubber-coated handle against vibrations and cold hands.

Rubber-coated handle. For warm hands.

Light, compact design. Fatigue-free, low vibration operation.

Swivelling compressed-air connection. No twisting of connection hose.



Technical Data

| Model | Chuck | Speed | Operating Pressure | Dimensions (l x w x h) | Avg. Air Consumption | Conn. Thread | Min. Hose Size |
|-----------------|-------|----------|--------------------|------------------------|----------------------|--------------|----------------|
| DSG 25 Straight | 6mm | 25000rpm | 6.3 | 158x35x60 | 113 l/min | 1/4" | 9mm |
| DSW 22 Angled | 6mm | 22000rpm | 6.3 | 158x38x75 | 113 l/min | 1/4" | 9mm |

Multi Cutter DMS2

Art. No. 00703 862 1

New!!!



Technical Data

| | |
|--------------------|-------------|
| Model | DMS2 |
| Blade Oscillations | 0-20000rpm |
| Operating Pressure | 6.3Bar |
| Weight | 1.1Kgs |
| LxWxH | 180x42x67mm |
| Conn. Thread | R1/4" |
| Min. Hose Dia. | 8mm |

Powerful unit used for removing adhered car windows, for vehicle body cutting tasks and for grinding corners and edges. Supplied in a case with a mist oiler and exhaust-air system.

Versatile hexagonal mount. For the use of conventional knives and accessory articles.

Oscillating movement. Mechanical separation without the creation of harmful smoke.

Safety switch for continuous speed control. No switching on accidentally; continuously adjustable blade oscillation rate.

Exhaust-air system with exhaust-air hose. Directs the exhaust air away from the user and working area.

High-quality ball bearings. Promote a longer machine service life

Often bought with




Adaptors A2

Art. No. 00696 500 3



Vehicle Body Saw Blade 80mm

Art. No. 00696 680



Starlock Triangular Disc

Art. No. 00696 121 150



Wood Dry Sand Paper Triangle

Art. No. 00581 498...

(Grits: 40, 60, 80, 100, 120, 150, 180, 240)

***Must be supplied with machine

(Art. No. 00703 862 1) for accessories...



L Shaped

Art. No. 00696 520 7

Cutting Edge Length: 25.4mm



L Shaped

Art. No. 00696 520 8

Cutting Edge Length: 19mm



L Shaped

Art. No. 00696 520 9

Cutting Edge Length: 38mm



Car Glaziers Set

Art. No. 00696 606

***Almost 98% of all windscreens can be



U Shaped Short

Art. No. 00696 521 2



U Shaped Medium

Art. No. 00696 515 7

Cutting Edge Length: 60mm



U Shaped Medium

Art. No. 00696 511 1

Cutting Edge Length: 95mm

Reciprocating Saw DST380

Art. No. 00703 883

Rugged body saw for long service life and tough applications.

Safety valve lever prevents accidental switch-on.

Rubber-coated handle area for pleasant working conditions.

Saw blade can be turned 180° for working overhead.

Integrated power control for respective application.

Adjustable guide enables exact adjustment of cutting depth.



***Will receive flat mount blades ONLY.



Technical data

| | |
|----------------------|------------|
| Strokes | 10,000 rpm |
| Operating pressure | 6.3 bar |
| Weight | 0.68 kg |
| Length | 225 mm |
| Diameter | 38 mm |
| Avg. air consumption | 170 l/min. |
| Connection thread | 1/4" |
| Min. hose dia. | 9 mm |

Air Riveter PNG316

Art. No. 00703 937 316



Great for trailer panels, number plates, and any type of panels work.

Simple construction for easy maintenance

Compact size

Suitable for use in mild steel, aluminium, copper and softer materials

Transparent container with holes for quick release of rivet ends

Durable chromed steel nose and trigger

Strong aluminium casted parts

Long lifetime due to custom design

Includes: nose pieces for rivets 3/32", 1/8", 5/32" and 3/16" (2.4,

Technical data

| | |
|----------------------------------|--------------------|
| Designation | PNG 316 |
| Max Capacity | 3/16" (4.8 mm) |
| Stroke length | 14 mm |
| Hose connection diameter/1/4" | 6 mm |
| Setting force at 6,3 bar | 9,410 N |
| Volume of collector (rivet pins) | approx. 100 to 200 |
| Blind rivet diameter | 2,4 - 4,8 mm |
| Average air consumption | 113 l/min |
| Operating pressure | 6,3 bar (90 psi) |
| Weight | 1,9 kg |

Ratchet Screw Driver 1/4" & 3/8"

Art. No. 00703 813 40

New!!!

Very small and light pneumatic ratchet screwdriver in a robust plastic case.


Compact. Its particularly slim-line shape and light weight allow you to work even in places that are difficult to reach.

Simple. To change the rotation direction, simply insert the mounting adapter from the corresponding side (L/R) into the head of the pneumatic ratchet screwdriver.


Broad range of uses. A machine that allows four different uses with the aid of two interchangeable adapters: 1/4"-, 3/8" square and 1/4"-, 10 mm bit holder.



| Technical data | |
|---------------------------------|--------------------------|
| Type | DRS multi |
| Square drive / bit (2 adapters) | 1/4" / 1/4" 3/8" / 10 mm |
| Idling speed | 850 min ⁻¹ |
| Maximum torque | 40.7 Nm |
| Average operating pressure | 6.3 bar |
| Weight | 0.5 kg |
| Dimensions (L x W x H) | 155 x 36 x 51 mm |
| Avg. air consumption | 113 l/min |
| Connection thread | 1/4" |
| Minimum hose dia. | 8 mm |
| Sound pressure level | 90 db(A) |



Adapter with 1/4" square drive and 1/4" bit holder



Adapter with 3/8" square drive and 10 mm bit holder

| Scope of delivery – DRS multi – Art. No. 0703 813 0 (Fig. 1) | | |
|--|--------------|---------|
| Designation | Art. No. | P. Qty. |
| DRS multi pneumatic ratchet screwdriver | 0703 813 x | 1 |
| Adapter 1/4" square / 1/4" bit | 0703 813 001 | |
| Adapter 3/8" square / 10 mm bit | 0703 813 002 | |

| Scope of delivery – DRS multi Kit – Art. No. 0703 813 40 (Fig. 2) | | |
|---|-----------------------------|---------|
| Designation | Art. No. | P. Qty. |
| DRS multi pneumatic ratchet screwdriver | 0703 813 x | 1 |
| Adapter 1/4" square / 1/4" bit | 0703 813 001 | |
| Adapter 3/8" square / 10 mm bit | 0703 813 002 | |
| Lever-action reversible ratchet | 0712 014 01 | |
| Extension, 100 mm | 0713 118 104 | |
| 1/4" adapter with quick-change chuck | 0715 111 01 | |
| Cardan Joint | 0713 118 301 | |
| Screwdriver handle 1/4" | 0613 430 310 | |
| 12 socket wrench inserts: 1 pc. each 4-14 mm | 0713 111 104 - 0713 111 114 | |

| Socket wrench inserts, bits | |
|---|--------------|
| PH 1 | 0614 176 274 |
| PH 2 | 0614 176 461 |
| PH 3 | 0614 176 648 |
| PZ 1 | 0614 176 651 |
| PZ 2 | 0614 176 652 |
| PZ 3 | 0614 176 653 |
| Allen head, 3 mm | 0614 176 93 |
| Allen head, 4 mm | 0614 176 94 |
| Allen head, 5 mm | 0614 176 95 |
| Allen head, 6 mm | 0614 176 96 |
| Allen head, 7 mm | 0614 176 97 |
| TX 10 | 0614 311 0 |
| TX 15 | 0614 311 5 |
| TX 20 | 0614 312 0 |
| TX 25 | 0614 312 5 |
| TX 27 | 0614 312 7 |
| TX 30 | 0614 313 0 |
| TX 40 | 0614 314 0 |
| Slotted, 0.8 x 5.5 | 0614 175 653 |
| Slotted, 1.2 x 8.0 | 0614 175 656 |
| Hard Foam with clamping effect | 0955 813 40 |
| Metal case size 5, dimensions 280 x 165 x 45 mm | 0955 12 371 |

Ratchet Screw Driver 1/2" DRS

Art. No. 00703 812 001

Used for body shop work, radiator removal & replacement, spark plug, air conditioning and water pump

Advanced & durable head design provides dramatically longer life

Easy speed control

Compact and light weight, ideal for tight or cumbersome working conditions

Middle Exhaust



Technical data

| Square drive | Max. torque/ Nm | No-load speed/ min ⁻¹ | Operating Pressure/ bar | Weight/ kg | Length/ mm | Air consumption l/min. | Air Connection | Hose Diameter (min.)/mm |
|--------------|--------------------|-------------------------------------|----------------------------|---------------|---------------|---------------------------|----------------|----------------------------|
| 1/2" | 68 | 150 | 6,3 | 1,1 | 254 | 113 | R 1/4" | 9 |

Ratchet Screw Driver 1/2" & 3/8"

Art. No. 00703 838 0 - 3/8"

Art. No. 00703 811 0 - 1/2"

Precision planetary gear.

Greater transmission of force and longer service life.

Short form (1/4" + 3/8").

Ideally suited for use in hard-to-reach places.

Outlet air guided toward rear, away from working area.

No air outlet in the working area.

Speed can be set via integrated controller.

Optimum adjustment to application.

Right/left directional switch is in a recess.

Prevents inadvertent switching.

Swivelling compressed-air connection.

Eliminates twisting of connection hose.

Rubber coating of ratchet head.

Prevents dirt from penetrating into unit.



| Model | Square Drive | Max. Torque | Operating Pressure | Weight in Kgs | Length in mm | Avg. Air Consumption | Conn, Thread | Min. Hose Size |
|----------|--------------|-------------|--------------------|---------------|--------------|----------------------|--------------|----------------|
| DRS 3/8" | 3/8" | 41Nm | 6.3 | 0.5 | 196 | 196 | 1/4" | 9mm |
| DRS 1/2" | 1/2" | 68Nm | 6.3 | 0.5 | 256 | 256 | 1/4" | 9mm |

Brush Grinder DBS3600

Art. No. 00703 360 1



Technical data

| Type | Free Speed (R.P.M.) | Air Inlet (N.P.T) | Hose Size ID inch (mm) | Air Pressure psi (bar) | Air Consumption CFM (l/min) | Length inch (mm) | Weight lbs (kg) | Noise Level dB (A) |
|----------|---------------------|-------------------|------------------------|------------------------|-----------------------------|------------------|-----------------|--------------------|
| DBS 3600 | 3500 | 1/4" | 3/8 (10) | 90 (6.2) | 4 (113) | 12 (305) | 3 (1.4) | 83 |



Time-saving system for removal of underbody protection, sealing compound, paint, rust and film. Particularly well suited for cleaning of welding beads during repair work, paint and rust removal for all bodywork areas, as well as removal of protective paint from repair panels. Patented worldwide.

No heating up of treated areas.

No smearing or loading of the tools.

Longer service life of the brushes.


Significantly faster work progress.

Very light and handy power tool.

| Designation | Art. No. | Pack Qty. |
|--|-------------|-----------|
| Brush grinder DBS3600 | 0703 361 0 | 1 |
| 0703 360 0 | | |
| Brush grinder DBS3600 with adapters | | |
| Delivery scope | | |
| Designation | Art. No. | Pack Qty. |
| Brush grinder | 0703 361 0 | 1 |
| Adapter 23 mm | 0703 360 2 | |
| Adapter 11 mm | 0703 360 21 | |
| 0703 360 1 | | |
| Brush grinder DBS3600 kit in ORSYBULL case | | |
| Delivery scope | | |
| Designation | Art. No. | Pack Qty. |
| ORSYBULL case | 0955 330 0 | 1 |
| Brush grinder | 0703 361 0 | |
| Adapter 23 mm | 0703 360 2 | |
| Adapter 11 mm | 0703 360 21 | |
| Adapter nylon disk double | 0703 360 22 | |
| Adapter nylon disk single | 0703 360 23 | |
| Brush coarse 23 mm | 0703 350 1 | |
| Brush coarse 11 mm | 0703 350 51 | |
| Brush fine 23mm | 0703 350 3 | |
| Brush fine 11 mm | 0703 350 31 | |
| Film remover waterbased | 0585 96 | |
| Film remover | 0585 910 | |
| Coarse abrasive cleaning fleece | 0585 110 0 | |

Brush Grinder DBS3600

Art. No. 00703 360 1



Cleaning of weld seams, metal surfaces, wood and plastics.

Removal of blooming discoloration, cinder, rust, corrosion, dirt and oxide layers, coatings, paint, old paintwork, synthetic resins, adhesives, gasket residue, cement and concrete residue.



Structuring, strip deadening, preparing and roughing of surfaces.

Light deburring jobs.

Cleaning of vehicle undersides as well as other diversified work in car body shops.

Decal Remover Art. 0585 96 (water based) Art. 00585 91 (23 mm width)



Adapter
Art. 00703 360 2
Art. 00703 360 21



Art. 00703 350 1
The 23 mm coarse brushes are particularly well suited for use on larger surfaces.



Removal of underbody protection and sealing compounds rapid paint removal. Cleaning of weld beads, contours and edges. With sand blasting effect, for tin-plating and filler.



Art. 00703 350 51
The 11 mm coarse brushes provide particularly good performance and handling in tight spaces.



Adapter
Art. 0703 360 22
Art. 0703 360 23



Art. 0703 350 3
23 mm Fine Brushes Used for: rust removal and cleaning, removal of seals from grey casting. Not suitable for aluminium and aluminium die casting!



Removal of underbody protection and sealing compounds rapid paint removal. Cleaning of weld beads, contours and edges. With sand blasting effect, for tin-plating and filler.



Art. 00703 350 31
The 11 mm coarse brushes provide particularly good performance and handling in tight spaces.

Angle Drill Reversible DBM10 RL

Art. No. 00703 794 0

A durable and reliable tool for drilling in all types of materials, including sheet metal, wood and composites, especially designed for service work requiring a compact, low profile angle head.

Reversible Motor with convenient control

Composite housing prevents cold feel for operator comfort

High-quality Jacobs keyless chuck

Rear Exhaust

Grease point on angle head for easy maintenance

Angle Head Height:

| Technical data | | | | | | | |
|------------------------------|---------------------------------|--------------|--------------|------------------------|-----------------------|----------------|-------------------------|
| Drill chuck holder/mm & inch | No-load speed/min ⁻¹ | Weight in kg | Length in mm | Operating pressure/bar | Air consumption l/min | Air connection | Hose diameter (min.)/mm |
| 3/8"-24UNF | 1,400 | 1, 1 | 214 | 6,3 | 113 | 1/4" | 9 |



Drill DBM10 RL

Art. No. 00703 796 0

Drill DBM13 RL

Art. No. 00703 797 0

Especially light and handy drills with quick-action drill chuck. Right/left switchover on the RL models with 10 and 13-mm drill chuck.

Plastic handle. For warm hands.

Light, compact design.

Reduced vibrations. Low-fatigue, pleasant working conditions.

Integrated muffler. Low noise level.



| Technical Data | | | | | | | | | | |
|----------------|--------------------|--------------|--------------|---------------------|-------------------------|-------------|------------------------------|-------------------|----------------------|------------|
| Model | Drill chuck holder | Speed in rpm | Weight in kg | Oper. press. in bar | Avg. air cons. in l/min | Output in W | Dimensions (l x w x h) in mm | Connection thread | Min. hose dia. in mm | Art. No. |
| DBM10 plus | 3/8"-24 UNF | 1,700 | 1.0 | 6.3 | 96 | 335 | 180x170x50 | R 1/4" | 8 | 0703 796 0 |
| DBM13-RL plus | 3/8"-24 UNF | 700 | 1.5 | 6.3 | 96 | 335 | 205x170x50 | R 1/4" | 8 | 0703 797 0 |

Stapler DKG 416

Art. No. 00703 548 0



The very light, powerful device is used for upholstered furniture, packaging, vapour retarders, vapour barriers, insulation and panelling, and in the furniture industry.

Low noise

Integrated silencer protects the user and bystanders

Minimum risk of injury

Trigger with safety lock prevents unintentional triggering of the mechanism.

Long service life

Air filter built into the handle protects against ingress of dirt and dust

Effortless work

Lightweight magnesium housing with rubberised handle for ease of handling.

| Delivery scope | | |
|--|------------|---------|
| Designation | Art. No. | P. Qty. |
| Compressed air stapler DKG 416 | 0703 548 0 | 1 |
| Offset screwdrivers, Allen head 2.5 and 3 mm | - | 1 |
| Maintenance oil | - | 1 |
| Operating instructions | - | 1 |

| Technical data | |
|-------------------------|------------------------|
| Staple width | 12.8 mm |
| Staple length | 4-16 mm |
| Magazine capacity | 157 staples |
| Working pressure | 4-7 bar |
| Max. operating pressure | 7 bar |
| Air consumption | approx. 0.3 l / impact |
| Minimum hose dia. | 6 mm |
| Compressed-air supply | R 1/4" |
| Weight | 0.7 kg |
| Dimensions (L x W x H) | 238 x 42 x 152 mm |

Nailer DSK 1555

Art. No. 00703 547 0



Especially lightweight and handy nailer for nails with a diameter of 1.2 mm and a length of 15–54 mm. The machine is used on door mouldings, wall elements, profile mouldings, end plates, ornaments, decorative profiles, decorative mouldings, door panels and baseboards.

Powerful, oil-free drive therefore maintenance-free.

Empty magazine recognition.

Tool-less depth adjustment for protecting work surfaces.

Dual-function switch for changing from single triggering to contact triggering.

Tool-less access for easy troubleshooting.

Adjustable air ejection.

Belt hook.

Rubber nose piece for use on sensitive surfaces.

| Delivery scope | | |
|--|---------------------|---------|
| Designation | Art. No. | P. Qty. |
| DSK 1555 Pneumatic Nail Gun | 0703 547 0 | 1 |
| Empty Carrying Case | 0955 703 547 | 1 |
| Safety Goggles | - | 1 |
| Offset Screwdrivers Allen head 3 and 4 mm | - | 1 |
| Operating Instructions | - | 1 |

| Technical data | |
|-------------------------|-------------------------|
| Nail dia. | 1.2 mm |
| Nail length | 15-54 mm |
| Magazine capacity | 105 nails |
| Working pressure | 4.8-8.3 bar |
| Max. operating pressure | 8.3 bar |
| Air consumption | approx. 1.13 l / impact |
| Minimum hose dia. | 6 mm |
| Compressed-air supply | 1/4" |
| Weight | 1.09 kg |
| Dimensions (L x W x H) | 241 x 67 x 245 mm |



1/2" Filter, Regulator, Oiler
Art. No. 00699 003 12



1/4" Filter, Regulator, Oiler
Art. No. 00699 003 14



In-line Oil Mister
Art. No. 00699 070 314



Pneumatic Tool Oil 1Ltr
Art. No. 00893 050 5

Hose Reel 17M

Art. No. 00699 010 17



Air Couplers

Art. No. 00699...



Blow Out Gun

Art. No. 00714 92 13

Extension Nozzle, 150mm

Art. No. 00714 92 15



Tyre Pressure Gauge

Art. No. 00715 54 05

1/2" Square Drive



1/2" Impact Wrench - SHORT, 12Pcs
Art. No. 00714 900 100



1/2" Impact Wrench - LONG, 12Pcs
Art. No. 00714 900 200



1/2" Impact Wrench TORX, 8 Pcs
Art. No. 00715 900 100



1/2" Impact Wrench HEX, 8Pcs
Art. No. 00715 900 200



1/2" Mag Socket Set
Art. No. 00714 130 30



1/2" Impact Wrench, 4Pcs
Art. No. 00714 13 25



1/2" Cardan Joint
Art. No. 00714 138 351



1/2" Extension 75mm
Art. No. 00714 13 22

1/2" Extension 150mm

3/4" Square Drive



3/4" Impact Wrench, 8Pcs
Art. No. 00714 900 500



3/4" Cardan Joint
Art. No. 00714 148 351



3/4" Extension 175mm
Art. No. 00714 14 17
3/4" Extension 250mm
Art. No. 00714 14 18

1" Square Drive



1" Impact Wrench, 8Pcs
Art. No. 00714 900 600



Female Thread Coupling

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-------------|
| 22mm | 11.5mm | n/a | 13mm | n/a | 00699 101 4 |
| 22mm | 15mm | n/a | 16.5mm | n/a | 00699 103 8 |
| 24mm | 19mm | n/a | 21mm | n/a | 00699 101 2 |



Male Thread Coupling

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-------------|
| 22mm | n/a | 13mm | 11.5mm | n/a | 00699 111 4 |
| 22mm | n/a | 16.5mm | 15mm | n/a | 00699 113 8 |
| 24mm | n/a | 21mm | 19mm | n/a | 00699 111 2 |



Hose Tail Couplings

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-------------|
| 22mm | n/a | 7mm | n/a | 6mm | 00699 126 |
| 22mm | n/a | 10mm | n/a | 9mm | 00699 129 |
| 24mm | n/a | 14mm | n/a | 13mm | 00699 121 3 |




Female Thread Nipple

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-------------|
| 17mm | 11.5mm | n/a | 13mm | n/a | 00699 201 4 |
| 19mm | 15mm | n/a | 16.5mm | n/a | 00699 203 8 |
| 24mm | 19mm | n/a | 21mm | n/a | 00699 201 2 |



Male Thread Nipple

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-------------|
| 17mm | n/a | 13mm | 11.5mm | n/a | 00699 211 4 |
| 19mm | n/a | 16.5mm | 15mm | n/a | 00699 213 8 |
| 24mm | n/a | 21mm | 19mm | n/a | 00699 211 2 |



Hose Tail Nipple

| Spanner Width | I/D of Fitting | O/D of Fitting | Wall/Tool Fitting | Pipe Size | Art. No. |
|---------------|----------------|----------------|-------------------|-----------|-----------|
| n/a | n/a | 7mm | n/a | 6mm | 00699 36 |
| n/a | n/a | 10mm | n/a | 9mm | 00699 39 |
| n/a | n/a | 14mm | n/a | 13mm | 00699 313 |



Plivovic Air Hose

| Int. Dia. | Int. Dia. In mm | Outer Dia. | Work. Pressure | Art. No. |
|-----------|-----------------|------------|----------------|-------------|
| 1/4" | 6.4 | 12.7 | 250 PSI | 01699 906 |
| 3/8" | 9.5 | 16.8 | 250 PSI | 01699 909 |
| 1/2" | 12.7 | 20.6 | 250 PSI | 01699 901 3 |



Headless Pinner and Nailer

Art. No. 01703 11 22

| | |
|-----------------------|-------------|
| Height | 168mm |
| Length | 222mm |
| Width | 48mm |
| Weight | 0.98Kgs |
| Capacity | 100Pcs |
| Min/Max. Air Pressure | 4.9-6.9 Bar |

No. 6 Headless Pin

| | | |
|----|---|-------|
| 12 | — | 0.472 |
| 15 | — | 0.591 |
| 18 | — | 0.709 |
| 21 | — | 0.827 |
| 25 | — | 0.984 |
| 30 | — | 1.181 |
| mm | | inch |



18G Air Brad Nailer (10-35mm)

Art. No. 01703 18 35

| | |
|-----------------------|---------|
| Height | 210mm |
| Length | 260mm |
| Width | 59mm |
| Capacity | 100Pcs |
| Min/Max. Air Pressure | 4-7 Bar |

F-Type Brad Nail

| | | |
|----|---|--------|
| 15 | — | 3/8" |
| 20 | — | 5/8" |
| 25 | — | 3/4" |
| 30 | — | 1" |
| 32 | — | 1-1/8" |
| 35 | — | 1-3/8" |
| mm | | inch |

Art. No. 01480 125...



16G Air Brad Nailer (19-50mm)

Art. No. 01703 16 50

| | |
|-----------------------|-------------|
| Height | 248mm |
| Length | 286mm |
| Width | 70mm |
| Capacity | 100Pcs |
| Min/Max. Air Pressure | 4.9-7.6 Bar |

T-Type Brad Nail

| | | |
|----|---|--------|
| 20 | — | 3/4" |
| 25 | — | 1" |
| 32 | — | 1-1/4" |
| 38 | — | 1-1/2" |
| 45 | — | 1-3/4" |
| 50 | — | 2" |
| mm | | inch |

Art. No. 01480 250...



Tacker and Nail Driver (J19)

Art. No. 01703 11 500





THREADED SCREWS, HEXAGON NUTS, WASHERS
Art. No. 05964 004 000



CHEESE HEAD SCREWS DIN 84
Art. No.: 05964 004 001



ALLEN HEAD CAP SCREW
Art. No: 05964 008 401



SELF-TAPPING SCREWS, PAN HEAD
Art. No: 05964 011 500



SELF-TAPPING SCREWS, PAN HEAD DIN 7981
Art. No: 05964 011 501



C/SUNK HEAD S/TAPPER SCREW PHILLIPS ISO7050
Art. No: 05964 011 600



SELF-TAPPING SCREWS, PAN HEAD DIN 7981
Art. No: 05964 013 400



SELF-TAPPING SCREWS, PAN HEAD DIN 7981
Art. No: 05964 013 401



ALLEN HEAD SCREW ISO 4026/4027/4028
Art. No: 05964 025 600



HEX NUT M3-M16
Art. No: 05964 031 700



FLAT WASHERS, DIN 125; 140 HV
Art. No: 05964 040 700



FENDER WASHER ASSORTMENT
Art. No: 05964 041 100



EXTERNAL CIRCLIPS 5-35mm, 1050Pcs
Art. No. 05964 043 800



INTERNAL CIRCLIPS 8 - 30mm, 1050Pcs
Art. No. 05964 043 900



COPPER WASHERS 6 - 32mm, 1140Pcs
Art. No. 05964 043 900



ALUMINIUM WASHERS 6-30mm
Art. No. 05964 046 300



FIBRE WASHERS 5-30mm, 1170Pcs
Art. No. 05964 046 500



METRIC O-RINGS 3-24mm, 1050Pcs
Art. No. 05964 046 800



IMPERIAL O-RINGS 5.28x1.78-36.1x3.53, 440Pcs



METRIC O-RINGS 25-35mm, 330Pcs
Art. No. 05964 046 802



IMPERIAL O-RINGS 2.9-23.4, 440Pcs
Art. No. 05964 046 805



INDUSTRIAL O-RING KIT
Art. No. 05964 046 806



IMPERIAL O-RINGS 25-43.82mm, 330Pcs
Art. No. 05964 046 807



SPLIT PINS 1.6-6.3mm, 1525Pcs
Art. No. 05964 047 000



DOWEL PINS

Art. No: 05964 047 500 - 2mm to 6mm

Art. No. 05964 047 501 - 7mm to 12mm



E-CLIPS 2.3mm to 19mm, 985Pcs

Art. No. 05964 049 000



PLASTIC HOSE CONNECTORS

Art. No: 05964 050 000



TENSION SPRINGS

Art. No: 05964 050 601



SPEED CLIP ASSORTMENT 2.5mm to 8mm, 1375Pcs

Art. No: 05964 050 003



PIPE CLAMPS, 118Pcs

Art. No: 05964 054 200



WATERPROOF PLUGS 440Pcs

Art. No: 05964 055 501



WIRE END FERRULES - Non Insulated, 1200Pcs

Art. No: 05964 055 700



WIRE END FERRULES - Insulated, 525Pcs

Art. No: 05964 055 701



ELECTRICAL TERMINALS - Insulated, 530Pcs

Art. No: 05964 055 809



RUBBER GROMMETS 6mm to 16mm, 450Pcs

Art. No: 05964 056 101



BODY SEALING GROMMETS 14mm to 30mm, 200Pcs

Art. No: 05964 056 103



HSS BI-METAL SAWS
Art. No. 05964 063 291



ELECTRONIC SOLDERING GUN 240V 60W
Art. No. 05964 071 500



TAP AND DIE ASSORTMENT
Art. No. 05964 065 200 - M3 to M12



TAP AND DIE ASSORTMENT
Art. No. 05964 065 201 - M3 to M20



BLADE FUSE ASSORTMENT, 170Pcs
Art. No. 05964 073 101



HEAT SHRINK ASSORTMENT, 130Pcs
Art. No. 05964 077 100



PAINT REPAIR & HEADLIGHT POLISHING KIT
Art. No. 05964 089 308



BLIND RIVET & PLIER ASSORTMENT
Art. No. 05964 091 500



GREASE NIPPLE ASSORTMENT, 600Pcs
Art. No. 05964 098 600



SOFT WAX ASSORTMENT BROWN
Art. No. 0964 890 4



SOFTWAX ASSORTMENT GREY
Art. No. 00964 890 420



RATCHET RIVET NUT THREAD SETTER 4-12mm
Art. No. 05964 094 803



TIMESERT KIT SPARK PLUG
Art. No. 05964 096 111



TIMESERT KIT M5/M6/M8/M10/M12
Art. No. 05964 096 171



TIMESERT KIT M6/M8/M10
Art. No. 00964 961 6




System Boxes and Dividers




System Box

Art. No. 05581 035 001
(Excludes dividers)




System Box

Art. No. 05581 035 002
(Excludes dividers)



System Box

Art. No. 05581 035 003
(Excludes dividers)




System Box

Art. No. 05581 035 012
(Excludes dividers)

Layout Suggestions:




The above images are purely for suggestion, the ORSY Case 4.4.1 does not include any system boxes or dividers



Divider

Art. No. 05581 035 020



Divider

Art. No. 05581 035 021

ORSY Case



ORSY Case Black - EMPTY

Art. No. 05581 020 000 - Case 4.4.1
Art. No. 05581 010 000 - Case 8.4.1



ORSY Case Transparent - EMPTY

Art. No. 05581 020 500 - Case 4.4.1
Art. No. 05581 010 500 - Case 8.4.1

ORSY Trays and Dividers



3 Compartment Tray - 18 Dividers
Art. No. 05581 003 010
(Excludes dividers)




Dividers for 05581 003 010
Art. No. 05581 003 014



5 Compartment Tray - 30 Dividers
Art. No. 05581 003 011
(Excludes dividers)



Dividers for 05581 003 011
Art. No. 05581 003 015



WALL SHELF 500 - 36 PIECE (SIZE 4)

With universal rail for storage boxes in size 4. Ideal for workshops, trade businesses

- Colour-coded grouping of storage boxes for optimum arrangement of storage space
- Optimised access for assembly areas

Art. No. 00962 200 010



WALL SHELF 1000 - 90 PIECE (SIZE 4)

With universal rail for storage boxes in sizes 3/4. Ideal for workshops, trade businesses and industry for storage of small and/or spare parts.

- Optimal storage space arrangement through colour-coded grouping of storage boxes

Art. No. 00962 200 021



WALL SHELF 1300 - 78 PIECE (SIZE 4,3)

With universal rail for storage boxes in sizes 2/3/4. Ideal for workshops, trade businesses and

- Optimal storage space arrangement through colour-coded grouping of storage boxes

Art. No. 00962 200 030



WALL RAIL ASSEMBLY - FOR INDIVIDUAL WALL MOUNTING OF EASY-VIEW STORAGE BINS

Art. No. 00960 70




| Suitable for storage boxes | Size 3 |
|----------------------------|--------|
| Length | 880 mm |
| Number of boxes | 6 PCS |
| Material | Steel |

Art. No. 00960 80




| Suitable for storage boxes | Size 4 |
|----------------------------|--------|
| Length | 880 mm |
| Number of boxes | 9 PCS |
| Material | Steel |



For storing small parts, consumables and bulk materials in a way that makes them easy to locate. Ideal for workshops, trade businesses and industry.

- Resistant to common greases and oils
- Temperature-resistant from -20°C to $+90^{\circ}\text{C}$



| Image | Art. No. | P. Qty. | Size | Size Length (L1) | Width (B2) | Height (H2) | Internal width (B1) | Height (from floor to stacking rim) | Length (internal base) (L3) |
|-------|---------------|---------|------|------------------|------------|-------------|---------------------|-------------------------------------|-----------------------------|
| 1 | 00962 211 011 | 1 | 1 | 489mm | 304mm | 185mm | 280mm | 172mm | 425mm |
| 2 | 00962 211 021 | 1 | 2 | 335mm | 209mm | 152mm | 191mm | 139mm | 293mm |
| 3 | 00962 211 031 | 1 | 3 | 230mm | 150mm | 130mm | 130mm | 118mm | 192mm |
| 4 | 00962 211 041 | 1 | 4 | 161mm | 105mm | 75mm | 89mm | 63mm | 137mm |
| 5 | 00962 211 051 | 1 | 5 | 90mm | 102mm | 50mm | 88mm | 44mm | 68mm |



Speed Clip 2,9mm

Art. 00500 119 56

Length: 13mm

Width: 11mm



Interior Clip

Art. 00500 136 76

Head: 18mm

Hole: 8mm

Length: 24mm



Speed Clip 4,8mm

Art. 00500 115 22

Length: 17mm

Width: 11mm



Speed Clip 3,9mm

Art. 00500 113 47

Length: 13mm

Width: 11mm



Door Cover Clip

Art. 00501 105 400

Head: 18mm

Hole: 8mm

Length: 24mm



Window Winder Clip

Art. 00501 105 015



Plastic Nut

Art. 00501 104 050

Hole: 10mm (flange 24mm)

Height: 10,5mm



Beading Clip

Art. 01500 365

Hole: 5mm

Length: 11mm



VW Panel Clip

Art. 01500 023 6

Head: 17mm

Hole: 8mm

Length: 18mm



Door Step Clip

Art. 00501 105 020



Speed Nut 4,2mm

Art. 00500 117 45

Length: 15,5mm

Width: 11mm



Sheet Metal Nut M8

Art. 00501 102 005

Length: 27,5mm

Width: 18mm

Screw: M8



Moulding Clip

Art. 00501 105 006

Original Part



Plastic Bumper Rivet

Art. 00501 105 063

Head: 20mm

Hole: 6mm



Plastic Rivet Type 2

Art.: 00500 411

Head: 11mm

Hole: 5mm

Length: 12mm



Plastic Bumper Rivet

Art. 00501 105 065

Head: 14,5mm

Hole: 6mm

Length: 20mm



Plastic Rivet

Art. 01500 040 3

Head: 17,8mm

Hole: 6,5mm

Length: 17,5mm



Plastic Rivet

Art. 01500 012 1

Head: 20mm

Hole: 5,6mm



Plastic Rivet Type 1

Art.: 00501 105 124

Head: 20mm

Hole: 6mm

Length: 19mm



Plastic Rivet

Art. 01500 040 1

Head: 16,5mm

Hole: 6mm

Length: 25mm



Cable Tie Type 3

Art. 00501 105 004

Head: 20mm

Thread: 6mm



Plastic Rivet (No Pin)

Art. 00500 788 028

Head: 11mm



Cover Plug Type S

Art. 00500 789 059

Head: 17mm



Claw Nut

Art. 00500 785 006



Interior Lining Clip

Art. 01500 055

Head: 18mm



Grill Clip

Art. 00500 785 016

Head: 17,5mm



Clip for Honda

Art. 01500 055

Head: 20mm

Hole: 8mm



Claw Nut

Art. 00500 785 044



Expanding Nut

Art. 00500 785 045



Screw Rivet Type S

Art. 00500 785 087

Head: 20mm



Expanding Nut

Art. 00500 789 068



Rivet Screw

Art. 00500 292 9



Plastic Rivet Type S

Art. 00500 789 006

Head: 14mm



Ford Body Clip

Art. 00500 145 45

Head: 18,7mm



Panel Clip

Art. 01500 257

Head: 20mm



Screw Rivet Type 1

Art. 00500 785 083

Head: 15mm



Plastic Expanding Rivet Types

Art. 00501 102 041

Head: 25,4mm

Hole: 8mm



Bumper Clip

Art. 01500 256

Head: 20mm



Panel Clip

Art. 01500 349

Head: 18mm



Panel Clip

Art. 01500 350

Head: 20mm



Bumper Clip

Art. 01500 364

Head: 20mm



Cover Plug

Art. 00500 785 040

Original Part



Door Seal Clip

Art. 00500 785 082

Original Part



Interior Clip

Art. 00500 405 0

Head: 18mm

Hole: 8mm

Length: 18mm



Interior Cover Clip

Art. 00500 116 39

Original Part



Brake Pad Clip

Art. 00500 307 71

Hole: 1,5mm

Length: 16mm



Plastic Blind Rivet

Art. 00500 124 28

Head: 9mm

Hole: 5mm

Length: 7mm



Panel Clip

Art. 00500 785 085

Head: 14,5mm

Hole: 6mm

Length: 14mm



Screw Rivet Type 1

Art. 00500 777 3

Head: 15mm

Hole: 6,5mm

Length: 12,5mm



Cover Clip Type S

Art. 00501 102 037

Head: 30mm

Hole: 16,4-18mm

Length: 15mm



Expanding Rivet Type S

Art. 00501 102 043

Head: 18mm

Hole: 3,25-6,75mm

Length: 7mm



Rivet No Pin Type S

Art. 00501 329 002

Original Part



Plastic rivet (No Pin)

Art. 00500 785 021

Head: 13mm

Hole: 5mm

Length: 16,5mm



Plastic Rivet Type 3

Art. 00500 789 056

Head: 10mm

Hole: 3,8mm

Length: 10mm




Speed Clip 3,5mm

Art. 00500 121 9

Length: 16,5mm

Width: 11mm



Speed Clip 3,9mm

Art. 00500 113 46

Length: 16mm

Width: 11mm



Speed Clip 4,2mm

Art. 00500 053 6

Length: 16mm

Width: 11mm



Sheet Metal Nut Type 6

Art. 00500 408 0

Length: 23,8mm

Width: 16mm

Screw: M6



Sheet Metal Nut Type 6

Art. 00501 102 026

Length: 27,5mm

Width: 18mm

Screw: M8



Sheet Metal Nut Type 6

Art. 00501 104 120

Length: 20,4mm

Width: 15mm

Screw: M5


Speed Clip 6,3mm
Art. 00500 114 04

Length: 17mm

Width: 16mm


Speed Clip 4,8mm
Art. 00500 114 70

Length: 19,5mm

Width: 16mm


Speed Clip 6,5mm
Art. 00500 113 69

Length: 25mm

Width: 16mm


Speed Clip 6,3mm
Art. 00500 114 27

Length: 25mm

Width: 16mm


Speed Nut 5,5mm
Art. 00500 121 98

Length: 26mm

Width: 14,5mm


Speed Clip 4,8mm
Art. 00500 132 19

Length: 25mm

Width: 11mm


Sheet Metal Nut Type 9
Art. 00500 595 0

Length: 26,5mm

Width: 18mm

Screw: M6


Speed Nut 4,2mm
Art. 00500 132 51

Length: 22mm

Width: 11mm


Speed Clip 4,2mm
Art. 00500 113 62

Length: 16,5mm

Width: 11mm


Speed Clip 4,8mm
Art. 00500 113 65

Length: 15,5mm

Width: 15mm


Sheet Metal Nut Type 1
Art.: 00501 104 064

Length: 12,5mm

Width: 11mm


Interior Moulding Clip
Art. 00501 104 046

Original Part


Trim Clip
Art. 00500 136 88

Head: 18mm

Hole: 8mm

Length: 18mm


Plastic Nut
Art. 00501 104 051

Hole: 10mm

Height: 11mm

Screw: M5


Beading Clip
Art. 00500 150 21

Hole: 8mm


Plastic Expanding Rivet
Art. 0050 201 404

Head: 20mm

Hole: 8mm

Length: 14mm


Screw Rivet
Art. 00501 104 039

Head: 16,3mm

Hole: 7mm

Length: 11mm


Plug Clip
Art. 00501 104 048

Original Part


Blind Rivet
Art. 00500 941 2

Head: 12mm

Hole: 5mm

Length: 11mm


Screw & Washer Type 1
Art. 00501 104 054

Length: 19mm

Washer: 22mm


Speed Rivet
Art. 00500 919 2

Head: 12mm

Hole: 8mm

Length: 10mm


Wheel Arch Clip
Art. 01500 347

Head: 16mm

Hole: 6mm

Length: 18mm


Cover Plug
Art. 00501 106 066

Head: 16mm

Hole: 6mm

Length: 17mm


Blind Rivet
Art. 00500 124 28

Head: 9mm

Hole: 5mm

Length: 7mm


Cable Tie Type 1
Art. 00500 124 63
NISSAN

Grill Clip
Art. 01500 121

Original Part


Expanding Nut Type S
Art. 00500 785 046

Head: 13 mm x 13mm

Thread: 4,2mm


Expanding Nut
Art. 00500 788 038

Head: 15mm ROUND

Thread: 4,2-4,8mm


Fender Clip
Art. 01500 274

Head: 20mm

Hole: 8mm

Length: 9mm


Expanding Nut (Seal)
Art. 01500 109

8mm x 8mm

Thread: 2,9mm


Plastic Rivet (No Pin)
Art. 00500 788 001

Head: 13mm

Hole: 5mm

Length: 15mm


Fender Clip
Art. 01500 091

Head: 20mm

Hole: 8mm

Length: 8mm


Interior Clip
Art. 01500 070

Head: 19mm

Hole: 8mm

Length: 23mm


Nissan Clip
Art. 01500 037

Head: 19mm

Hole: 8mm

Length: 20mm


Expanding Nut
Art. 00500 788 026

8,5mm x 8,5mm

Thread: 4,8mm


Expanding Nut Type S
Art. 00500 788 027

6,8mm x 6,8mm

Thread: 2,9-3,5mm


Expanding Nut Type 1
Art. 00500 788 037

Head: 13mm ROUND

Thread: 4,2-4,8mm


Boot Lining Clip (Grey)
Art. 01500 063

Head: 18mm

Hole: 8mm

Length: 14mm


Boot Lining Clip
Art. 01500 049 1

Head: 18mm

Hole: 8mm

Length: 14mm


Fender Liner Clip
Art. 01500 108

Head: 16mm

Hole: 8mm


Percussion Rivet Type S
Art. 00501 130 010

Original Part


Plastic Rivet (No Pin)
Art. 00500 788 035

Head: 16mm

Hole: 5mm

Length: 15mm


Plastic Rivet (No Pin)
Art. 00500 788 028

Head: 11mm

Hole: 5mm

Length: 14mm


Plastic Rivet
Art. 00500 788 002

Head: 20mm

Hole: 6,5mm

Length: 17mm


Door Seal Clip Type S
Art. 00501 133 009

Head: 12,9 x 5mm

Hole: 5,4mm

Length: 11,4mm

OPEL - ISUZU

ISUZU

Window Winder Clip
Art. 01500 685

Expanding Rivet
Art. 00501 101 000

Head: 16mm

Hole: 8mm

Length: 12mm


Pine Tree Clip Type 4
Art. 00500 939 6

Head: 14mm

Hole: 6,5mm

Length: 16mm


Pine Tree Type 1
Art. 00501 105 601

Head: 14,7mm

Hole: 6mm

Length: 18,6mm


Cover Plug
Art. 00500 939 5

Head: 14mm

Hole: 6,5mm

Length: 16mm


Plastic Rivet Type 3
Art. 00501 103 017

Head: 20mm

Hole: 6mm

Length: 20mm


Speed Clip 6,5mm
Art. 00500 114 03

Length: 25mm

Width: 15mm


Interior Lining Clip
Art. 00500 136 31

Head: 16,8mm

Hole: 8mm

Length: 12,5mm


Cover Plug (Large)
Art. 00500 402 9

Head: 27,5mm

Hole: 8mm

Length: 16mm


Expanding Rivet
Art. 00500 127 10

Head: 10mm

Hole: 6mm

Length: 11mm


Isuzu Wheel Arch Clip
Art. 00500 127 10

Head: 16mm

Hole: 8mm



Speed Clip 5,6mm

Art. 00500 115 77

Length: 20mm

Width: 13mm



Speed Clip 8mm

Art. 00500 117 61

Length: 23mm

Width: 18mm



Speed Clip 6,3mm

Art. 00500 132 04

Length: 25mm

Width: 15mm




Speed Clip 4,9mm

Art. 00500 113 21

Length: 16,5mm

Width: 11mm



Speed Clip 6,3mm

Art. 00500 113 21

Length: 28,5mm

Width: 16mm



Trim Clip

Art. 00501 103 085

Original Part



Door Panel

Art. 01500 357

Head: 12mm

Hole: 8mm

Length: 11mm



Plastic Rivet

Art. 01500 040 2

Head: 12,5mm

Hole: 6mm

Length: 25mm



Plastic Rivet

Art. 01500 040 4

Head: 11,7mm

Hole: 4,8mm

Length: 15,5mm

Cable Tie Type 2

Art. 00501 103 078

Hole: 6,5mm

Length: 115mm

Width: 4,8mm



TOYOTA



Speed Nut Plastic

Art. 00500 779 3

Length: 29mm

Width: 20mm

Thread: 4,2-4,8mm



Toyota Bumper Clip

Art. 01500 683 1

Head: 18mm

Hole: 9mm

Length: 28mm



Cover Plug

Art. 01500 026

Head: 30mm

Hole: 6,7mm

Length: 15mm



Push in Clip

Art. 01500 097

Head: 10,5mm

Hole: 7mm

Length: 11mm



Trim Clip

Art. 01500 099

Head: 13mm

Hole: 5,5mm

Length: 10mm



Lining Clip

Art. 01500 072

Head: 14mm

Hole: 5,5mm

Length: 10mm



Claw Nut

Art. 01500 776 0

Head: 9mm x 9mm

Hole: 3,5mm


Screw Rivet
Art. 00500 777 3

Head: 15mm

Hole: 6mm

Length: 12,5mm


Interior Clip
Art. 00500 777 8

Head: 18mm

Hole: 7mm

Length: 15mm


Expanding Nut
Art. 00500 774 7

8,5mm x 8,5mm

Thread: 4,2-4,8mm


Toyota Clip
Art. 01500 048 7

Head: 18mm

Hole: 8mm


Rod Clip
Art. 01500 079 1

Rod: 8mm

Hole: 9,6mm x 9,6mm


Claw Nut
Art. 00500 775 8

Head: 9mm x 9mm

Hole: 17mm


Expanding Nut
Art. 00500 775 7

Head: 8,5mm x 8,5mm

Thread: 4,2-4,8mm


Expanding Nut
Art. 00500 773 7

Head: 12mm x 16mm

Hole: 9,2mm x 9,7mm


Cover Plug
Art. 00500 773 4

Head: 15mm

Hole: 7mm

Length: 14mm


Interior Clip
Art. 00500 772 9

Head: 14mm

Hole: 6mm

Length: 15mm


Cover Plug
Art. 00500 772 8

Head: 14mm

Hole: 6mm

Length: 11mm


Plastic Rivet Type S
Art. 00500 771 6

Head: 14mm

Hole: 5mm

Length: 11mm


Claw Nut
Art. 01500 771 0

Head: 10,3mm x 10,3mm

Hole: 7,4mm x 6,3mm


Claw Nut
Art. 01500 770 9

Head: 7mm x 6,5mm


Claw Nut (Long)
Art. 01500 771 1

Head: 11,5mm x 11,5mm

Hole: 8,5mm x 7,5mm


Trim Clip
Art. 00500 770 6

Head: 18mm

Hole: 8mm

Length: 20,5mm


Cover Plug Large
Art. 00500 774 0

Head: 30mm

Hole: 7mm

Length: 15mm


Plastic Rivet Type S
Art. 00501 130 025

Head: 18mm

Hole: 4,8mm

Length: 7,5mm


Percussion Rivet Type S
Art. 00501 130 008

Original Part


Plastic Expanding Rivet
Art. 00501 130 127

Head: 14mm

Hole: 3,5mm

Length: 12mm


Screw Rivet Type S
Art. 00501 130 053

Head: 5,7mm

Hole: 5,8mm

Length: 13,9


Screw Rivet Type 2
Art. 00501 130 052

Head: 15mm

Hole: 8,7mm

Length: 26,5mm


Head Lamp Adjuster Screw
Art. 01500 671 0

Hole: 10,5mm x 10,5mm



Toyota Bumper Clip

Art. 01500 683 1

Head: 18mm

Hole: 9mm

Length: 28mm



Toyota Bumper Clip

Art. 01500 683 1

Head: 18mm

Hole: 9mm

Length: 28mm



Grill Clip (Grey)

Art. 01500 683 1

Original Part



Body Clip (Black)

Art. 01500 130

Head: 18mm

Hole: 6mm

Length: 11mm



Door Post Rear

Art. 01500 098

Head: 15mm

Hole: 8mm

Length: 8mm x 8mm



Toyota Fender Clip

Art. 01500 136

Head: 20mm

Hole: 6mm

Length: 8mm



Grill Clip (Black)

Art. 01500 069

Original Part



Grill Clip

Art. 01500 084

Original Part



Toyota Bumper Clip

Art. 01500 683 1

Head: 18mm

Hole: 9mm

Length: 28mm



Fender Clip

Art. 01500 332

Head: 18mm

Hole: 8mm

Length: 12mm



Toyota Clip

Art. 01500 048 3

Head: 16,8mm

Hole: 10mm



Toyota Clip

Art. 01500 048 4

Head: 17mm

Hole: 8mm



Toyota Clip

Art. 01500 048 5

Head: 7,7mm x 8,3mm

Hole: 16,8mm



Fender Clip

Art. 01500 343

Head: 15mm

Hole: 6mm



Bumper Clip

Art. 01500 124

Head: 18mm

Hole: 7mm



Conquest Trim Clip (Brown)

Art. 01500 103

Head: 18mm

Hole: 6mm

Length: 11mm



Body Clip (Blue)

Art. 01500 102

Head: 18mm

Hole: 6mm

Length: 11mm



Assembly Wedge Set

Art. 00714 58 245



Headlight Clip

Art. 00500 879 33

Head: 9,5mm x 9,5mm

Hole: 6,8mm x 7,2mm



Headlight Clip

Art. 00500 879 32

Head: 12mm (Round)

Hole: 6,5mm x 7,5mm



Blind Rivet Plastic

Art. 00500 937 7

Head: 12,5mm

Hole: 8mm

Length: 11mm



PVC Cap (Soft)

Art. 00500 117 75

Head: 13mm

Hole: 8mm

Length: 16mm



Plastic Rivet

Art. 00500 148 02

Head: 17,6mm

Hole: 8mm

Length: 9,2mm



Expanding Nut Type 3 Blk

Art. 00501 101 233

Hole: 7,5mm

Length: 7,6mm

Screw: 4,8mm



Expanding Nut type 3

Art.: 00501 101 230

Hole: 8mm

Length: 7,8mm

Screw: 4,8mm



Expanding Nut VW

Art. 00501 101 229

Hole: 8mm

Height: 21mm

Screw: 4,8mm



Dash Board Clip

Art. 00500 129 54

Head: 18mm

Hole: 8mm



Panel Clip

Art. 01500 023 6

Head: 17mm

Hole: 8mm



Cowling Clip

Art. 01500 036 2

Head: 23mm

Hole: 8mm x 7,2mm



Interior Lining Clip

Art.: 00501 101 664

Original Part



Sheet Metal Nut Type 6

Art.: 00501 101 646

Length: 23,6mm

Width: 16mm



Sheet Metal Nut Type 1

Art. : 00501 101 648

Length: 16,5mm

Width: 12,5mm



Grill Clip

Art. 01500 935 1

Head: 17mm x 12mm

Hole: 8mm



Interior Lining Clip

Art. 00501 101 662

Original Part



Interior Lining Clip

Art. 00501 101 663

Hole: 10mm



Plastic Nut

Art. :00501 101 322

Hole: 10mm

Height: 10,5mm

Screw: 5mm



Door Seal Clip

Art.: 00500 147 20

Head: 12,7mm x 5mm

Hole: 4,6mm

Length: 9,6mm



Door Seal Clip

Art. 00501 101 204

Head: 17mm x 5,5mm

Hole: 4,6mm

Length: 7,5mm



Speed Clip 4,5mm

Art. 00500 139 56

Length: 16,5mm

Width: 11mm



Speed Clip 4,8mm

Art. 00500 114 70

Length: 20mm

Width: 16mm



Speed Clip 4,2mm

Art. 00500 124 38

Length: 22,5mm

Width: 11mm



Window Moulding Clip

Art. 00501 101 003



Interior Lining Clip Type 2

Art. 00501 101 636

Head: 15mm

Hole: 8mm

Length: 15,6mm



Door Seal Clip

Art.: 00501 101 442

Head: 12,7mm x 5mm

Hole: 4,5mm

Length: 14,6mm



Beading Clip

Art. 00500 123 301

Original Part



Headlight Adjuster

Art. 01500 359

Original Part



Door Seal Clip

Art.: 00501 101 446

Head: 12,7mm x 5mm

Hole: 4,5mm

Length: 7,5mm



Collar Screw

Art. 00501 101 448

Original Part



Body Strap

Art. 00500 909 93



Cable Tie

Art.00500 238 3

Hole: 5mm - 6,5mm

Length: 140mm



Grommet Type 6

Art.: 00501 121 126



Interior Cover Clip

Art.: 00501 121 008

Head: 13,7mm



Interior Lining Clip

Art: 00501 101 427

Head: 13,2mm



Interior Lining Clip Type 3

Art: 00501 121 010

Head: 13mm

Hole: 8mm



Door Seal Clip

Art.: 00501 121 016

Head: 17mm x 8,4mm



Cover Plug Type 8

Art: 00501 121 108

Head: 12mm



Panel Clip

Art. 01500 023 6


Head: 17mm



Panel Clip

Art. 01500 023 6

Head: 17mm



Sheet Metal Nut M6

Art.: 00500 533 12



Panel Clip

Art. 01500 023 6

Head: 17mm



Interior Lining Clip Type 3

Art: 00501 121 007

Head: 22,4mm

LAND ROVER - VOLVO



Interior Lining Clip Type 5

Art: 00501 121 130

Original Part



Interior Lining Clip Type 4

Art: 00501 167 021

Head: 12,5mm



Interior Lining Clip Type 3

Art: 00501 141 007

Head: 10mm



Panel Clip

Art. 01500 023 6

Head: 17mm

